## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.






Forest Service

General Technical Report WO-42 Tables of Whole-Tree Weight 3734 for Selected U.S. Tree Species

SOUTHFORNET





Tables of Whole-Tree Weight for Selected U.S. Tree Species

United States Department of Agriculture Forest Service

General Technical Report WO-42

July 1984

USDA, National Agricultural Library

NAL Bldg
10301 Baltimore Blvd
Beltsville, MD 20705-2351

#### National Whole-Tree Weight Table Steering Committee and Project Team

#### Steering Committee

Robert Ethington Chairman

Director, Forest Products and Engineering Research

Washington, D.C.

Carl Berntsen Director, Timber Management Research

Washington, D.C.

Dean Quinney Deputy Director, Forest Resources Economics Research

Washington, D.C.

Project Team

Michael A. Taras 1/ Team Leader, Southeastern Forest Experiment Station

Athens, Ga.

Carlton Edminster Research Forester, Rocky Mountain Forest Experiment Station

Fort Collins, Colo.

James O. Howard Resource Analyst, Pacific Northwest Forest Experiment Station

Portland, Ore.

Neal P. Kingsley2/ Resource Analyst, Northeast Forest Experiment Station

Broomall, Pa.

Consultant

Charles Myers Southern Illinois University, Department of Forestry

Carbondale, Ill.

1/2 Now Head of Department of Forestry, Clemson University, Clemson, S.C.

2/ Now located in Delaware, Ohio.

#### Contents

	Page
Introduction	1 3
Hardwoods	4
Whole Tree	4
Wood, Bark, and Foliage	4 10 35
Main Stem	45
Wood and Bark	45 69
Softwoods	79
Whole Tree	79
Wood, Bark, and Foliage	79 96 109
Main Stem	115
Wood and Bark	115 137
Literature Cited and Other References	153 156 157

#### INTRODUCTION

Decreasing timber size, increasing costs, development of new wood products, greater demands for wood products, and more recently the energy crisis are but a few of the reasons why the forest products industries of the Nation are looking at the whole tree above ground as the primary forest product rather than just the main stem of the tree. Interest in the utilization of all tree parts above ground, including branches and foliage, has increased considerably over the past two decades. It has been demonstrated that the crown component of the tree can be used in a variety of ways: (1) As fuel to generate energy, (2) as chips or particles in glued up composite products, (3) as fiber in pulp and paper products, and (4) as a soil amendment or mulch in agriculture and borticulture.

Total or whole-tree utilization is now recognized as a viable forestry practice option. For land managers, timber buyers, and sellers to be able to exercise this utilization option, information on the amount of wood and bark contained in the tree as a whole and the individual component parts (main stem and branches) is needed if they are to make logical decisions regarding the management and utilization of their forests.

In October 1978, the Forest
Service Task Force on Whole-tree
Assessment recommended the
implementation of a national program
for the development of whole-tree
weight tables for the commercial
species of the United States. An
advisory steering committee and a
project team with representatives from
four research work units located in
the Northeastern, Southeastern, Rocky
Mountain, and Pacific Northwest
Experiment Stations were appointed and
charged with developing a manual of
whole-tree weight tables for the commercial species of the United States.

The development of these tables was accomplished through a review of the biomass literature developed over the past 25 years. This literature review revealed that much of the information that is available on whole-tree biomass is very difficult to assess, compare, or combine because of the differences in the sampling methods, sample sizes, range in tree sizes, and many other procedural and reporting anomalies used by the different investigators.

The tables in this report were developed from regression equations found in the literature that contained the two basic volume-measuring parameters of a tree; namely, diameter at breast height (d.b.h.) and total tree height. If an equation did not contain these two parameters, it was excluded from this collection. This was done for the sake of uniformity, and to be able to compare different species on an equivalent basis or two different tables generated for a single species from different geographical locations. Because of these limitations placed on the selections, a rather small number of equations were found in the literature that could be incorporated in this listing.

Five table types identifying wood by green weight:

- Whole tree--wood, bark, and foliage.
- Whole tree--wood, and bark (no foliage).
- Whole tree--wood only (no bark or foliage).
- Main stem½/--(to a 4-inch top) wood and bark.

• Main stem--(to a 4-inch top) wood only (no bark).

The tables are first segregated into the two major wood categories—hardwoods and softwoods, with each subdivided into five categories as indicated above. Under each of the table types, species are arranged alphabetically by scientific name. If a single species has more than one table of the same type, then the tables within a species are arranged alphabetically by State or region. An index to the hardwood and softwood tables by species can be found at the end of the report.

"Whole tree" in this report is defined as all wood, bark, and foliage above ground, excluding stump. Tree d.b.h. is listed by l-inch classes and tree height by 10-foot classes. Boxed-in areas indicate range of data used to develop the equation used.

The equations used to generate the respective tables are listed at the

base of the tables together with some statistical information regarding the average, maximum, and minimum values for the variables used in the equation. Some of the equations listed are for terms in metric units and result in metric answers that will be unlike those in the table, which are in pounds. To convert the pound values into kilograms, divide the values in the table by 2.2

Some tables were developed from a dry-weight equation and a moisture content factor applied to develop a green weight table. This procedure was used in the case of some of the western species where few green-weight equations were available. These tables reveal that in some cases the weight of the same species varies from one region to another. Although this is not always the case, the tables should be used within the region in which they were developed if one has a choice of tables to select from in order to be assured of better precision.

#### **TABLES**

	<u>Hardwoods</u>	Page
Table Nos.		
1-6 7-31 32-41 42-65 66-75	Whole TreeWood, Bark, and Foliage Whole TreeWood and Bark Whole TreeWood Main StemWood and Bark Main StemWood	4-9 10-34 35-44 45-68 69-78
	Softwoods	
76-92 93-105 106-111 112-133 134-149	Whole TreeWood, Bark, and Foliage Whole TreeWood and Bark Whole TreeWood Main StemWood and Bark Main StemWood	115-136

HARDWOODS
WHOLE TREE
Wood, Bark, and Foliage

<u>Carya</u> spp. - Hickory<u>l</u>/
Southern Illinois

Table 1--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	19 39 67 102	32 69 117 177 248 330 423 526 640	95 162 245 343 457 585 728 885 1056 1241 1439 1651 1876	204 308 432 575 737 916 1114 1329 1562 1811 2078 2362 2662 2978 3311 3660 4025	369 517 688 881 1095 1332 1589 1867 2165 2484 2823 3182 3560 3958 4375 4811 5267 5741	598 796 1019 1268 1541 1838 2160 2506 2874 3266 3681 4119 4580 5062 5567 6094 6642	900 1153 1434 1743 2080 2444 2834 3252 3695 4165 4660 5181 5727 6298 6894 7514	1283 1596 1940 2314 2719 3154 3618 4112 4634 5185 5765 6372 7008 7671 8362	2131 2543 2988 3466 3976 4518 5092 5698 6334 7002 7700 8429 9188	3251 3771 4326 4916 5540 6199 6892 7618 8378 9170 9996	4668 5305 5979 6690 7438 8222 9041 9897 10788			

### $\frac{1}{\text{Myer}}$ et al. 1980

### Fraxinus americana - White Ashl Illinois

Table 2--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	12 29 56 92	17 41 79 130 196 277 374 486 616	51 97 160 241 340 459 597 756 936 1138 1362 1608 1877	112 185 278 393 530 691 875 1083 1316 1575 1860 2171 2509 2874 3267 3688 4137	207 311 440 594 773 979 1212 1473 1763 2082 2430 2808 3217 3657 4128 4632 5167 5735	342 483 651 848 1074 1329 1616 1933 2283 2665 3080 3528 4010 4527 5079 5666 6289	522 704 916 1161 1437 1747 2090 2468 2881 3329 3814 4335 4894 5491 6125 6799	753 980 1242 1538 1869 2236 2640 3082 3562 4080 4638 5236 5874 6553 7274	1318 1632 1983 2373 2802 3271 3780 4331 4923 5557 6235 6955 7720	2092 2503 2956 3450 3987 4568 5192 5862 6576 7336 8142	3102 3621 4184 4793 5449 6151 6901 7698 8545

### <u>l</u>/Myers <u>et al</u>. 1980

W = 0.77560 \* D \*\* 2.24202 \* H \*\* 0.50569 Sample Size - 40 trees, Coefficient of Determination 0.97 Average DBH inches, Minimum 6 inches, Maximum 24 inches Average Height feet, Minimum 48 feet, Maximum 96 feet Average Age years, Minimum years, Maximum years

## <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<u>l</u>/ Southern Illinois

Table 3--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 13 22 32	14 29 49 73 102 135 172 213 258	47 79 119 165 218 278 344 417 495 580 670 766 868	112 167 233 307 391 484 586 696 815 942 1078 1221 1372 1531 1698 1873 2055	218 303 401 510 631 764 908 1062 1228 1404 1591 1788 1996 2213 2441 2678 2925 3182	376   497   633   784   948   1127   1319   1525   1743   1975   2220   2477   2747   3030   3325   3632   3951	760 941 1138 1353 1584 1830 2093 2372 2665 2975 3299 3638 3992 4360 4743	891 1102 1334 1585 1855 2145 2452 2779 3123 3485 3865 4262 4677 5109 5558	1534 1823 2134 2466 2820 3195 3591 4008 4445 4902 5378 5875 6391	2418 2795 3196 3621 4069 4541 5036 5554 6094 6657 7242	3578 4054 4557 5085 5639 6219 6824 7454 8109

### <u>l</u>/Myers <u>et al</u>. 1980

W = 0.11415 \* D \*\* 1.80992 \* H \*\* 1.18635 Sample Size - 40 trees, Coefficient of Determination Average DBH inches, Minimum 6.0 inches, Maximum 22.5 inches Average Height feet, Minimum 51.0 feet, Maximum 95.0 feet Average Age years, Minimum years, Maximum years

## Quercus alba - White Oak1/ Southern Illinois

Table 4--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Tota	l heigh	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	16 38 73 119	22 53 101 166 249 351 472 614 776	65 123 202 303 [ 427 574 746 943 1165 1414 1689 1991 2321	141 232 348 490 660 857 1083 1338 1624 1940 2287 2666 3077 3521 3998 4508 5052	259 388 546 735 954 1206 1490 1808 2160 2547 2969 3426 3920 4451 5019 5625 6269 6952	423 596 802 1042 1317 1627 1974 2358 2781 3241 3741 4280 4860 5480 6142 6845 7590	642 864 1122 1418 1753 2126 2540 2995 3491 4029 4610 5235 5903 6615 7373 8176	921 1197 1512 1869 2268 2709 3194 3723 4297 4917 5583 6295 7055 7863 8719	1601 1978 2400 2867 3380 3941 4548 5204 5908 6663 7467 8322 9228	2525 3017 3557 4146 4785 5475 6216 7010 7856 8755 9709	3724 4341 5010 5732 6508 7339 8225 9167 10165

#### 1/Myers et al. 1980

## Quercus <u>rubra</u> - Northern Red Oak<u>l</u>/ Southern Illinois

Table 5--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Tota	l heigh	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 9 18 30	8 20 38 64 97 138 188 247 315	31 59 99 151 216 294 386 493 614 751 903 1071 1256	82 137 297 404 530 676 843 1031 1240 1471 1725 2002 2303 2628 2978 3352	175 266 380 517 678 865 1078 1318 1585 1881 2206 2561 2945 3361 3808 4286 4797 5341	325 464 632 829 1058 1318 1611 1938 2300 2697 3130 3601 4109 4655 5240 5865 6530	550 749 983 1253 1562 1909 2297 2726 3196 3710 4267 4869 5517 6210 6951 7739	867 1138 1452 1809 2212 2661 3158 3703 4298 4944 5641 6391 7195 8053 8966	1653 2060 2519 3030 3595 4216 4894 5629 6423 7277 8192 9169 10209	2829 3403 4038 4735 5496 6322 7214 8173 9201 10298 11466	4485 5260 6105 7022 8013 9078 10220 11438 12735

### 1/Myers et al. 1980

## Quercus velutina - Black Oak1/ Southern Illinois

Table 6--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 17 32 53	13 33 61 98 146 204 273 352 442	47 87 142 211 294 393 507 638 784 947 1126 1322 1536	113 184 273 382 510 658 827 1016 1227 1460 1714 1991 2290 2612 2956 3324 3715	225 334 467 623 805 1011 1243 1501 1786 2097 2435 2801 3194 3616 4065 4544 5051 5587	394 550 735 949 1192 1466 1770 2105 2472 2871 3302 3766 4263 4793 5356 5954 6586	632 845 1090 1370 1684 2034 2419 2841 3299 3795 4328 4899 5508 6156 6843 7569	953 1230 1545 1900 2295 2729 3205 3722 4281 4882 5526 6214 6945 7719 8538	1719 2113 2552 3035 3565 4140 4761 5430 6146 6911 7724 8585 9496	2807 3338 3920 4553 5236 5972 6760 7600 8494 9442 10444	4272 4962 5707 6508 7367 8283 9257 10290 11382

### $\frac{1}{\text{Myers}}$ et al. 1980

W = 0.20110 \* D \*\* 2.16790 \* H \*\* 0.90260

Sample Size - 40 trees, Coefficient of Determination
Average DBH inches, Minimum 6.0 inches, Maximum 30.0 inches
Average Height feet, Minimum 40.0 feet, Maximum 96.0 feet
Average Age years, Minimum years, Maximum years

# HARDWOODS WHOLE TREE Wood and Bark

Acer rubrum - Red Maple 1/

Table 7--Whole tree--wood and bark--green weight (pounds)

DBH					Tota	l heigh	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	14 34 64 104	19 46 86 140 208 290 387 500 628	55 103 166 247 345 461 595 747 919 1110 1320 1550 1800	116 188 279 390 521 673 846 1040 1256 1494 1754 2037 2343 2672 3024 3400 3800	207 308 430 574 741 931 1144 1382 1644 1930 2242 2578 2940 3328 3742 4182 4649 5142	333 464 620 801 1006 1237 1494 1777 2087 2424 2788 3180 3599 4047 4523 5027 5561	496 663 856 1075 1322 1597 1899 2230 2590 2979 3397 3845 4323 4832 5371 5941	702 906 1139 1400 1691 2011 2362 2743 3154 3597 4072 4578 5117 5688 6291	1198 1473 1778 2115 2484 2885 3318 3784 4283 4816 5382 5983 6618	1861 2213 2599 3018 3471 3959 4481 5039 5631 6259 6924	2707 3144 3616 4124 4668 5249 5866 6521 7213

### 1/Young et al. 1964

LNW = 0.1651 + 2.1679 \* LN(D) + 0.4292 \* LN(H)

Sample Size - 20 trees, Coefficient of Determination 0.96

Average DBH inches, Minimum 5.6 inches, Maximum 15.8 inches

Average Height feet, Minimum 36.5 feet, Maximum 71 feet

Average Age , Minimum , Maximum

Acer rubrum - Red Maple 1/
West Virginia

Table 8--Whole tree--wood and bark--green weight (pounds)

DBH	****				Total	height	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 16 28 44	14 32 57 89 129 176 231 293 362	48 86 135 195 265 348 441 545 661 788 926 1075 1235	115 180 260 355 465 589 729 883 1053 1237 1437 1651 1881 2125 2385 2660 2950	225 326 444 582 738 913 1106 1318 1549 1799 2068 2355 2662 2987 3331 3695 4077 4478	391 534 699 887 1097 1329 1585 1862 2162 2485 2831 3199 3590 4004 4441 4900 5382	624 817 1036 1281 1553 1851 2175 2526 2904 3307 3738 4194 4678 5188 5724 6287	935 1185 1466 1777 2118 2489 2891 3322 3784 4276 4799 5352 5936 6549 7194	1651 2001 2385 2803 3255 3741 4261 4816 5404 6027 6684 7376 8101	2653 3117 3620 4161 4739 5356 6010 6703 7434 8203 9010	3985 4581 5218 5896 6617 7379 8184 9030 9919

### $\frac{1}{\text{Wiant et al.}}$ 1979

W = 0.16955 \* (H\* D \*\* 2) \*\* 1.00866 Sample Size - 22 trees, Coefficient of Determination 0.98 Average DBH inches, Minimum 2 inches, Maximum 16 inches Average Height feet, Minimum 8 feet, Maximum 94 feet Average Age 46 years, Minimum years, Maximum years

Acer saccharum -Sugar Maple 1/
Michigan

Table 9--Whole tree--wood and bark--green weight (pounds)

DBH					Tota	1 heigh	t (feet	.)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	33 41 53 68	40 56 80 110 147 191 241 298 362	72 107 152 207 273 348 434 530 635 751 877 1013 1159	134 194 268 355 456 570 697 838 993 1161 1342 1536 1744 1966 2201 2449 2711	236 328 437 563 706 865 1041 1234 1444 1671 1914 2174 2451 2745 3055 3382 3726 4087	278 389 520 671 842 1033 1244 1476 1728 2000 2292 2604 2936 3288 3661 4053 4466 4899	602   778 978 1201 1447 1718 2011 2328 2669 3033 3421 3832 4267 4725 5206 5711	885 1114 1369 1651 1959 2295 2657 3047 3463 3906 4376 4872 5396 5946 6523	1536 1854 2201 2578 2986 3424 3892 4391 4919 5478 6067 6686 7336	2443 2862 3315 3802 4322 4876 5463 6084 6738 7426 8148	3644 4179 4751 5361 6007 6690 7409 8166 8960

### 1/Steinhilb and Winsauer et al. 1976

W = 26.21 + 0.1678 \* H \* D \*\* 2 Sample Size - 137 trees, Coefficient of Determination Average DBH inches, Minimum 5 inches, Maximum 24 inches Average Height feet, Minimum 45 feet, Maximum 90 feet Average Age years, Minimum years, Maximum years

## Betula papyrifera - Paper Birchl/ Maine

Table 10--Whole tree--wood and bark--green weight (pounds)

DBH					Tot	al heig	ght (fe	et)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	16 39 74 120	22 53 99 161 239 334 446 576 723	63 118 192 284 397 531 685 861 1058 1278 1520 1785 2073	134 217 322 449 600 775 974 1197 1446 1720 2020 2345 2698 3077 3482 3916 4376	238 354 495 661 853 1072 1318 1591 1893 2223 2581 2969 3386 3832 4309 4816 5353 5921	383 535 714 922 1159 1425 1721 2047 2404 2791 3211 3661 4144 4660 5208 5789 6403	571 763 985 1 1238 1522 1838 2187 2568 2982 3430 3912 4428 4979 5564 6185 6841	808 1043 1311 1612 1947 2316 2719 3158 3632 4143 4689 5272 5892 6550 7245	1379 1696 2048 2436 2860 3322 3821 4357 4932 5546 6198 6889 7620	2143 2549 2993 3476 3998 4559 5160 5802 6485 7208 7973	3118 3621 4164 4749 5376 6044 6755 7509 8306

### $\frac{1}{Y}$ oung et al. 1964

LNW = 0.3062 + 2.1679 \* LN(D) + 0.4392 \* LN(H)

Sample Size - 17 trees, Coefficient of Determination 0.97

Average DBH inches, Minimum 6.1 inches, Maximum 11.6 inches

Average Height feet, Minimum 47 feet, Maximum 77.5 feet

Average Age years, Minimum years, Maximum years

## <u>Carya</u> spp. - Hickory<u>l</u>/ West Virginia

Table 11--Whole tree--wood and bark--green weight (pounds)

DBH	Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110		
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 15 27 43	14 31 56 87 127 173 228 289 359	47 84 132 192 262 344 437 542 658 786 925 1075 1238	112 177 257 351 461 586 726 882 1053 1239 1441 1659 1892 2140 2404 2684 2980	222 322 441 579 736 912 1107 1322 1556 1809 2082 2374 2686 3018 3369 3740 4130 4541	388 531 697 886 1098 1333 1591 1873 2178 2506 2858 3234 3633 4056 4502 4973 5467	621 815 1036 1284 1559 1862 2191 2548 2932 3344 3783 4250 4745 5268 5818 6396	934 1187 1471 1786 2133 2510 2919 3359 3831 4334 4869 5436 6035 6665 7327	1659 2014 2404 2830 3291 3787 4319 4887 5490 6129 6803 7514 8261	2677 3150 3663 4216 4808 5440 6111 6823 7574 8365 9196	4037 4646 5298 5994 6734 7518 8346 9217 10133		

## $\frac{1}{\text{Wiant et al.}}$ 1979

W = 0.15625 \* (H\* D \*\* 2) \*\* 1.01813 Sample Size - 19 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2 inches, Maximum 16 inches Average Height feet, Minimum 8 feet, Maximum 94 feet Average Age 46 years, Minimum years, Maximum years

## <u>Liquidambar styraciflua</u> - Sweetgum½/ Georgia, Piedmont

Table 12--Whole tree--wood and bark--green weight (pounds)

DBH	Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110		
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 9 17 27	8 19 36 58 87 121 162 209 262	30 56 91 134 188 251 324 407 501 605 720 846 982	76 124 184 257 343 443 557 685 827 984 1156 1342 1544 1761 1994 2242 2506	158 234 327 437 564 709 872 1054 1254 1254 1254 2540 2857 3193 3550 3927	285 399 533 688 865 1063 1284 1528 1794 2084 2398 2735 3096 3482 3892 4326 4786	471 630 813 1022 1257 1518 1806 2121 2464 2834 3233 3660 4116 4600 5114 5657	728 940 1181 1453 1755 2088 2452 2848 3276 3737 4231 4757 5317 5911 6539	1342 1651 1994 2372 2786 3236 3723 4246 4807 5406 6042 6717 7431	2236 2660 3124 3628 4174 4761 5390 6061 6774 7531 8331	3464 4024 4629 5280 5977 6721 7512 8352 9239		

### <u>l</u>/Clark <u>et al.</u> 1980

W = 0.06869 \* (H \* D \*\*2) \*\* 1.08516 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.7 inches, Maximum 20.7 inches Average Height 82 feet, Minimum 48.0 feet, Maximum 101.0 feet Average Age 45 years, Minimum 33 years, Maximum 83 years

## <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<u>l</u>/ Georgia, Piedmont

Table 13--Whole tree--wood and bark--green weight (pounds)

DBH					Tota	ıl heigh	nt (feet	:)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	1 6 13 23 37	12 26 47 74 108 147 194 246 305	40 71 112 163 223 292 371 460 558 666 784 912 1049	96 151 218 298 392 497 616 748 893 1051 1222 1406 1603 1813 2037 2273 2523	189 274 374 491 624 773 939 1120 1318 1533 1764 2011 2275 2555 2852 3166 3496 3843	329 451 591 751 931 1130 1349 1587 1845 2123 2421 2738 3076 3433 3810 4208 4625	527 692 879 1089 1322 1577 1856 2158 2483 2831 3203 3597 4016 4457 4922 5410	792 1007 1247 1514 1807 2126 2472 2844 3243 3668 4121 4599 5105 5638 6197	1406 1706 2037 2397 2786 3206 3656 4135 4645 5185 5755 6355 6985	2267 2667 3101 3568 4069 4603 5170 5771 6405 7073 7775	3417 3932 4483 5071 5696 6358 7057 7793 8566

#### $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.13413 \* (H \* D \*\* 2) \*\* 1.01672 Sample Size - 26 trees, Coefficient of Determination 0.99 Average DBH 13.5 inches, Minimum 5.5 inches, Maximum 20.3 inches Average Height 84 feet, Minimum 58.0 feet, Maximum 107.0 feet Average Age 56 years, Minimum 30 years, Maximum 83 years

## <u>Liriodendron tulipifera</u> - Yellow-poplar<u>l</u>/ Western North Carolina

Table 14--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 15 26 41	14 30 51 79 112 150 194 244 299	44 76 116 165 222 287 360 441 529 626 730 841 961	100 153 218 293 378 475 581 698 825 962 1109 1266 1434 1611 1798 1994 2201	190 270 363 469 588 720 865 1022 1192 1374 1569 1776 1996 2227 2471 2727 2995 3275	321 432 559 701 858 1030 1218 1420 1637 1870 2116 2378 2654 2944 3249 3569 3902	373   501   648   812   995   1412   1647   1899   2168   2454   2757   3077   3414   3768   4138   4525	424 570 737 924 1131 1358 1605 1872 2159 2465 2790 3135 3499 3882 4284 4705 5145	1034 1266 1521 1798 2097 2417 2760 3124 3510 3918 4347 4797 5268 5761	1145 1401 1683 1989 2320 2675 3054 3457 3884 4335 4810 5308 5830 6375	1844 2180 2542 2931 3347 3789 4257 4751 5271 5817 6388 6986			

### 1/Clark and Schroeder 1977

W = -0.69614 + 0.96067 \* Log (H \* D \*\* 2)
Sample Size - 39 trees, Coefficient of Determination 0.99
Average DBH 13.9 inches, Minimum 5.8 inches, Maximum 28.4 inches
Average Height 99 feet, Minimum 53.0 feet, Maximum 147.0 feet
Average Age 56 years, Minimum 21 years, Maximum 81 years

## <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<u>l</u>/ Western North Carolina

Table 15--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 10 18 28	8 20 37 59 86 119 158 203 254	31 56 90 132 183 243 312 390 477 574 679 795 920	76 122 179 249 330 423 529 647 778 921 1078 1247 1429 1625 1834 2056 2292	154 227 315 418 536 670 819 985 1166 1365 1579 1810 2058 2322 2604 2902 3218 3551	276 382 506 650 812 993 1194 1415 1655 1915 2195 2496 2816 3158 3520 3902 4306	449 596 765 956 1169 1406 1665 1948 2254 2584 2938 3315 3717 4143 4594 5069	687 881 1101 1347 1619 1918 2243 2596 2976 3383 3818 4281 4772 5291 5838	1247 1526 1834 2172 2541 2941 3371 3832 4325 4849 5405 5993 6613	2050 2429 2841 3287 3768 4284 4835 5421 6042 6699 7392	3142 3636 4168 4739 5348 5996 6683 7410 8177				

### 1/Clark and Schroeder 1980

W = 0.08176 \* (H \* D \*\* 2) \*\* 1.05793 Sample Size - 26 trees, Coefficient of Determination 0.99 Average DBH 14.1 inches, Minimum 5.6 inches, Maximum 22.4 inches Average Height 95 feet, Minimum 51.0 feet, Maximum 128.0 feet Average Age 53 years, Minimum 16 years, Maximum 76 years

## <u>Liriodendron tulipifera</u> - Yellow-poplar<u>l</u>/ West Virginia

Table 16--Whole tree--wood and bark--green weight (pounds)

DBH					Tota	l heigh	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	8 16 28 42	14 31 54 82 115 154 198 248 302	46 79 120 169 226 291 363 443 531 625 727 836 953	103 157 222 297 382 477 581 696 820 954 1097 1250 1412 1583 1763 1953 2151	194 274 435 471 588 718 859 1013 1178 1354 1543 1743 1954 2176 2410 2655 2911 3178	325 503 559 699 852 1020 1203 1399 1609 1832 2070 2321 2585 2863 3154 3458 3775	647 808 986 1180 1391 1618 1861 2119 2394 2684 2990 3311 3647 3999 4366	734 917 1118 1339 1578 1835 2110 2404 2715 3044 3391 3755 4137 4536 4953	1250 1496 1763 2051 2358 2686 3034 3402 3790 4197 4624 5070 5535	1947 2265 2605 2967 3352 3758 4186 4636 5107 5599 6113	2850 3247 3667 4112 4580 5072 5587 6126 6689

#### $\frac{1}{\text{Wiant}}$ et al. 1979

W = 0.23199 \* (H \* D \*\*2) \*\* 0.94364

Sample Size - 22 trees, Coefficient of Determination 0.99

Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches

Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet

Average Age 46 years, Minimum years, Maximum years

## <u>Platanus occidentalis - Sycamorel/</u> Georgia Piedmont

Table 17--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 16 28 43	14 31 55 86 124 169 221 279 345	47 83 129 186 253 331 419 517 625 744 874 1013 1163	110 172 248 338 441 558 689 834 993 1165 1351 1764 1992 2233 2488 2757	138 215 310 422 551 698 862 1042 1241 1456 1689 1938 2206 2490 2791 3110 3446 3799 4170	165 258 372 507 662 837 1034 1251 1489 1747 2026 2326 2647 2988 3350 3732 4135 4559 5004	302 434 591 772 977 1206 1459 1737 2038 2364 2714 3088 3486 3908 4354 4825 5319 5838	675 882 1117 1378 1668 1985 2330 2702 3102 3529 3984 4466 4976 5514 6079 6672	1551 1876 2233 2621 3040 3489 3970 4482 5025 5598 6203 6839 7506	2481 2912 3377 3877 4411 4980 5583 6220 6892 7599 8340	3715 4265 4852 5478 6141 6842 7582 8359 9174			

### $\frac{1}{Belanger}$ 1973

W = 0.17231 \* H \* D \*\* 2

Sample Size - 31 trees, Coefficient of Determination 0.99

Average DBH inches, Minimum 4 inches, Maximum 10 inches

Average Height feet, Minimum 45 feet, Maximum 80 feet

Average Age years, Minimum years, Maximum years

## Populus termuloides - Quaking Aspenl/

Table 18--Whole tree--wood and bark--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	15 36 67 108	20 48 90 146 216 302 404 521 655	57 107 173 257 360 480 620 779 958 1157 1376 1616 1877	121 196 291 407 543 702 882 1084 1309 1557 1828 2123 2442 2785 3152 3544 3961	216 321 448 598 772 970 1193 1440 1713 2012 2337 2687 3065 3469 3901 4359 4846 5360	347 484 647 835 1049 1290 1558 1853 2176 2527 2906 3314 3752 4218 4714 5240 5796	517 691 892 1121 1378 1664 1980 2325 2700 3105 3541 4008 4507 5037 5599 6193	732 945 1187 1459 1762 2096 2462 2859 3288 3750 4245 4772 5334 5929 6558	1248 1535 1854 2205 2589 3007 3459 3944 4465 5020 5610 6236 6898	1939 2307 2709 3146 3619 4127 4671 5252 5870 6525 7217	2822 3277 3770 4299 4866 5471 6115 6797 7518

### 1/Young et al. 1964

LNW = 0.2066 + 2.1679 \* LN(D) + 0.4292 \* LN(H)
Sample Size - 14 trees, Coefficient of Determination 0.97
Average DBH inches, Minimum 5.8 inches, Maximum 9.8 inches
Average Height feet, Minimum 52.5 feet, Maximum 62.5 feet
Average Age years, Minimum years, Maximum years

## Populus termuloides - Quaking Aspenl/ Michigan

Table 19--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	35	64 149 238 331 430 533	93 191 295 406 525 650 782 922 1068 1221 1382	123 233   352 481 619 767 924   1090 1266 1451 1645 1849 2062 2284 2516 2757	152 275 410 556 714 884 1065 1259 1463 1680 1908 2148 2400 2663 2938 3225 3524 3834	317 467 631   809 1001 1207 1427 1661 1909 2172 2448 2738 3042   3361 3693 4040 4400	524 706 904 1118 1349 1596 1859 2139 2435 2747 3076 3421 3783 4161 4556 4966	781 998 1235 1490 1764 2057 2368 2698 3047 3414 3801 4206 4629 5072 5533	1352 1632 1932 2254 2597 2961 3346 3752 4180 4628 5097 5588 6099	2101 2452 2827 3225 3646 4091 4559 5050 5565 6104 6665	3056 3488 3945 4429 4938 5473 6033 6619 7232				

#### 1/ Steinhilb and Erickson 1970

W = -287.4 + 58.63 \* D + 0.117 \* H \* D \*\*2

Sample Size - 97 trees, Coefficient of Determination

Average DBH inches, Minimum 5.3 inches, Maximum 17.4 inches

Average Height feet, Minimum 28.3 feet, Maximum 77 feet

Average Age years, Minimum years, Maximum years

<u>Prunus serotina</u> - Black Cherry<u>l</u>/
West Virginia

Table 20--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	9 19 33 51	17 37 64 98 138 185 238 297 363	54 94 143 202 271 349 436 533 638 753 876 1008 1149	123 188 266 356 458 573 700 838 988 1150 1324 1509 1705 1912 2131 2361 2602	232 328 440 566 708 864 1035 1221 1421 1635 1864 2106 2363 2633 2917 3215 3526 3851	390 523 673 841 1027 1231 1451 1689 1944 2215 2503 2808 3130 3467 3821 4191 4578	605 779 974 1189 1424 1680 1955 2249 2564 2897 3250 3622 4012 4422 4850 5297	884 1105 1349 1616 1906 2218 2553 2909 3288 3688 4110 4554 5019 5505 6012	1509 1807 2131 2480 2854 3253 3676 4124 4595 5091 5611 6155 6722	2355 2741 3154 3594 4062 4557 5078 5626 6200 6801 7428	3452 3934 4446 4987 5558 6158 6786 7444 8130			

### $\frac{1}{\text{Wiant et al. 1979}}$

W = 0.27025 \* (H \* D \*\* 2) \*\* 0.94754

Sample Size - 21 trees, Coefficient of Determination 0.99

Average DBH inches, Minimum 2 inches, Maximum 16 inches

Average Height feet, Minimum 18 feet, Maximum 94 feet

Average Age 46 years, Minimum years Maximum years

Quercus alba - White Oak1/ Georgia, Piedmont

Table 21--Whole tree--wood and bark--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 16 29 46	14 33 59 94 137 189 249 318 395	50 90 143 209 287 379 484 602 733 879 1037 1210 1396	121 193 281 387 511 652 811 988 1184 1398 1630 1881 2150 2438 2745 3071 3415	243 354 488 644 822 1022 1246 1492 1762 2054 2370 2710 3073 3459 3870 4304 4763 5245	428 589 778 993 1235 1505 1803 2128 2482 2864 3274 3712 4179 4675 5200 5754 6337	692 912 1165 1449 1766 2115 2497 2912 3360 3841 4356 4904 5486 6102 6751 7435	1048 1338 1644 2028 2429 2868 3344 3859 4412 5003 5632 6301 7008 7754 8539	1881 2292 2745 3241 3779 4360 4985 5652 6364 7119 7918 8761 9649	3062 3615 4215 4864 5560 6305 7099 7941 8832 9773 10762	4653 5369 6138 6960 7836 8766 9750 10788 11880				

### 1/Clark and Phillips 1980

W = 0.14925 \* (H \* D \*\* 2) \*\* 1.03696 Sample Size - 23 trees, Coefficient of Determination 0.98 Average DBH 12.8 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 71 feet, Minimum 47.0 feet, Maximum 93.0 feet Average Age 56 years, Minimum 37 years, Maximum 80 years

## Quercus alba - White Oak1/ Western North Carolina

Table 22--Whole tree--wood and bark--green weight (pounds)

DBH					Total	height	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 13 25 40	12 28 51 82 121 168 223 286 357	43 79 127 186 258 342 439 549 671 807 956 1118 1294	107 172 252 350 464 595 744 910 1094 1296 1516 1754 2011 2286 2580 2893 3225	217 320 443 588 754 942 1153 1386 1641 1920 2222 2547 2895 3267 3663 4083 4527 4996	388 537 713 914 1143 1398 1680 1990 2328 2694 3088 3511 3962 4443 4952 5490 6058	632 839 1076 1345 1645 1978 2343 2741 3171 3635 4133 4664 5230 5829 6463 7131	966 1239 1549 1895 2278 2698 3157 3653 4187 4760 5372 6023 6713 7443 8213	1754 2146 2580 3057 3575 4137 4743 5392 6085 6822 7604 8431 9303	2885 3417 3997 4625 5302 6027 6802 7627 8501 9425 10400	4421 5116 5864 6667 7524 8436 9403 10425 11504

#### $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = 0.11509 \* (H \* D \*\* 2) \*\* 1.05788

Sample Size - 28 trees, Coefficient of Determination 0.99

Average DBH 13.9 inches, Minimum 5.1 inches, Maximum 21.7 inches

Average Height 84 feet, Minimum 38.0 feet, Maximum 110.0 feet

Average Age 84 years, Minimum 54 years, Maximum 130 years

## Quercus alba - White Oakl/ West Virginia

Table 23--Whole tree--wood and bark--green weight (pounds)

DBH	Total height (feet)										
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 14 26 41	13 29 53 84 123 169 224 286 355	44 81 128 187 258 341 435 541 660 790 933 1088 1256	109 173 253 348 459 586 730 889 1065 1258 1467 1693 1935 2195 2472 2765 3076	218 319 439 579 739 920 1121 1343 1586 1849 2134 2440 2767 3116 3486 3877 4291 4726	385 530 699 893 1111 1354 1623 1916 2234 2578 2948 3343 3765 4212 4685 5184 5710	622 821 1048 1304 1589 1904 2248 2622 3026 3460 3924 4418 4943 5498 6084 6701	943 1204 1498 1826 2187 2582 3012 3476 3974 4507 5075 5677 6315 6988 7697	1693 2063 2472 2918 3404 3928 4491 5093 5735 6416 7136 7897 8698	2757 3255 3797 4382 5010 5681 6397 7157 7961 8810 9703	4192 4837 5531 6272 7062 7901 8789 9726 10712

### $\frac{1}{\text{Wiant et al.}}$ 1979

W = 0.13317 \* (H \* D \*\* 2) \*\* 1.03792 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet Average Age 46 years, Minimum years, Maximum years

Quercus coccinea - Scarlet Oak1/
Tennessee

Table 24--Whole tree--wood and bark--green weight (pounds)

DBH	Total height (feet)										
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	8 18 32 51	16 36 65 102 148 202 265 336 415	55 98 154 223 304 398 505 625 758 903 1062 1233 1418	131 206 298 407 533 676 836 1013 1208 1420 1649 1896 2160 2441 2739 3055 3389	258 373 510 667 846 1047 1269 1513 1779 2066 2375 2705 3058 3432 3828 4245 4685 5146	310 449 613 802 1018 1259 1526 1819 2138 2483 2855 3252 3676 4125 4601 5104 5632 6187	716 937 1189 1471 1783 2125 2498 2902 3335 3800 4295 4820 5376 5963 6581 7229	1072 1360 1683 2040 2432 2859 3320 3817 4348 4915 5516 6152 6824 7530 8272	1896 2298 2739 3220 3740 4299 4897 5535 6213 6929 7686 8481 9317	3047 3581 4160 4782 5447 6157 6910 7707 8548 9433 10363	4580 5265 5997 6779 7608 8486 9412 10386 11409

1/Clark, Phillips, and Hitchcock 1980

W = 0.19275 \* (H \* D \*\* 2) \*\* 1.00974

Sample Size - 28 trees, Coefficient of Determination 0.99

Average DBH 12.1 inches, Minimum 5.1 inches, Maximum 20.0 inches

Average Height 73 feet, Minimum 50.0 feet, Maximum 94.0 feet

Average Age 53 years, Minimum 37 years, Maximum 80 years

## Quercus coccinea - Scarlet Oakl/ West Virginia

Table 25--Whole tree--wood and bark--green weight (pounds)

DBH Inches	Total height (feet)										
	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	11 23 39 60	21 44 76 115 162 217 279 348 425	65 111 169 238 318 409 510 622 744 877 1019 1172 1335	145 221 312 417 536 669 816 976 1150 1336 1536 1750 1975 2214 2466 2730 3006	273 385 514 661 825 1006 1204 1418 1649 1895 2158 2437 2732 3042 3368 3709 4066 4438	457 610 785 980 1195 1429 1684 1957 2250 2562 2893 3243 3611 3998 4403 4827 5268	706 907 1133 1381 1652 1946 2263 2602 2962 3345 3749 4175 4622 5090 5580 6091	1029 1284 1566 1874 2207 2566 2950 3359 3793 4251 4734 5241 5772 6327 6906	1750 2093 2466 2867 3296 3753 4237 4749 5289 5855 6449 7069 7715	2723 3165 3639 4144 4679 5244 5840 6465 7121 7805 8520	3981 4532 5118 5736 6388 7072 7789 8538 9319

### $\frac{1}{\text{Wiant}}$ et al. 1979

W = 0.33261 \* (H \* D \*\* 2) \*\* 0.94101 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet Average Age 46 years, Minimum years, Maximum years

# Quercus falcata - Southern Red Oakl/ Tennessee, Cumberland Plateau

Table 26--Whole tree--wood and bark--green weight (pounds)

DBH					Total	height	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 10 19 31	9 21 41 67 100 141 190 247 312	34 64 105 157 221 298 387 490 605 734 878 1035 1207	88 144 216 305 410 533 674 833 1011 1209 1425 1662 1918 2195 2493 2812 3152	185 277 391 526 684 864 1068 1296 1549 1827 2130 2459 2814 3195 3604 4039 4503 4994	226 340 479 644 837 1058 1308 1588 1897 2238 2609 3012 3446 3914 4414 4948 5515 6117	403 568 765 994 1256 1553 1885 2252 2656 3097 3575 4091 4646 5240 5873 6547 7261	887 1153 1458 1802 2187 2613 3081 3593 4147 4746 5390 6079 6814 7595 8424	1662 2054 2493 2979 3513 4096 4728 5411 6145 6930 7768 8659 9603	2803 3349 3950 4605 5316 6084 6909 7792 8734 9735 10797	4391 5120 5911 6764 7682 8663 9711 10824 12005

1/Clark, Phillips, and Hitchcock 1980

W = 0.06632 \* (H \* D \*\* 2) \*\* 1.11245 Sample Size - 29 trees, Coefficient of Determination 0.98 Average DBH 12.5 inches, Minimum 5.4 inches, Maximum 22.0 inches Average Height 70 feet, Minimum 53.0 feet, Maximum 84.0 feet Average Age 62 years, Minimum 37 years, Maximum 100 years

## Quercus prinus - Chestnut Oakl/ Western North Carolina

Table 27--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 13 24 38	12 27 49 79 116 160 211 271 338	41 76 121 177 244 323 414 516 631 757 895 1046 1209	102 163 239 330 437 560 698 853 1023 1211 1414 1634 1871 2125 2396 2683 2988	206 302 418 553 707 882 1078 1293 1530 1787 2065 2365 2685 3027 3391 3776 4183 4612	366 506 669 856 1068 1305 1566 1852 2164 2500 2863 3251 3665 4105 4572 5064 5583	594 786 1007 1256 1534 1841 2177 2543 2939 3365 3822 4308 4826 5374 5953 6563	905 1158 1444 1764 2117 2504 2925 3381 3871 4396 4956 5551 6182 6848 7550	1634 1996 2396 2834 3310 3826 4380 4974 5608 6281 6994 7748 8542	2676 3165 3697 4273 4892 5555 6263 7015 7812 8653 9540	4086 4722 5406 6139 6921 7752 8633 9563 10543			

#### $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = 0.11649 \* (H \* D \*\* 2) \*\* 1.04876 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 82 feet, Minimum 47.0 feet, Maximum 115.0 feet Average Age 78 years, Minimum 46 years, Maximum 129 years

## Quercus prinus - Chestnut Oakl/ West Virginia

Table 28--Whole tree--wood and bark--green weight (pounds)

DBH					Total	l height	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 13 25 40	12 28 52 84 124 172 229 295 370	43 80 129 191 266 354 457 573 703 847 1006 1180 1368	109 176 260 362 483 622 780 957 1154 1371 1607 1864 2141 2439 2758 3098 3459	224 331 461 614 790 991 1217 1467 1742 2043 2369 2721 3100 3505 3937 4396 4882 5395	402 560 746 961 1206 1480 1784 2119 2485 2882 3310 3771 4264 4789 5347 5938 6563	661 881 1135 1423 1746 2105 2501 2932 3401 3907 4450 5032 5652 6310 7008 7745	1017 1310 1642 2016 2430 2886 3385 3925 4509 5137 5808 6524 7284 8089 8939	1864 2288 2758 3276 3841 4455 5118 5830 6592 7404 8266 9180 10145	3089 3668 4302 4989 5731 6529 7382 8291 9257 10281 11361	4765 5527 6349 7232 8178 9185 10255 11389 12586

### $\frac{1}{\text{Wiant et al.}}$ 1979

W = 0.10517 \* (H \* D \*\* 2) \*\* 1.07443 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet Average Age 46 years, Minimum years, Maximum years

## Quercus rubra - Northern Red Oakl/ Western North Carolina

Table 29--Whole tree--wood and bark--green weight (pounds)

DBH	Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110		
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	8 17 31 48	15 35 62 97 140 190 249 316 391	52 93 146 210 286 375 475 587 712 848 996 1156 1329	124 194 281 383 501 635 785 951 1133 1331 1545 1775 2021 2283 2562 2857 3167	243 351 479 627 795 982 1190 1418 1666 1934 2222 2530 2858 3207 3576 3965 4374 4803	292 422 576 753 955 1180 1430 1703 2001 2323 2669 3040 3434 3853 4296 4763 5255 5771	493 672 879 1115 1378 1670 1989 2337 2713 3117 3550 4011 4500 5017 5563 6137 6740	1006 1275 1576 1910 2276 2673 3103 3566 4061 4588 5147 5739 6363 7020 7709	1775 2150   2562 3010 3494 4015 4572 5165 5795 6461 7164 7904 8680	2391 2849 3347 3885 4464 5083 5743 6443 7184 7966 8788 9651	4276 4913 5595 6321 7092 7908 8768 9673 10622		

## $\underline{1}$ /Clark, Phillips, and Schroeder 1980

W = 0.18579 \* (H \* D \*\* 2) \*\* 1.00655 Sample Size - 71 trees, Coefficient of Determination 0.99 Average DBH 13.0 inches, Minimum 5.9 inches, Maximum 24.7 inches Average Height 84 feet, Minimum 53.0 feet, Maximum 118.0 feet Average Age 76 years, Minimum 53 years, Maximum 114 years

Quercus <u>rubra</u> - Northern Red Oak<u>l</u>/
West Virginia

Table 30--Whole tree--wood and bark--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	8 18 32 49	16 35 63 98 142 193 251 318 393	53 94 147 212 289 377 477 588 712 847 993 1152 1322	126 197 283 385 502 635 784 948 1128 1324 1535 1762 2004 2262 2535 2824 3128	246 353 481 628 794 980 1185 1410 1654 1918 2201 2504 2826 3167 3528 3909 4308 4728	424 577 753 952 1175 1422 1691 1984 2301 2640 3003 3390 3799 4232 4689 5168 5671	673 878 1111 1371 1658 1972 2314 2683 3079 3503 3953 4431 4936 5468 6028 6614	1003 1269 1566 1894 2254 2644 3066 3518 4002 4517 5063 5640 6248 6887 7557	1762 2131 2535 2974 3448 3957 4501 5081 5695 6344 7028 7746 8500	2816 3304 3831 4396 5001 5644 6326 7047 7807 8605 9443	4213 4835 5500 6207 7750 8586 9464 10385

#### $\frac{1}{\text{Wiant}}$ et al. 1979

W = 0.19916 \* (H \* D \*\* 2) \*\* 0.99809 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet Average Age 46 years, Minimum years, Maximum years

Quercus velutina - Black Oakl/
West Virginia

Table 31--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	9 20 36 55	18 40 70 107 152 205 266 334 409	59 103 159 226 304 393 494 606 728 862 1006 1161 1327	136 209 298 401 520 653 800 962 1138 1329 1534 1753 1986 2233 2494 2769 3058	260 370 498 645 810 993 1194 1413 1649 1903 2175 2464 2771 3095 3436 3795 4170 4563	441 594 769 966 1184 1424 1685 1967 2270 2595 2940 3305 3692 4099 4526 4974 5443	690 893 1121 1375 1653 1956 2284 2635 3012 3412 3837 4285 4758 5254 5774 6318	1016 1276 1564 1881 2226 2598 2999 3427 3883 4366 4876 5414 5978 6570 7188	1753 2108 2494 2912 3361 3840 4351 4892 5464 6067 6700 7363 8056	2762 3224 3721 4252 4818 5417 6050 6717 7418 8152 8920	4080 4663 5283 5940 6635 7366 8134 8940 9781			

#### $\frac{1}{\text{Wiant}}$ 1979

HARDWOODS
WHOLE TREE
Wood

# <u>Liquidambar styraciflua</u> - Sweetgum<u>l</u>/ Georgia, Piedmont

Table 32--Whole tree--wood--green weight (pounds)

DBH					Tota	l heigh	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3 7 14 22	6 16 29 48 71 100 134 174 219	24 46 75 111 156 209 271 342 422 510 609 716 833	63 102 153 214 287 372 469 578 700 835 982 1143 1318 1505 1707 1922 2151	131 195 274 367 475 599 739 895 1067 1255 1461 1684 1924 2181 2456 2749 3060 3390	238 334 448 581 732 903 1093 1303 1534 1785 2057 2350 2665 3001 3359 3739 4142	396 531 688 867 1070 1295 1544 1817 2115 2437 2784 3157 3555 3979 4429 4906	615 797 1005 1239 1500 1788 2104 2449 2822 3224 3655 4116 4608 5129 5681	1143 1410 1707 2035 2395 2787 3212 3669 4160 4685 5244 5838 6466	1916 2285 2689 3129 3606 4120 4671 5260 5888 6554 7260	2986 3474 4004 4574 5187 5841 6538 7278 8061

### $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.0517 \* (H \* D \*\* 2) \*\* 1.09874 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.7 inches, Maximum 20.7 inches Average Height 82 feet, Minimum 48.0 feet, Maximum 101.0 feet Average Age 45 years, Minimum 33 years, Maximum 83 years

# <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<u>l</u>/ Georgia, Piedmont

Table 33--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 10 18 28	9 20 36 58 84 116 152 194 242	30 55 88 128 176 232 296 368 448 536 633 737 850	74 118 172 237 312 398 495 603 722 852 993 1145 1308 1483 1669 1867 2076	149 217 298 393 501 624 759 909 1073 1250 1442 1648 1868 2103 2351 2614 2892 3184	262 360 475 605 753 917 1098 1295 1510 1741 1990 2256 2539 2839 3157 3492 3845	422 557 710 883 1075 1287 1519 1771 2042 2334 2646 2977 3330 3702 4095 4509	639 815 1014 1235 1478 1744 2033 2345 2679 3037 3418 3823 4250 4702 5177	1145 1394 1669 1970 2296 2648 3026 3431 3861 4318 4801 5311 5847	1861 2197 2560 2953 3375 3825 4305 4815 5354 5922 6520	2826 3259 3724 4222 4751 5313 5908 6535 7195				

#### $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.09335 \* (H \* D \*\* 2) \*\* 1.03400 Sample Size - 26 trees, Coefficient of Determination 0.99 Average DBH 13.5 inches, Minimum 5.5 inches, Maximum 20.3 inches Average Height 84 feet, Minimum 58.0 feet, Maximum 107.0 feet Average Age 56 years, Minimum 30 years, Maximum 83 years

## <u>Liriodendron tulipifera</u> - Yellow-poplar<u>l</u>/ Western North Carolina

Table 34--Whole tree--wood--green weight (pounds)

DBH					Tota	l heigh	t (feet	:)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 12 20 32	10 23 40 62 88 119 155 194 239	34 60 92 131 177 229 288 354 426 505 590 681 779	79 122 173 234 303 381 468 564 668 780 901 1031 1169 1315 1469 1632 1804	151 215 291 377 474 582 700 830 969 1120 1280 1452 1634 1826 2028 2241 2464 2698	257 347 450 566 695 836 990 1157 1337 1529 1734 1951 2180 2422 2676 2943 3221	299 403 523 657 807 972 1151 1345 1553 1776 2014 2266 2533 2814 3109 3419 3742	340 459 595 749 919 1106 1310 1531 1769 2023 2293 2581 2884 3204 3540 3893 4262	840 1031 1241 1469 1717 1983 2268 2572 2894 3234 3593 3970 4365 4779	930 1142 1375 1628 1902 2197 2513 2849 3206 3583 3981 4399 4837 5295	1786 2087 2411 2757 3126 3518 3931 4368 4826 5306 5809

#### 1/Clark and Schroeder 1977

W = -0.83371 + 0.97283 \* Log (H \* D \*\* 2)
Sample Size - 39 trees, Coefficient of Determination 0.99
Average DBH 13.9 inches, Minimum 5.8 inches, Maximum 28.4 inches
Average Height 99 feet, Minimum 53.0 feet, Maximum 147.0 feet
Average Age 56 years, Minimum 21 years, Maximum 81 years

## <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<sup>1</sup>/ Western North Carolina

Table 35--Whole tree--wood--green weight (pounds)

DBH					Tota	1 heigh	t (feet	:)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3 8 15 24	7 17 31 49 72 100 132 170 212	26 47 75 111 153 203 261 326 399 479 567 664 768	64 102 150 208 275 353 442 540 649 769 900 1041 1194 1357 1531 1717 1914	129 190 263 349 447 559 684 822 974 1139 1318 1511 1718 1939 2174 2423 2686 2964	230 319 423 543 678 830 997 1181 1382 1599 1833 2083 2351 2636 2938 3258 3594	375 498 639 798 977 1174 1390 1626 1882 2157 2452 2768 3103 3458 3834 4231	573 736 919 1125 1352 1601 1873 2167 2484 2824 3187 3574 3983 4416 4873	1041 1274 1531 1814 2122 2455 2814 3199 3610 4048 4511 5002 5519	1712 2028 2372 2744 3146 3576 4036 4525 5043 5592 6170	2623 3035 3479 3955 4464 5005 5578 6185 6824

#### $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = 0.06846 \* (H \* D \*\* 2) \*\* 1.05763 Sample Size - 26 trees, Coefficient of Determination 0.99 Average DBH 14.1 inches, Minimum 5.6 inches, Maximum 22.4 inches Average Height 95 feet, Minimum 51.0 feet, Maximum 128.0 feet Average Age 53 years, Minimum 16 years, Maximum 76 years

Quercus alba - White Oak1/ Georgia, Piedmont

Table 36--Whole tree--wood--green weight (pounds)

DBH					Tota	l heigh	it (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 12 22 36	11 25 47 75 110 152 202 259 323	39 72 115 169 233 309 397 496 606 728 862 1008 1166	97 155 228 316 419 537 671 821 986 1168 1365 1579 1810 2056 2320 2600 2898	197 289 400 530 680 849 1039 1248 1478 1728 1998 2290 2602 2936 3291 3667 4064 4484	350 485 643 824 1030 1259 1513 1791 2094 2422 2775 3154 3559 3989 4444 4926 5434	571 756 970 1211 1481 1780 2107 2464 2850 3266 3711 4187 4693 5229 5796 6394	871 1117 1395 1705 2049 2426 2837 3281 3760 4273 4820 5403 6020 6673 7362	1579 1931 2320 2747 3212 3715 4257 4838 5458 6118 6817 7556 8336	2593 3070 3589 4152 4758 5407 6100 6837 7619 8445 9316	3969 4591 5262 5979 6745 7560 8424 9338 10301

## $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.10634 \* (H \* D \*\* 2) \*\* 1.05500 Sample Size - 23 trees, Coefficient of Determination 0.98 Average DBH 12.8 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 71 feet, Minimum 47.0 feet, Maximum 93.0 feet Average Age 56 years, Minimum 37 years, Maximum 80 years

Quercus alba - White Oakl/
Western North Carolina

Table 37--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 11 21 33	10 23 43 69 102 141 187 240 300	36 66 106 156 216 287 368 460 563 677 802 938 1086	90 144 212 293 389 499 624 764 918 1087 1272 1472 1687 1918 2165 2427 2706	182 268 371 493 632 790 967 1162 1377 1611 1864 2137 2429 2742 3074 3426 3799 4192	325 451 598 767 958 1173 1410 1670 1953 2261 2591 2946 3325 3728 4156 4608 5084	530 704 903 1128 1380 1659 1966 2300 2661 3051 3468 3914 4389 4892 5424 5985	810 1040 1299 1590 1911 2264 2649 3065 3514 3995 4508 5055 5634 6247 6894	1472 1801 2165 2565 3000 3472 3980 4525 5107 5726 6382 7076 7809	2420 2867 3354 3881 4449 5058 5709 6401 7135 7911 8729	3710 4293 4921 5595 6315 7080 7892 8750 9656			

## $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = 0.0963 \* (H \* D \*\* 2) \*\* 1.05817 Sample Size - 28 trees, Coefficient of Determination 0.99 Average DBH 13.9 inches, Minimum 5.1 inches, Maximum 21.7 inches Average Height 84 feet, Minimum 38.0 feet, Maximum 110.0 feet Average Age 84 years, Minimum 54 years, Maximum 130 years

## Quercus coccinea - Scarlet Oak1/ Tennessee

Table 38--Whole tree--wood--green weight (pounds)

DBH					Total	height	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 15 27 42	13 30 54 85 123 168 220 280 346	45 81 128 185 253 332 422 522 634 756 890 1034 1189	109 171 248 339 445 565 700 849 1013 1191 1384 1592 1815 2053 2305 2572 2854	215 311 425 558 708 877 1064 1270 1494 1736 1997 2276 2574 2891 3226 3580 3952 4343	259 374 512 671 852 1055 1281 1528 1797 2089 2403 2739 3097 3478 3881 4307 4755 5225	599 785 997 1234 1497 1786 2101 2442 2809 3202 3621 4067 4538 5036 5560 6110	899 1141 1413 1714 2046 2406 2797 3217 3667 4147 4656 5196 5766 [ 6366 6996	1592 1932 2305 2712 3151 3625 4132 4673 5247 5856 6498 7174 7884	2565 3017 3507 4034 4598 5200 5839 6516 7231 7983 8773	3863 4443 5065 5728 6432 7178 7965 8794 9664

1/Clark, Phillips, and Hitchcock 1980

W = 0.15519 \* (H \* D \*\* 2) \*\* 1.01440 Sample Size - 28 trees, Coefficient of Determination 0.99 Average DBH 12.1 inches, Minimum 5.1 inches, Maximum 20.0 inches Average Height 73 feet, Minimum 50.0 feet, Maximum 94.0 feet Average Age 53 years, Minimum 37 years, Maximum 80 years

# Quercus falcata - Southern Red Oakl/ Tennessee, Cumberland Plateau

Table 39—Whole tree--wood--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3 8 15 25	7 17 33 53 80 113 152 198 251	27 51 84 126 178 240 311 394 487 591 707 834 972	70 116 174 245 330 429 543 671 815 974 1149 1340 1547 1771 2011 2269 2543	149 223 314 423 550 696 861 1045 1249 1473 1718 1983 2270 2579 2909 3261 3636 4033	182 273 385 519 674 853 1054 1280 1530 1805 2105 2430 2782 3159 3564 3996 4455 4941	324 457 616 801 1012 1252 1520 1817 2143 2499 2885 3303 3752 4232 4744 5289 5867	715 929 1175 1453 1764 2108 2487 2900 3348 3833 4353 4911 5505 6138 6808	1340 1657 2011 2404 2835 3307 3818 4370 4964 5599 6277 6998 7763	2262 2703 3188 3718 4294 4915 5582 6297 7059 7870 8730	3546 4135 4775 5465 6208 7002 7850 8752 9708				

### 1/Clark, Phillips, and Hitchcock 1980

W = 0.05262 \* (H \* D \*\* 2) \*\* 1.11420 Sample Size - 29 trees, Coefficient of Determination 0.98 Average DBH 12.5 inches, Minimum 5.4 inches, Maximum 22.0 inches Average Height 70 feet, Minimum 53.0 feet, Maximum 84.0 feet Average Age 62 years, Minimum 37 years, Maximum 100 years

Quercus prinus - Chestnut Oakl/
Western North Carolina

Table 40--Whole tree--wood--green weight (pounds)

DBH	H Total height (feet)										
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 10 18 30	9 21 38 61 90 125 165 212 264	32 59 94 138 191 253 324 405 495 595 704 823 952	79 127 187 259 343 439 549 671 806 954 1115 1290 1478 1679 1894 2123 2365	161 236 327 434 556 694 849 1019 1207 1411 1632 1870 2125 2397 2686 2993 3317 3659	287 397 525 674 841 1028 1235 1463 1710 1978 2266 2575 2905 3255 3627 4020 4434	467 618 792 990 1210 1453 1721 2012 2327 2666 3029 3417 3830 4267 4729 5217	712 912 1139 1393 1673 1981 2316 2678 3069 3487 3934 4408 4912 5444 6005	1290 1577 1894 2243 2622 3032 3474 3948 4454 4991 5561 6164 6799	2117 2506 2930 3388 3882 4412 4977 5578 6215 6888 7598	3239 3747 4293 4878 5503 6167 6871 7616 8401

#### 1/Clark and Schroeder 1980

W = 0.08751 \* (H \* D \*\* 2) \*\* 1.05417 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 82 feet, Minimum 47.0 feet, Maximum 98.0 feet Average Age 78 years, Minimum 46 years, Maximum 129 years

## Quercus rubra - Northern Red Oak1/ Western North Carolina

Table 41--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 14 25 40	13 29 51 80 116 159 208 264 327	43 77 121 175 240 314 399 493 599 714 840 976 1122	103 162 235 321 420 533 660 801 955 1124 1306 1502 1712 1935 2173 2424 2690	203 294 402 527 669 828 1004 1198 1409 1637 1883 2146 2426 2724 3039 3372 3723 4091	354   483 634 804   996 1208   1441   1695 1969 2265 2581 2918 3277 3656 4057 4478 4921	414 565 741 940 1164 1412 1684 1981 2302 2647 3017 3412 3831 4274 4742 5235 5753	848 1077 1333 1617 1928 2268 2636 3031 3454 3906 4386 4893 5429 5993 6586	1502 1822 2173 2555 2970 3415 3892 4401 4941 5514 6117 6753 7421	2027 2418 2843 3304 3800 4331 4897 5498 6135 6807 7514 8257	3639 4185 4770 5393 6055 6757 7497 8276 9094				

## 1/Clark, Phillips, and Schroeder 1980

W = 0.14803 \* (H \* D \*\* 2) \*\* 1.01315 Sample Size - 71 trees, Coefficient of Determination 0.99 Average DBH 13.0 inches, Minimum 5.9 inches, Maximum 24.7 inches Average Height 84 feet, Minimum 53.0 feet, Maximum 118.0 feet Average Age 76 years, Minimum 53 years, Maximum 114 years HARDWOODS

MAIN STEM

Wood and Bark

## Acer rubrum - Red Maple1/

Table 42--Main stem--wood and bark--green weight (pounds)

DBH					Tota	ıl heigh	nt (feet	t)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	20 32	40 62 90 123 161 204 252	59 92 133 181 238 302 373 453 540 634 737 847	77 121 176 240 314 398 493 598 713 838 973 1119 1275 1441 1617 1804 2001	151 218 297 390 494 612 742 884 1040 1208 1388 1582 1788 2007 2239 2483 2741 3011	260 355 465 590 730 885 1055 1240 1440 1656 1887 2133 2394 2670 2962 3269 3592	412 539 684 847 1027 1224 1439 1672 1922 2190 2476 2779 3100 3438 3795 4169	614 779 964 1168 1393 1638 1902 2187 2492 2817 3162 3527 3912 4318 4744	1080 1309 1561 1835 2132 2451 2793 3157 3543 3952 4384 4839 5316	1729 2032 2361 2714 3092 3495 3923 4376 4855 5358 5886	2588 2976 3391 3833 4302 4799 5323 5875 6454

#### 1/Young et al. 1964

LNW = -2.0214 + 2.0215 \* LN(D) + 0.9670 \* LN(H)

Sample Size - 20 trees, Coefficient of Determination 0.98

Average DBH inches, Minimum 5.6 inches, Maximum 15.8 inches

Average Height feet, Minimum 36.5 feet, Maximum 71 feet

Average Age years, Minimum years, Maximum years

Acer rubrum - Red Maple1/
West Virginia

Table 43--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	17 27	35 57 84 117 157 202 254	54 88 130 182 243 314 394 484 584 695 816 947	74 120 178 249 332 428 538 661 798 948 1113 1292 1486 1694 1917 2155 2408	153 227 316 422 545 684 841 1015 1207 1417 1645 1891 2156 2440 2743 3065 3406 3766	276 385 514 664 834 1024 1237 1470 1726 2004 2304 2626 2972 3341 3733 4148 4587	455 608 784 985 1210 1461 1737 2039 2367 2722 3103 3511 3947 4410 4901 5419	702 906 1138 1398 1688 2007 2356 2735 3144 3585 4057 4560 5095 5662 6261	1292 1588 1917 2279 2676 3106 3572 4072 4608 5179 5787 6431 7112	2148 2554 2999 3481 4003 4563 5164 5804 6485 7207 7970	3324 3859 4437 5059 5725 6435 7190 7990 8836				

#### $\frac{1}{\text{Wiant}}$ et al. 1979

W = 0.06842 \* (H\* D \*\* 2) \*\* 1.08142 Sample Size - 22 trees, Coefficient of Determination 0.97 Average DBH inches, Minimum 2 inches, Maximum 16 inches Average Height feet, Minimum 18 feet, Maximum 94 feet Average Age 46 years, Minimum years, Maximum years

Alnus rubra - Red Alderl/
Western Oregon

Table 44--Main stem2/--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	22 34	44 69 99 134 174 220 271	66 103 147 200 261 329 404 487 577 674 778 888	88 137 196 266 346 436 536 645 763 890 1025 1167 1317 1474 1638 1806 1981	170 244 331 431 542 665 800 945 1100 1264 1438 1619 1808 2003 2203 2408 2617 2828	293 396 515 647 793 952 1123 1305 1498 1700 1910 2127 2350 2577 2808 3041 3274	461 598 751 920 1102 1298 1506 1725 1953 2189 2432 2679 2930 3182 3433 3682	681 854 1044 1250 1470 1702 1945 2198 2457 2723 2991 3260 3528 3792 4049	1167 1395 1638 1893 2159 2434 2715 2999 3285 3569 3847 4118 4377	1802 2079 2366 2661 2961 3262 3561 3855 4140 4411 4665	2567 2881 3196 3511 3820 4119 4405 4671 4914				

#### 1/Zavitovski and Stevens 1972

W = (0.02 + 1.6 \* ( H\*D\*\*2)/100 - 0.0005 \* ((H\*D\*\*2)/100)\*\*2)\* 1.98 - METRIC Sample Size -91 trees, Coefficient of Determination 0.98

Average DBH inches, Minimum 1.3 inches, Maximum 152.4 inches

Average Height feet, Minimum feet, Maximum feet

Average Age years, Minimum 1 year, Maximum 65 years

<sup>2/</sup>Green weight conversion factor 1.98 applied to equation to convert oven dry weight to green weight.

Betula papyrifera - Paper Birchl/
Maine

Table 45--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	23 36	45 70 102 139 182 231 286	66 104 151 206 270 342 423 513 612 719 835 960	88 138 199 272 356 452 559 678 808 950 1103 1268 1445 1634 1834 2046 2269	171 247 337 442 560 693 841 1003 1179 1369 1574 1793 2027 2275 2538 2816 3107 3414	295 402 527 668 827 1003 1196 1406 1633 1877 2139 2418 2714 3028 3358 3706 4072	467 612 776 960 1164 1388 1632 1896 2179 2483 2807 3150 3514 3898 4302 4726	696 883 1092 1325 1579 1857 2157 2480 2825 3193 3585 3999 4435 4895 5378	1224 1484 1770 2081 2417 2779 3166 3579 4017 4481 4971 5486 6027	1960 2303 2676 3077 3505 3963 4448 4962 5504 6074 6673	2935 3374 3844 4345 4877 5441 6035 6661 7317				

## $\frac{1}{\text{Young et al.}}$ 1964

LNW = -1.8959 + 2.0215 \* LN(D) + 0.967 \* LN (H)

Sample Size - 17 trees, Coefficient of Determination 0.98

Average DBH inches, Minimum 6.1 inches, Maximum 11.6 inches

Average Height Average Age years, Minimum years, Maximum years

<u>Carya</u> spp. - Hickory<u>l</u>/
West Virginia

Table 46--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	9 16	22 37 58 85 118 157 204	35 61 96 140 194 259 335 423 524 637 765 905	50 87 136 199 276 368 477 602 745 907 1088 1288 1509 1751 2015 2300 2609	115 179 261 363 484 627 792 980 1193 1430 1694 1984 2302 2649 3024 3429 3865 4332	224 327 453 605 784 990 1225 1491 1788 2118 2481 2879 3312 3782 4288 4833 5417	395 548 731 947 1196 1480 1801 2160 2559 2997 3478 4001 4568 5180 5839 6544	645 861 1115 1409 1744 2122 2545 3014 3531 4096 4713 5381 6102 6877 7708	1288 1628 2015 2452 2940 3482 4079 4733 5445 6217 7050 7946 8906	2292 2790 3345 3962 4641 5385 6196 7074 8022 9042 10134	3760 4453 5217 6053 6964 7951 9016 10162 11390			

## <u>l</u>/Wiant et al. 1979

W = 0.01828 \* (H \* D \*\* 2) \*\* 1.22604 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2 inches, Maximum 16 inches Average Height feet, Minimum 18 feet, Maximum 94 feet Average Age 46 years, Minimum years, Maximum years

# Liquidambar styraciflua - Sweetguml/ Geogria, Piedmont

Table 47--Main stem--wood and bark--green weight (pounds)

DBH	Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	10 17	22 37 56 79 107 141 179	35 58 88 126 171 224 285 354 433 520 616 721	48 81 123 175 237 311 396 493 601 723 856 1003 1163 1336 1523 1724 1940	104 159 226 307 402 511 636 777 933 1106 1295 1502 1726 1967 2227 2505 2801 3116	195 278 378 495 630 784 957 1150 1363 1596 1851 2127 2425 2744 3087 3452 3840	332 451 591 752 936 1142 1372 1626 1905 2209 2538 2893 3275 3683 4119 4582	526 688 876 1090 1331 1599 1895 2220 2574 2957 3371 3816 4292 4800 5340	1003 1248 1523 1830 2169 2541 2946 3385 3859 4368 4912 5494 6112	1719 2065 2447 2867 3324 3819 4354 4928 5543 6199 6896	2730 3198 3707 4260 4856 5497 6183 6914 7692			

### $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.02950 \* (H \* D \*\* 2) \*\* 1.14599 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.7 inches, Maximum 20.7 inches Average Height 82 feet, Minimum 48.0 feet, Maximum 101.0 feet Average Age 45 years, Minimum 33 years, Maximum 83 years

# <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<sup>1</sup>/ Geogria, Piedmont

Table 48--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	14 23	29 48 71 100 133 172 216	46 74 111 155 207 267 336 413 499 594 698 811	63 102 151 211 283 365 459 565 682 954 1109 1276 1455 1648 1854 2072	130 193 269 360 465 585 720 870 1035 1216 1413 1626 1855 2100 2362 2641 2937 3249	235 329 439 567 713 878 1061 1262 1483 1723 1982 2262 2561 2880 3220 3581 3962	388 519 671 844 1038 1254 1492 1753 2037 2344 2674 3028 3406 3808 4234 4685	600 776 975 1200 1450 1726 2027 2355 2710 3092 3501 3938 4403 4895 5417	1109 1364 1648 1961 2304 2677 3080 3514 3980 4476 5004 5564 6156	1848 2199 2584 3002 3454 3941 4463 5019 5611 6239 6904	2866 3330 3831 4371 4950 5567 6224 6921 7657				

#### $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.0557 \* (H \* D \*\* 2) \*\* 1.08717 Sample Size - 26 trees, Coefficient of Determination 0.99 Average DBH 13.5 inches, Minimum 5.5 inches, Maximum 20.3 inches Average Height 84 feet, Minimum 58.0 feet, Maximum 107.0 feet Average Age 56 years, Minimum 30 years, Maximum 83 years

<u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<sup>1</sup>/
Western North Carolina

Table 49--Main  $stem^2/--wood$  and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 12 22 34	11 24 43 66 95 128 166 209 257	36 64 99 141 190 247 311 382 460 546 638 737 844	84 131 187 252 327 412 506 610 723 845 977 1118 1268 1427 1596 1774 1961	162 232 314 407 512 629 758 899 1051 1215 1390 1577 1775 1985 2206 2438 2682 2938	277 375 486 612 752 906 1074 1256 1451 1661 1884 2121 2372 2636 2914 3205 3510	322 436 565 712 874 1053 1249 1460 1687 1931 2190 2466 2757 3064 3387 3726 4081	496 644 811 996 1200 1423 1663 1922 2200 2496 2809 3141 3491 3859 4245 4649	910 1118 1346 1596 1866 2157 2468 2800 3152 3524 3917 4330 4763 5216	1239 1492 1769 2068 2391 2736 3103 3494 3907 4342 4800 5280 5782	1942 2270 2624 3003 3406 3835 4288 4765 5268 5795 6346				

#### $\frac{1}{\text{Clark}}$ and Schroeder 1977

W = -0.81474 + 0.97694 \* Log (H \* D \*\* 2) Sample Size - 39 trees, Coefficient of Determination 0.99 Average DBH 13.9 inches, Minimum 5.8 inches, Maximum 28.4 inches Average Height 99 feet, Minimum 53.0 feet, Maximum 147.0 feet Average Age 56 years, Minimum 21 years, Maximum 81 years

2/Main stem to a 2-inch top, d.o.b.

## <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<u>l</u>/ Western North Carolina

Table 50-Main stem--wood and bark--green weight (pounds)

DBH					Tota	l height	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	11 18	24 39 59 83 112 146 185	38 62 93 131 176 229 290 359 435 520 614 715	52 85 128 180 243 316 399 494 600 717 845 986 1138 1303 1480 1669 1871	109 164 231 312 405 512 633 769 919 1084 1264 1459 1670 1897 2140 2399 2674 2966	201 283 382 496 627 776 942 1126 1328 1548 1788 2046 2324 2622 2939 3277 3634	337 453 589 745 921 1118 1337 1577 1838 2123 2430 2760 3113 3490 3890 4315	526 684 865 1069 1298 1551 1829 2133 2463 2819 3202 3612 4049 4514 5007	986 1219 1480 1768 2086 2432 2808 3215 3651 4118 4617 5147 5709	1664 1989 2346 2735 3158 3615 4106 4631 5192 5788 6420	2608 3042 3512 4020 4566 5150 5773 6436 7139

### $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = -0.03884 \* (H \* D \*\* 2) \*\* 1.11386 Sample Size - 26 trees, Coefficient of Determination 0.98 Average DBH 14.1 inches, Minimum 5.6 inches, Maximum 22.4 inches Average Height 95 feet, Minimum 51.0 feet, Maximum 128.0 feet Average Age 53 years, Minimum 16 years, Maximum 76 years

# <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<u>l</u>/ West Virginia

Table 51--Main stem--wood and bark--green weight (pounds)

DBH					Tota	l heigh	t (feet	:)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		25 60 100 145 196	73 125 185 253 330 414 506 606 715 831	121 191 271 362 463 576 699 832 977 1132 1297 1474 1661 1859 2067	169 256 356 470 597 737 891 1058 1239 1432 1640 1860 2094 2341 2602 2876 3163	217 322 442 578 731 899 1084 1284 1501 1733 1982 2246 2527 2824 3137 3466 3810	387 527 687 864 1061 1276 1510 1763 2034 2324 2633 2960 3306 3671 4055 4457	613 795 998 1223 1469 1736 2025 2335 2666 3019 3393 3789 4206 4645 5104	1132 1384 1661 1962 2287 2635 3008 3405 3826 4272 4741 5234 5751	1854 2188 2549 2936 3351 3792 4260 4754 5275 5824 6398	2811 3237 3693 4178 4693 5237 5810 6413 7045

### $\frac{1}{\text{Wiant et al.}}$ 1979

W = -71.346 + 0.13367 \* H \* D \*\* 2
Sample Size - 22 trees, Coefficient of Determination 0.98
Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches
Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet
Average Age 46 years, Minimum years, Maximum years

## <u>Platanus occidentalis</u> - Sycamore<u>l</u>/ Georgia, Piedmont

Table 52--Main stem2/--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		17 45 80 120 167 219 279	42 84 136 196 266 345 434 532 639 756 882 1017	67 123 191 272 366 471 589 720 863 1018 1186 1367 1559 1765 1982 2212 2455	92 162 247 348 465 597 745 908 1087 1281 1491 1716 1957 2214 2486 2773 3076 3395 3729	117 201 303 425 565 723 900 1096 1311 1544 1796 2066 2355 2663 2989 3334 3698 4081 4482	240 359 501 664 849 1056 1284 1534 1807 2100 2416 2753 3112 3493 3896 4320 4766 5234	764 975 1211 1472 1758 2069 2405 2766 3151 3561 3997 4457 4942 5452 5986	1367 1660 1982 2332 2710 3115 3549 4011 4500 5018 5563 6137 6739	2206 2595 3014 3465 3947 4460 5004 5579 6185 6823 7491	3319 3815 4345 4909 5508 6140 6807 7508 8243				

### $\frac{1}{Belanger}$ 1973

W = -32.35109 + 0.15544 \* H \* D \*\* 2

Sample Size - 31 trees, Coefficient of Determination 0.99

Average DBH inches, Minimum 4 inches, Maximum 10 inches

Average Height feet, Minimum 45 feet, Maximum 80 feet

Average Age years, Minimum years, Maximum years

2/Main stem to a 3-inch top

## Populus tremuloides - Quaking Aspenl/ Maine

Table 53--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	21 33	42 65 94 129 169 214 265	61 96 139 190 250 317 392 475 566 666 773 889	81 127 184 252 330 418 517 627 748 879 1021 1174 1338 1512 1698 1894 2101	158 229 312 409 519 642 778 928 1091 1267 1457 1660 1877 2107 2350 2607 2877 3160	273 372 488 619 766 929 1107 1302 1512 1738 1980 2239 2513 2803 3109 3431 3770	432 566 718 889 1078 1285 1511 1755 2018 2299 2598 2917 3253 3609 3983 4376	644 817 1011 1226 1462 1719 1997 2296 2615 2956 3319 3702 4106 4532 4979	1133 1374 1639 1926 2238 2573 2931 3313 3719 4148 4602 5079 5580	1814 2133 2478 2848 3245 3669 4118 4593 5095 5623 6178	2717 3123 3559 4023 4515 5037 5587 6166 6774				

### $\frac{1}{Y}$ oung et al. 1964

LNW = -1.9730 + 2.0215 \* LN(D) + 0.9670 \* LN(H)
Sample Size - 14 trees, Coefficient of Determination 0.97
Average DBH inches, Minimum 5.8 inches, Maximum 9.8 inches
Average Height feet, Minimum 52.5 feet, Maximum 62.5 feet
Average Age , Minimum , Maximum

Prunus serotina - Black Cherry1/
West Virginia

Table 54--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	13 22	29 48 72 103 140 183 233	45 76 115 164 222 291 370 460 561 674 799 935	63 105 160 227 308 404 514 639 780 937 1110 1299 1506 1730 1972 2232 2509	136 206 293 398 521 663 825 1007 1209 1432 1677 1944 2233 2545 2880 3239 3622 4028	254 361 490 642 817 1016 1240 1489 1765 2066 2395 2751 3136 3548 3990 4461 4962	431 585 766 975 1212 1479 1777 2105 2465 2857 3282 3740 4233 4760 5322 5919	682 892 1136 1412 1723 2070 2452 2871 3328 3823 4357 4931 5545 6200 6896	1299 1616 1972 2368 2806 3285 3808 4375 4986 5642 6345 7094 7891	2224 2672 3165 3706 4296 4935 5624 6365 7157 8002 8901	3530 4133 4791 5503 6272 7098 7982 8924 9926				

### $\frac{1}{\text{Wiant}}$ et al. 1979

W = 0.03897 \* (H \* D \*\* 2) \*\* 1.14384 Sample Size - 21 trees, Coefficient of Determination 0.978 Average DBH inches, Minimum 2 inches, Maximum 16 inches Average Height feet, Minimum 18 feet, Maximum 94 feet Average Age 46 years, Minimum years, Maximum years

Quercus alba - White Oak1/ Georgia, Piedmont

Table 55--Main stem--wood and bark--green weight (pounds)

DBH	Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	16 26	34 55 81 114 152 196 246	53 85 126 176 235 303 381 468 565 672 788 915	72 116 172 240 321 414 520 639 771 916 1076 1249 1436 1637 1852 2081 2325	148 219 306 408 527 662 813 981 1166 1369 1589 1827 2083 2357 2649 2959 3289 3636	267 373 497 642 806 990 1195 1420 1667 1935 2225 2536 2870 3226 3604 4005 4428	440 588 758 952 1169 1411 1678 1969 2286 2628 2996 3390 3810 4257 4731 5231	679 876 1099 1351 1630 1938 2275 2641 3036 3461 3916 4402 4918 5465 6043	1249 1534 1852 2201 2584 2999 3448 3931 4448 4999 5586 6207 6863	2075 2467 2896 3361 3864 4405 4985 5602 6259 6955 7691	3210 3726 4283 4883 5525 6210 6938 7710 8525			

## $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.06656 \* (H \* D \*\* 2) \*\* 1.08067 Sample Size - 23 trees, Coefficient of Determination 0.99 Average DBH 12.8 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 71 feet, Minimum 47.0 feet, Maximum 93.0 feet Average Age 56 years, Minimum 37 years, Maximum 80 years

Quercus alba - White Oak1/
Western North Carolina

Table 56--Main stem--wood and bark--green weight (pounds)

DBH					Tota	l heigh	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	16 26	34 55 81 113 150 193 243	53 84 125 174 232 299 375 460 555 659 773 897	71 115 170 237 316 407 511 627 756 898 1054 1222 1404 1600 1809 2032 2269	146 217 302 402 518 650 797 962 1142 1339 1554 1785 2034 2300 2583 2885 3204 3541	263 367 489 630 790 970 1170 1390 1630 1890 2172 2474 2798 3143 3509 3898 4308	433 577 744 933 1145 1381 1640 1923 2231 2563 2920 3302 3709 4142 4600 5084	666 859 1077 1322 1594 1893 2220 2576 2959 3371 3812 4282 4782 5311 5869	1222 1500 1809 2149 2520 2923 3359 3826 4327 4860 5427 6028 6662	2026 2407 2823 3274 3762 4285 4846 5444 6078 6751 7461	3127 3627 4168 4748 5369 6031 6734 7479 8266

### 1/Clark and Schroeder 1980

W = 0.0684 \* (H \* D \*\* 2) \*\* 1.07533 Sample Size - 28 trees, Coefficient of Determination 0.99 Average DBH 13.9 inches, Minimum 5.1 inches, Maximum 21.7 inches Average Height 84 feet, Minimum 38.0 feet, Maximum 110.0 feet Average Age 84 years, Minimum 54 years, Maximum 130 years

Quercus alba - White Oakl/
West Virginia

Table 57--Main stem--wood and bark--green weight (pounds)

DBH	Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110		
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	15 25	33 54 81 115 155 202 256	52 85 128 181 245 319 404 500 608 728 860 1004	71 118 177 251 338 440 558 691 840 1005 1187 1386 1602 1835 2087 2356 2643	151 228 322 434 566 717 888 1079 1291 1525 1780 2058 2358 2680 3026 3395 3788 4205	279 395 533 694 879 1089 1324 1584 1871 2185 2525 2893 3289 3713 4166 4648 5160	470 634 825 1045 1295 1574 1884 2224 2597 3002 3439 3910 4414 4953 5526 6134	736 959 1214 1504 1828 2188 2584 3017 3487 3995 4542 5128 5754 6419 7126	1386 1717 2087 2497 2949 3443 3980 4560 5184 5853 6567 7326 8133	2349 2811 3319 3875 4479 5132 5834 6587 7391 8246 9153	3694 4313 4985 5711 6493 7331 8225 9177 10186		

### 1/Wiant et al. 1979

W = 0.05066 \* (H \* D \*\* 2) \*\* 1.12211 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet Average Age 46 years, Minimum years, Maximum years

Quercus coccinea - Scarlet Oak1/
Tennessee

Table 58--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	19 31	40 64 93 129 171 219 274	61 97 143 198 262 336 420 514 617 731 854 988	82 132 194 268 355 456 569 696 836 989 1157 1338 1533 1742 1965 2202 2453	167 245 339 450 577 720 880 1057 1252 1463 1692 1939 2204 2486 2786 3104 3440 3795	202   297   411   545   699   872   1067   1281   1517   1773   2051   2350   2670   3012   3376   3762   4169   4599   4599	484 641 822 1026 1255 1507 1785 2086 2413 2765 3142 3544 3972 4426 4905 5410	738 946 1182 1444 1735 2054 2402 2778 3183 3617 4080 4572 5094 5646 6228	1338 1635 1965 2326 2719 3145 3603 4095 4619 5177 5768 6393 7052	2196 2599 3039 3514 4027 4576 5162 5785 6445 7144 7880	3360 3886 4452 5059 5707 6396 7127 7899 8713				

### 1/Clark, Phillips, and Hitchcock 1980

W = 0.09079 \* (H \* D \*\* 2) \*\* 1.05414 Sample Size - 28 trees, Coefficient of Determination 0.99 Average DBH 12.1 inches, Minimum 5.1 inches, Maximum 20.0 inches Average Height 73 feet, Minimum 50.0 feet, Maximum 94.0 feet Average Age 53 years, Minimum 37 years, Maximum 80 years

# Quercus coccinea - Scarlet Oakl/ West Virginia

Table 59--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		44 88 139 197 262	105 172 249 336 433 541 658 786 925 1073	167 255 358 474 604 747 904 1075 1259 1457 1669 1894 2133 2386 2652	228 339 467 612 774 954 1150 1363 1594 1841 2106 2388 2686 3002 3335 3685 4052	290 423 576 751 945 1160 1396 1652 1928 2225 2543 2881 3239 3618 4018 4438 4878	506 686 889 1116 1367 1642 1940 2263 2610 2980 3374 3793 4235 4701 5191 5705	795 1027 1287 1573 1887 2229 2598 2994 3417 3868 4346 4851 5384 5943 6531	1457 1780 2133 2517 2932 3378 3854 4361 4899 5467 6066 6696 7357	2379 2806 3267 3762 4291 4854 5452 6083 6749 7449 8183	3601 4146 4728 5348 6005 6700 7432 8202 9009				

## 1/Wiant et al. 1979

W = -79.149 + 0.17071 \* H \* D \*\* 2
Sample Size - 22 trees, Coefficient of Determination 0.99
Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches
Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet
Average Age 46 years, Minimum years, Maximum years

Quercus falcata - Southern Red Oakl/
Tennessee, Cumberland Plateau

Table 60--Main stem--wood and bark--green weight (pounds)

DBH					Total	heighi	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	11 18	24 41 63 90 122 160 205	39 66 100 143 195 256 327 408 500 601 714 838	55 92 140 200 272 358 457 570 697 839 996 1169 1358 1563 1784 2022 2277	119 181 259 353 464 592 738 903 1087 1291 1514 1759 2024 2310 2619 2949 3303 3678	147 224 320 436 573 731 912 1115 1343 1594 1870 2172 2500 2854 3235 3643 4079 4544	267 382 521 685 874 1090 1333 1605 1906 2236 2597 2989 3412 3868 4356 4877 5432	608 799 1020 1272 1556 1874 2225 2610 3032 3489 3983 4515 5085 5693 6341	1169 1458 1784 2148 2550 2992 3475 3999 4566 5175 5828 6526 7269	2016 2427 2881 3381 3926 4518 5158 5847 6585 7373 8213	3218 3775 4385 5046 5761 6530 7354 8234 9171

1/Clark, Phillips, and Hitchcock 1980

W = 0.03062 \* (H \* D \*\* 2) \*\* 1.15873 Sample Size - 29 trees, Coefficient of Determination 0.98 Average DBH 12.5 inches, Minimum 5.4 inches, Maximum 22.0 inches Average Height 70 feet, Minimum 53.0 feet, Maximum 84.0 feet Average Age 62 years, Minimum 37 years, Maximum 100 years

## Quercus prinus - Chestnut Oakl/ Western North Carolina

Table 61--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	17 28	36 58 86 119 158 203 254	56 90 132 183 243 313 391 479 576 682 799 925	76 122 179 249 330 424 531 650 782 926 1084 1255 1440 1638 1849 2074 2313	154 227 315 419 538 672 823 990 1174 1374 1591 1825 2076 2343 2629 2931 3251 3589	276 383 508 652 816 999 1202 1425 1668 1931 2215 2519 2844 3190 3557 3946 4356	451 598 769 961 1177 1416 1678 1964 2274 2609 2967 3350 3758 4190 4648 5130	690 886 1108 1356 1632 1934 2264 2621 3006 3419 3860 4330 4829 5356 5912	1255 1537 1849 2192 2565 2970 3406 3875 4375 4907 5472 6069 6700	2068 2451 2869 3322 3810 4333 4893 5488 6120 6788 7493	3175 3676 4216 4795 5414 6073 6772 7511 8291				

#### 1/Clark and Schroeder 1980

W = 0.07933 \* (H \* D \*\* 2) \*\* 1.06198 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 82 feet, Minimum 47.0 feet, Maximum 115.0 feet Average Age 78 years, Minimum 46 years, Maximum 129 years

## Quercus prinus - Chestnut Oak1/ West Virginia

Table 62—Main stem--wood and bark--green weight (pounds)

DBH					Tota	l height	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	13 21	29 48 75 108 148 196 251	46 78 121 174 240 317 407 510 628 759 905 1066	65 110 170 245 337 446 573 718 883 1068 1274 1501 1749 2020 2314 2631 2972	144 222 320 439 581 747 936 1151 1392 1660 1956 2280 2633 3016 3430 3874 4350 4858	276 397 546 722 927 1163 1430 1729 2062 2429 2831 3270 3745 4259 4811 5402 6033	477 655 867 1113 1396 1717 2076 2476 2917 3400 3927 4498 5114 5777 6487 7245	768 1016 1305 1636 2012 2433 2902 3418 3985 4602 5271 5993 6770 7602 8490	1501 1882 2314 2799 3337 3932 4583 5293 6062 6893 7786 8743 9765	2622 3172 3782 4456 5194 5998 6871 7812 8824 9909 11066	4235 4990 5816 6717 7694 8748 9882 11096 12393

### <u>l</u>/Wiant et al. 1979

W = 0.03019 \* (H \* D \*\* 2) \*\* 1.18769 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet Average Age 46 years, Minimum years, Maximum years

### Quercus rubra - Northern Red Oak1/ Western North Carolina

Table 63--Main stem--wood and bark--green weight (pounds)

DBH					Total	l height	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	23 36	46 72 105 143 187 237 294	70 109 158 215 282 357 442 536 638 750 871 1001	93 146 211 288 377 477 591 716 853 1003 1164 1338 1524 1723 1933 2156 2391	183 264 360 472 598 740 897 1069 1256 1458 1676 1909 2158 2421 2701 2995 3305 3630	317 433 567 719 889 1078 1284 1509 1753 2015 2295 2593 2910 3246 3600 3972 4363	371 506 662 840 1039 1259 1500 1763 2048 2354 2681 3030 3400 3792 4205 4640 5097	758 961 1188 1440 1717 2018 2343 2693 3067 3467 3890 4339 4812 5309 5832	1338 1622 1933 2272 2639 3033 3454 3904 4381 4886 5419 5979 6568	1804 2150   2527 2935   3373 3842 4342   4872   5434 6026 6650 7304	3231 3713 4230 4780 5364 5982 6635 7321 8041

1/Clark, Phillips, and Schroeder 1980

W = 0.13724 \* (H \* D \*\* 2) \*\* 1.00877 Sample Size - 71 trees, Coefficient of Determination 0.99 Average DBH 13.0 inches, Minimum 5.9 inches, Maximum 24.7 inches Average Height 84 feet, Minimum 53.0 feet, Maximum 118.0 feet Average Age 76 years, Minimum 53 years, Maximum 114 years

Quercus rubra - Northern Red Oakl/
West Virginia

Table 64--Main stem--wood and bark--green weight (pounds)

DBH					Tota	l heigh	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		15 43 77 118 165 218 277	40 82 134 194 264 344 433 531 638 755 882 1017	65 121 190 271 364 470 589 720 863 1019 1187 1368 1561 1767 1985 2216 2459	160 246 347 464 596 744 908 1087 1282 1493 1719 1960 2217 2490 2778 3082 3402 3737	302 423 564 723 900 1097 1312 1546 1798 2069 2359 2668 2995 3341 3706 4089 4491	500 663 849 1056 1285 1536 1809 2104 2420 2758 3118 3500 3904 4329 4777 5246	763 975 1212 1474 1761 2072 2409 2771 3157 3569 4005 4466 4953 5464 6000	1368 1662 1985 2336 2715 3121 3556 4019 4510 5029 5576 6151 6754	2210 2599 3020 3472 3955 4470 5015 5592 6200 6839 7509	3326 3823 4354 4920 5520 6154 6823 7526 8263

### $\frac{1}{\text{Wiant}}$ et al. 1979

W = -34.823 + 0.15586 \* H \* D \*\* 2
Sample Size - 22 trees, Coefficient of Determination 0.99
Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches
Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet
Average Age 46 years, Minimum years, Maximum years

# Quercus velutina - Black Oakl/ West Virginia

Table 65--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	19 31	40 64 94 130 173 221 277	61 98 144 200 265 340 424 519 624 738 863 999	83 133 196 271 359 460 575 703 845 1000 1170 1353 1551 1762 1988 2229 2484	168 247 343 454 582 728 890 1069 1266 1480 1712 1962 2230 2516 2821 3143 3484 3844	300 415 551 706 882 1079 1296 1535 1794 2076 2379 2704 3050 3419 3810 4224 4659	489 648 831 1038 1269 1525 1806 2112 2443 2799 3181 3589 4023 4483 4970 5483	746 957 1195 1461 1756 2079 2431 2812 3223 3663 4133 4632 5162 5722 6313	1353 1655 1988 2354 2753 3185 3650 4148 4680 5246 5846 6480 7148	2222 2631 3077 3559 4079 4636 5230 5863 6533 7242 7989	3403 3936 4511 5126 5784 6483 7225 8008 8835				

### $\frac{1}{\text{Wiant et al.}}$ 1979

W = 0.09067 \* (H \* D \*\* 2) \*\* 1.05554 Sample Size - 22 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 2.0 inches, Maximum 16.0 inches Average Height feet, Minimum 18.0 feet, Maximum 94.0 feet Average Age 46 years, Minimum years, Maximum years

# HARDWOODS MAIN STEM Wood

# <u>Liquidambar styraciflua</u> - Sweetgum<u>l</u>/ Georgia, Piedmont

Table 66--Main stem--wood--green weight (pounds)

DBH		Total height (feet)									
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	8 14	18 31 47 68 92 121 155	30 50 76 108 148 194 248 309 379 456 541 635	41 69 106 151 206 271 346 432 529 636 756 887 1030 1186 1354 1535 1729	90 137 196 267 351 449 560 685 825 979 1149 1335 1537 1755 1989 2241 2509 2795	169 242 330 434 554 691 846 1019 1210 1420 1649 1899 2168 2458 2768 3100 3454	290 395 519 663 827 1012 1218 1447 1698 1973 2271 2593 2939 3311 3708 4130	461 606 774 965 1181 1422 1689 1983 2303 2651 3027 3432 3866 4329 4822	887 1107 1354 1631 1937 2273 2640 3039 3470 3934 4432 4963 5529	1530 1843 2189 2569 2984 3434 3922 4446 5008 5608 6248	2445 2869 3333 3836 4380 4966 5593 6264 6978

#### 1/Clark and Phillips 1980

W = 0.0229 \*(H \* D \*\*2) \*\* 1.16031 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.7 inches, Maximum 20.7 inches Average Height 82 feet, Minimum 48.0 feet, Maximum 101.0 feet Average Age 45 years, Minimum 33 years, Maximum 83 years

# <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<u>l</u>/ North Carolina, Piedmont

Table 67--Main stem--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	11 18	23 38 57 81 108 140 177	37 60 90 126 169 220 277 342 414 495 582 678	50 82 123 173 233 302 381 470 569 679 800 932 1074 1228 1393 1570 1758	105 158 222 298 386 487 601 728 869 1023 1192 1374 1571 1782 2008 2249 2504 2775	193 271 364 472 596 735 891 1063 1252 1457 1680 1921 2179 2456 2750 3063 3394	321 431 559 706 871 1056 1260 1484 1728 1992 2277 2584 2911 3260 3631 4023	500 648 818 1010 1223 1460 1719 2002 2308 2639 2994 3373 3778 4207 4662	932 1150 1393 1662 1958 2280 2629 3005 3409 3841 4302 4791 5309	1565 1867 2199 2561 2953 3376 3830 4315 4832 5382 5964	2443 2845 3280 3750 4254 4794 5368 5979 6625				

### 1/ Clark and Phillips 1980

W = 0.04031 \* (H \* D \*\* 2) \*\* 1.10358 Sample Size - 26 trees, Coefficient of Determination 0.99 Average DBH 13.5 inches, Minimum 5.5 inches, Maximum 20.3 inches Average Height 84 feet, Minimum 58.0 feet, Maximum 107.0 feet Average Age 56 years, Minimum 30 years, Maximum 83 years

### <u>Liriodendron</u> <u>tulipifera</u> - Yellow-poplar<sup>1</sup>/ Western North Carolina

Table 68--Main stem2/--wood--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 10 18 27	9 20 35 54 77 105 136 172 211	29 52 80 115 156 203 256 315 380 451 529 612 701	69 107 153 207 270 340 419 505 599 702 812 931 1057 1191 1333 1483 1640	133 191 258 336 424 521 629 747 874 1012 1159 1317 1484 1661 1847 2044 2250 2466	228 309 402 507 624 753 894 1047 1211 1388 1576 1776 1987 2211 2446 2693 2951	265 360 468 590 726 877 1040 1218 1410 1615 1834 2067 2313 2573 2847 3135 3435	410 534 673 829 1000 1187 1390 1608 1842 2092 2358 2639 2935 3248 3575 3919	756 931 1123 1333 1561 1806 2069 2350 2648 2963 3297 3647 4015 4401	1032 1246 1479 1731 2003 2295 2607 2937 3288 3657 4046 4455 4882	1624 1902 2201 2521 2863 3227 3611 4017 4445 4893 5363			

### 1/Clark and Schroeder 1977

W = 0.92750 + 0.98533 \* Log 10 (H \* D \*\* 2) Sample Size - 39 trees, Coefficient of Determination 0.99 Average DBH 13.9 inches, Minimum 5.8 inches, Maximum 28.4 inches Average Height 99 feet, Minimum 53.0 feet, Maximum 147.0 feet Average Age 56 years, Minimum 21 years, Maximum 81 years

2/Main stem to a 2-inch top, d.o.b.

### <u>Liriodendron tulipifera</u> - Yellow-poplar<u>l</u>/ Western North Carolina

Table 69—Main stem—wood—green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	10 16	21 34 51 72 97 126 159	33 53 80 113 152 197 249 308 374 447 527 614	45 74 110 155 209 272 343 424 515 615 725 845 976 1116 1268 1430 1602	94 141 199 268 348 440 544 660 788 929 1083 1250 1431 1625 1832 2053 2289 2538	173 244 328 426 539 666 808 965 1138 1327 1531 1752 1990 2244 2515 2803 3108	289 389 506 639 790 959 1145 1351 1574 1817 2080 2361 2663 2985 3326 3689	452 587 742 917 1112 1329 1567 1826 2108 2412 2739 3089 3462 3859 4279	845 1045 1268 1515 1786 2082 2403 2750 3122 3521 3946 4398 4877	1425 1703 2008 2341 2702 3091 3510 3958 4437 4945 5483	2232 2602 3003 3437 3902 4401 4932 5497 6096			

#### $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = 0.03404 \* (H \* D \*\* 2) \*\* 1.11147 Sample Size - 26 trees, Coefficient of Determination 0.98 Average DBH 14.1 inches, Minimum 5.6 inches, Maximum 22.4 inches Average Height 95 feet, Minimum 51.0 feet, Maximum 128.0 feet Average Age 53 years, Minimum 16 years, Maximum 76 years

Quercus alba - White Oak1/ Georgia, Piedmont

Table 70--Main stem--wood--green weight (pounds)

DBH	Total height (feet)										
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	13 22	28 46 69 97 130 168 212	44 72 108 151 203 263 331 408 494 589 693 806	61 99 148 208 278 360 454 560 677 807 950 1105 1273 1454 1649 1857 2078	127 189 265 355 460 580 715 865 1031 1213 1412 1626 1858 2106 2372 2654 2954 3272	231 324 434 562 708 873 1057 1260 1482 1724 1987 2269 2573 2897 3242 3608 3996	383 514 666 839 1034 1251 1492 1755 2042 2353 2688 3047 3431 3839 4273 4733	595 771 971 1197 1449 1727 2032 2364 2724 3112 3528 3972 4445 4948 5480	1105 1362 1649 1965 2313 2691 3100 3541 4014 4520 5059 5630 6236	1851 2206 2596 3020 3480 3975 4506 5074 5679 6320 7000	2882 3353 3864 4413 5003 5633 6305 7017 7771

#### $\frac{1}{\text{Clark}}$ and Phillips 1980

W = 0.05064 \* (H \* D \*\* 2) \*\* 1.09728 Sample Size - 23 trees, Coefficient of Determination 0.99 Average DBH 12.8 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 71 feet, Minimum 47.0 feet, Maximum 93.0 feet Average Age 56 years, Minimum 37 years, Maximum 80 years

Quercus alba - White Oakl/
Western North Carolina

Table 71--Main stem--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	14 23	30 48 71 99 132 170 213	46 74 110 153 204 263 330 405 488 580 680 789	63 101 150 209 278 358 450 552 665 790 927 1075 1235 1407 1591 1787 1995	129 191 265 354 456 571 701 846 1004 1178 1366 1570 1788 2022 2271 2536 2817 3113	232 323 430 554 695 853 1029 1222 1433 1662 1910 2175 2460 2763 3085 3426 3787	381 508 654 820 1007 1214 1442 1691 1962 2254 2567 2903 3261 3641 4044 4470	586 755 947 1162 1402 1665 1952 2265 2602 2964 3351 3765 4203 4668 5159	1075 1319 1591 1889 2216 2570 2953 3364 3804 4273 4771 5299 5856	1782 2116 2482 2878 3307 3767 4260 4785 5343 5934 6558	2749 3189 3664 4174 4720 5301 5920 6574 7266				

### $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = 0.06031 \* (H \* D \*\* 2) \*\* 1.07504 Sample Size - 28 trees, Coefficient of Determination 0.99 Average DBH 13.9 inches, Minimum 5.1 inches, Maximum 21.7 inches Average Height 84 feet, Minimum 38.0 feet, Maximum 110.0 feet Average Age 84 years, Minimum 54 years, Maximum 130 years

Quercus coccinea - Scarlet Oak1/
Tennessee

Table 72--Main stem--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	16 26	33 54 79 110 146 187 234	51 83 122 169 224 288 360 440 530 628 735 851	70 112 165 229 304 390 488 598 719 852 997 1154 1324 1506 1700 1907 2126	142 209 290 385 495 619 757 911 1080 1263 1463 1678 1908 2154 2416 2694 2988 3298	254 352 467 600 751 919 1105 1310 1533 1775 2036 2315 2614 2932 3269 3626 4002	415 550 707 884 1082 1302 1543 1806 2091 2398 2727 3079 3453 3850 4270 4714	634 814 1019 1247 1500 1778 2081 2409 2763 3142 3547 3979 4437 4921 5431	1154 1413 1700 2015 2358 2730 3131 3561 4020 4509 5027 5576 6155	1901 2253 2637 3053 3501 3982 4495 5042 5622 6236 6883	2918 3378 3874 4406 4974 5579 6221 6900 7616				

1/Clark, Phillips, and Hitchcock 1980

W = 0.07333 \* (H \* D \*\* 2) \*\* 1.06140 Sample Size - 28 trees, Coefficient of Determination 0.99 Average DBH 12.1 inches, Minimum 5.1 inches, Maximum 20.0 inches Average Height 73 feet, Minimum 50.0 feet, Maximum 94.0 feet Average Age 53 years, Minimum 37 years, Maximum 80 years

## Quercus falcata - Southern Red Oak1/ Tennessee, Cumberland Plateau

Table 73—Main stem--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	9 15	20 33 51 73 99 131 167	32 53 81 117 159 210 268 335 411 495 589 692	44 74 114 163 223 294 375 469 575 693 824 968 1126 1297 1483 1682 1897	96 148 212 289 381 487 609 746 900 1070 1257 1461 1684 1924 2184 2462 2759 3076	119 183 262 358 471 603 753 923 1113 1324 1555 1808 2084 2381 2702 3046 3414 3806	219 314 429 564 722 902 1106 1333 1585 1862 2165 2495 2851 3235 3647 4087 4557	501 660 844 1054 1292 1558 1852 2176 2531 2916 3333 3781 4263 4778 5326	968 1210 1483 1788 2126 2498 2904 3346 3824 4339 4892 5482 6112	1677 2022 2404 2825 3285 3784 4325 4908 5532 6200 6912	2687 3157 3671 4230 4835 5486 6184 6931 7727				

#### $\frac{1}{\text{Clark}}$ , Phillips, and Hitchcock 1980

W = 0.02324 \* (H \* D \*\* 2) \*\* 1.16832 Sample Size - 29 trees, Coefficient of Determination 0.98 Average DBH 12.5 inches, Minimum 5.4 inches, Maximum 22.0 inches Average Height 70 feet, Minimum 53.0 feet, Maximum 84.0 feet Average Age 62 years, Minimum 37 years, Maximum 100 years

### Quercus prinus - Chestnut Oakl/ Western North Carolina

Table 74--Main stem--wood--green weight (pounds)

DBH						Total h	neight (	feet)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	14 22	29 46 69 96 127 164 205	44 72 106 148 196 253 317 389 468 556 651 755	61 98 144 201 267 344 431 529 637 757 887 1028 1180 1344 1519 1706 1904	124 183 255 339 437 548 672 809 961 1126 1306 1499 1707 1930 2167 2419 2685 2967	223 310 413 531 666 817 984 1168 1369 1587 1823 2076 2346 2634 2940 3265 3607	366 487 627 785 963 1161 1378 1615 1872 2150 2448 2767 3107 3468 3851 4254	562 723 906 1111 1339 1590 1864 2160 2481 2825 3193 3585 4002 4443 4909	1028 1261 1519 1804 2114 2451 2815 3205 3623 4068 4540 5041 5569	1701 2019 2367 2744 3151 3588 4056 4554 5083 5643 6235	2621 3039 3490 3974 4492 5043 5629 6250 6905

#### $\frac{1}{\text{Clark}}$ and Schroeder 1980

W = 0.05958 \* (H \* D \*\* 2) \*\* 1.07148 Sample Size - 24 trees, Coefficient of Determination 0.98 Average DBH 13.1 inches, Minimum 5.6 inches, Maximum 20.9 inches Average Height 82 feet, Minimum 47.0 feet, Maximum 115.0 feet Average Age 78 years, Minimum 46 years, Maximum 129 years

### Quercus rubra - Northern Red Oak1/ Western North Carolina

Table 75--Main stem--wood--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	19 30	39 61 89 122 160 203 252	59 93 135 184 242 307 381 462 551 649 755 868	79 124 180 247 324 412 510 619 739 870 1011 1164 1327 1501 1686 1882 2090	156 226 310 404 516 640 777 927 1091 1269 1460 1665 1884 2116 2362 2622 2896 3183	272 373 489 622 770 935 1116 1314 1528 1758 2005 2268 2547 2844 3156 3486 3832	319 436 572 727 901 1094 1306 1537 1787 2056 2345 2653 2980 3327 3692 4078 4483	656 833 1032 1253 1496 1760 2047 2356 2686 3039 3414 3811 4230 4671 5135	1164 1413 1686 1985 2308 2655 3028 3426 3848 4296 4768 5266 5789	1573 1877 2209 2569 2956 3371 3813 4284 4782 5308 5862 6444	2830 3257 3714 4202 4720 5269 5848 6459 7100

### $\frac{1}{\text{Clark}}$ , Phillips, and Schroeder 1980

W = 0.11034 \* (H \* D \*\* 2) \*\* 1.01741 Sample Size - 71 trees, Coefficient of Determination 0.99 Average DBH inches, Minimum 5.9 inches, Maximum 24.7 inches Average Height feet, Minimum 53.0 feet, Maximum 118.0 feet Average Age years, Minimum 53 years, Maximum 114 years

### SOFTWOODS WHOLE TREE

Wood, Bark, and Foliage

Abies amabilis - Pacific Silver Fir1/

Pacific Northwest

Table 76--Whole tree $\frac{2}{--wood}$ , bark, and foliage--green weight (pounds)

DBH	Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	668	692 712 737 765 796 832	715 746 782 825 872 926 985 1049 1119 1195 1277	738 780 828 884 948 1019 1098 1184 1278 1379 1487 1603 1727 1858 1996 2142	762 813 874 944 1024 1113 1211 1319 1436 1562 1698 1843 1997 2161 2334 2517 2709 2910	847 920 1004 1100 1206 1324 1453 1594 1745 1908 2082 2268 2464 2672 2891 3121 3363	966 1064 1175 1300 1428 1588 1752 1929 2119 2322 2538 2768 3010 3265 3534 3816	1124 1251 1394 1551 1723 1910 2112 2329 2562 2809 3071 3348 3640 3947 4269	1487 1664 1858 2068 2296 2540 2801 3079 3374 3686 4014 4360 4722	1993 2227 2479 2751 3041 3350 3677 4024 4389 4772 5175	2663 2961 3280 3620 3980 4361 4763 5185 5628			

#### 1/Shaw 1977

W = 0.818 + 0.01117 \* H \* D \*\* 2 (metric)

Sample Size - 26 trees, Coefficient of Determination

Average DBH centimeters, Minimum 0.2 centimeter, Maximum 119.2 centimeters

Average Height meters, Minimum 3 meters, Maximum 52 meters

Average Age , Minimum , Maximum

<sup>2/</sup>Green weight conversion factor 1.66 applied to equation to convert oven dry weight to green weight.

Abies balsamea - Balsam Firl/
Michigan

Table 77--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	20 44 79 123	26 59 104 163 235 319 417 528 651	69 123 192 276 375 490 621 766 927 1103 1295 1502 1724	138 215 309 421 550 696 860 1040 1238 1453 1685 1934 2201 2484 2785 3103 3439	235 338 461 602 761 940 1137 1353 1588 1842 2115 2406 2716 3045 3393 3760 4145 4549	364 495 647 819 1011 1223 1456 1700 1982 2275 2588 2992 3276 3650 4044 4459 4893	527 688 871 1075 1301 1548 1817 2108 2419 2753 3108 3484 3882 4301 4742 5205	726 919 1134 1373 1633 1917 2223 2552 2904 3278 3675 4095 4537 5002 5490	1189 1439 1712 2009 2331 2675 3044 3436 3852 4292 4756 5244 5755	1786 2096 2431 2791 3175 3584 4018 4477 4961 5469 6003	2525 2899 3298 3724 4174 4651 5154 5682 6236				

### 1/Steinhilb and Erickson 1970

### <u>Picea engelmannii - Englemann Sprucel/</u> British Columbia

Table 78--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	22 29 40 53	28 43 63 90 122 161 205 255 311	56 87 127 175 233 299 375 459 552 654 764 884 1012	110 164 229 305 394 494 606 730 866 1014 1173 1344 1527 1722 1929 2147 2378	200 282 378 488 614 754 909 1079 1263 1462 1676 1905 2149 2407 2680 2968 3271 3588	335 450 583 733 902 1088 1291 1513 1752 2009 2283 2575 2885 3213 3558 3921 4302	522 677 853 1049 1266 1504 1762 2041 2341 2661 3002 3364 3746 4149 4572 5017	772 972 1197 1445 1716 2012 2330 2673 3039 3429 3842 4279 4739 5223 5731	1344 1623 1929 2261 2620 3005 3417 3855 4320 4812 5330 5874 6445	2141 2510 2909 3337 3795 4282 4798 5344 5920 6525 7160	3198 3669 4172 4708 5276 5877 6510 7176 7874

### $\frac{1}{Adamovich}$ 1975

W = 16.0 + 0.1476 \* H \* D \*\* 2Sample Size - 47 trees, Coefficient of Determination 0.97 Average DBH inches, Minimum 0.8 inches, Maximum 15.8 inches Average Height feet, Minimum 6.5 feet, Maximum 92.4 feet Average Age , Minimum , Maximum

<u>Picea glauca</u> - White Sprucel/ Michigan

Table 79--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	180	183 300 438 597 777 978	186 304 443 604 786 990 1215 1462 1730 L 2019 2330	189   308   449   612   796   1002   1229   1479   1750   2042   2357   2693   3050   3430   3831   4253	192 312 455 619 805 1014 1244 1496 1769 2065 2383 2723 3084 3467 3873 4300 4749 5220	317 461 627 815 1025 1258 1512 1789 2088 2409 2752 3118 3505 3915 4347 4801 5277	466 634 824 1037 1272 1529 1809 2111 2436 2782 3152 3543 3957 4394 4852 5334	642 834 1049 1286 1546 1829 2134 2462 2812 3185 3581 4000 4440 4904 5390	1060 1300 1563 1849 2157 2488 2842 3219 3619 4042 4487 4956 5447	1580 1868 2180 2515 2872 3253 3657 4084 4534 5007 5503	2203 2541 2902 3287 3695 4126 4581 5059 5560				

### 1/Steinhilb and Erickson 1972

<u>Pinus clausa</u> var. <u>immuginata</u> - Choctawhatchee Sand Pinel/ Florida

Table 80--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	9 21 36 55	18 40 69 106 151 202 261 327 401	59 102 157 222 298 385 483 591 709 837 976 1125 1283	135 206 293 393 507 636 778 934 1103 1285 1481 1690 1912 2148 2396 2657 2932	256 362 487 628 787 963 1156 1365 1591 1834 2093 2368 2659 2967 3290 3629 3985 4356	304 431 579 748 937 1147 1376 1625 1895 2183 2492 2819 3166 3532 3917 4321 4744 5186	671 867 1086 1329 1595 1884 2196 2530 2888 3267 3669 4094 4540 5008 5499 6011	985 1234 1510 1812 2141 2495 2875 3281 3713 4170 4652 5159 5691 6248 6830	1690 2029 2396 2793 3219 3673 4156 4667 5207 5775 6370 6994 7645	2650 3089 3560 4063 4597 5162 5759 6387 7046 7736 8456	3900 4451 5036 5655 6309 6997 7719 8475 9264				

### <u>1</u>/Taras 1980

Log W = -0.55650 + 0.95706 \* Log (H\*D\*\*2)Sample Size -36 trees, Coefficient of Determination 0.99 Average DBH 9.1 inches, Minimum 4.2 inches, Maximum 14.7 inches Average Height 52 feet, Minimum 24 feet, Maximum 67 feet Average Age 57 years, Minimum 37 years, Maximum 88 years

# <u>Pinus echinata</u> - Shortleaf Pine<u>l</u>/ Georgia

Table 81--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		83 132 190 255 327	152 226 312 409 518 639 771 914 1069 1235	220 320 434 564 709 870 1046 1237 1443 1665 1902 2154 2421 2704 3002	289 413 557 719 900 1101 1321 1560 1818 2095 2391 2706 3040 3394 3766 4158 4569	358 507 679 874 1092 1332 1596 1882 2192 2524 2880 3258 3659 4083 4530 5000 5493	427 601 801 1028 1283 1563 1871 2205 2566 2954 3369 3810 4278 4773 5295 5843 6418	923 1183 1474 1795 2146 2528 2941 3384 3858 4362 4897 5463 6059 6685 7343	1665 2026 2421 2851 3315 3814 4347 4914 5516 6152 6823 7528 8267	2696 3174 3690 4244 4836 5467 6135 6842 7587 8371 9192	4064 4674 5325 6019 6754 7532 8351 9213 10117				

### 1/Saucier, Phillips, and Williams 1981

W = -54.75468 + 0.19105 \*H\*D\*\*2
Sample Size - 228 trees, Coefficient of Determination
Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches
Average Height feet, Minimum 40 feet, Maximum 105 feet
Average Age years, Minimum years, Maximum years

<u>Pinus echinata</u> - Shortleaf Pine<u>l</u>/ Mississippi

Table 82--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 10 18 30	8 21 39 65 97 138 186 242 306	33 62 102 153 217 292 380 482 596 724 866 1023 1193	85 141 212 299 403 525 664 822 999 1195 1411 1647 1903 2179 2477 2796 3136	181 272 384 518 674 853 1056 1283 1535 1812 2114 2443 2798 3180 3589 4025 4490 4983	333 471 635 826 1046 1295 1573 1882 2222 2593 2996 3431 3899 4401 4937 5506 6111	559 754 982 1243 1539 1870 2236 2640 3081 3560 4077 4634 5230 5866 6543 7262	876 1140 1443 1787 2171 2597 3066 3578 4134 4735 5381 6073 6812 7598 8432	1647 2038 2477 2963 3498 4082 4716 5402 6139 6929 7772 8669 9620	2787 3334 3935 4593 5306 6078 6907 7796 8745 9754 10825	4378 5110 5904 6762 7685 8674 9729 10852 12043

### $\frac{1}{\text{Clark}}$ and Taras 1976

Log W = -1.20938 + 1.11931 \* Log (H\*D\*\*2)
Sample Size - 34 trees, Coefficient of Determination 0.99
Average DBH 12.3 inches, Minimum 6.1 inches, Maximum 19.7 inches
Average Height 72 feet, Minimum 48 feet, Maximum 87 feet
Average Age 70 years, Minimum 28 years, Maximum 110 years

Pinus elliottii - Slash Pinel/ Alabama

Table 83--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 14 25 39	12 28 50 79 115 159 209 266 331	42 76 120 175 241 317 404 502 611 713 862 1005 1158	102 162 236 324 427 544 676 822 984 1160 1351 1558 1779 2016 2268 2535 2818	204 297 408 537 684 850 1035 1238 1460 1700 1960 2239 2537 2854 3190 3546 3921 4315	358 492 648 826 1026 1248 1493 1761 2052 2365 2702 3061 3443 3849 4278 4731 5207	577 759 968 1202 1463 1751 2064 2405 2772 3166 3588 4036 4512 5015 5545 6103	871 1110 1380 1679 2009 2369 2760 3181 3633 4117 4631 5177 5754 6363 7003	1558 1896 2268 2674 3116 3591 4102 4648 5229 5845 6496 7183 7906	2528 2981 3473 4003 4572 5181 5828 6515 7241 8007 8812	3831 4416 5044 5715 6429 7187 7988 8833 9721

### 1/Taras and Phillips 1978

Log W = -0.88096 + 1.03014 \* Log (H\*D\*\*2)
Sample Size - 43 trees, Coefficient of Determination 0.99
Average DBH 12.9 inches, Minimum 6.0 inches, Maximum 21.0 inches
Average Height 73 feet, Minimum 47 feet, Maximum 99 feet
Average Age 51 years, Minimum 28 years, Maximum 68 years

<u>Pinus elliottii - Slash Pinel/</u>
Georgia

Table 84--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		109 158 214 278 349	177 250 334 430 536 654 784 924 1076 1239	244 342 454 581 724 881 1053 1241 1443 1660 1893 2140 2402 2680 2972	312 433 574 733 911 1108 1323 1557 1810 2082 2372 2681 3009 3356 3721 4105 4508	379 525 694 885 1098 1335 1593 1874 2178 2504 2852 3223 3616 4032 4471 4931 5415	617 814 1037 1286 1561 1863 2191 2545 2925 3332 3764 4223 4709 5220 5758 6321	934 1188 1473 1788 2133 2507 2912 3347 3811 4306 4830 5385 5969 6584 7228	1660 2015 2402 2824 3279 3768 4291 4847 5437 6061 6719 7410 8135	2672 3140 3646 4190 4770 5389 6044 6737 7468 8236 9042	4013 4611 5250 5930 6651 7414 8217 9062 9948				

1/Saucier, Phillips, and Williams 1981

W = -25.58159 + 0.18734 \*H\*D\*\*2
Sample Size - 208 trees, Coefficient of Determination
Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches
Average Height feet, Minimum 40 feet, Maximum 105 feet
Average Age years, Minimum years, Maximum years

Pinus palustris - Longleaf Pinel/
Alabama

Table 85--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	8 18 31 49	16 35 62 97 139 189 247 312 384	53 93 145 208 283 369 466 574 694 825 967 1120 1284	124 193 277 377 491 620 764 923 1097 1286 1490 1708 1941 2189 2452 2730 3022	241 346 470 612 774 953 1152 1369 1604 1859 2131 2422 2732 3060 3406 3771 4155 4556	415 563 734 927 1142 1380 1640 1923 2227 2554 2902 3273 3666 4082 4519 4978 5459	656 855 1080 1331 1608 1911 2240 2595 2976 3382 3814 4272 4756 5265 5801 6361	976 1233 1520 1836 2182 2557 2962 3397 3861 4354 4877 5430 6011 6622 7262	1708 2064 2452 2874 3330 3818 4340 4894 5482 6102 6756 7443 8162	2722 3191 3696 4239 4818 5433 6086 6775 7500 8263 9062	4063 4659 5295 5972 6689 7447 8244 9082 9960				

#### 1/Taras and Clark 1977

Log W = -0.68988 + 0.99194 \* Log (H\*D\*\*\*2) Sample Size - 47 trees, Coefficient of Determination 0.99 Average DBH 13.2 inches, Minimum 5.9 inches, Maximum 18.9 inches Average Height 80 feet, Minimum 56 feet, Maximum 97 feet Average Age 50 years, Minimum 32 years, Maximum 69 years

Pinus palustris - Longleaf Pinel/ Georgia

Table 86--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		102 154 215 284 362	175 254 345 449 564 692 832 985 1149 1326	248 353 475 613 767 938 1125 1328 1547 1782 2034 2302 2586 2886 3203	321 453 605 778 970 1184 1417 1671 1945 2239 2554 2888 3244 3619 4015 4431 4867	394 552 735 942 1173 1429 1709 2014 2343 2696 3073 3475 3901 4352 4827 5326 5850	467 652 865 1106 1376 1675 2002 2357 2740 3152 3593 4062 4559 5085 5639 6221 6832	995 1271 1579 1920 2294 2700 3138 3609 4112 4648 5217 5817 6451 7116 7815	1782 2166 2586 3043 3536 4066 4632 5235 5874 6550 7263 8011 8797	2878 3386 3934 4522 5152 5821 6532 7283 8074 8907 9779	4332 4979 5671 6408 7189 8016 8886 9802 10762

1/Saucier, Phillips, and Williams 1981

W = -44.418879 + 0.20297 \*H\*D\*\*2

Sample Size - 73 trees, Coefficient of Determination

Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches Average Height feet, Minimum 40 feet, Maximum 95 feet

Average Age years, Minimum years, Maximum years

<u>Pinus resinosa</u> - Red Pine<u>l</u>/ Michigan

Table 87--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	41	82 129 181 238 299 364	123 194 272 357 448 547 652 765 884 1010 1143	164 259 362 475 598 729 870 1019 1178 1347 1524 1711 1906 2111 2326 2549	205   323 453 594 747 911 1087 1274 1473 1683   1905 2138 2383 2639 2907 3186 3477 3779	388 544 713 896 1093 1304 1529 1768 2020 2286 2566 2860 3167 3488 3823 4172 4535	452 634 832 1046 1276 1522 1784 2062 2356 2667 2993 3336 3695 4070 4461 4868 5291	951 1195 1458 1739 2039 2357 2693 3048 3421 3813 4223 4651 5098 5563 6047	1640 1957 2294 2651 3030 3429 3849 4751 5233 5735 6259 6803	2548 2946 3366 3810 4276 4766 5278 5814 6372 6954 7558	3703 4191 4704 5242 5806 6395 7010 7649 8314				

#### 1/Steinhilb and Erickson 1972

W = 0.115 \* H \* D \*\* 2 + 1.1 \* H \* D - 4.276 \* H

Sample Size - 58 trees, Coefficient of Determination

Average DBH inches, Minimum 5.6 inches, Maximum 14 inches

Average Height feet, Minimum 50 feet, Maximum 73 feet

Average Age years, Minimum years, Maximum years

<u>Pinus taeda</u> - Loblolly Pinel/ Alabama

Table 88--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 15 27 41	13 30 53 83 120 164 214 271 335	45 80 125 180 246 321 407 503 609 725 852 988 1135	107 167 241 [ 328 429 543 671 813 968 1137 1319 1515 1725 1948 2185 2436 2700	209 301 410 537 680 840 1017 1211 1422 1650 1896 2158 2437 2734 3047 3378 3726 4091	362 493 644 816 1008 1221 1454 1708 1982 2277 2592 2927 3283 3660 4057 4474 4912	575 752 953 1177 1426 1698 1994 2314 2658 3025 3417 3833 4272 4736 5223 5735	860 1090 1346 1630 1941 2280 2646 3039 3459 3907 4383 4885 5415 5973 6557	1515 1835 2185 2566 2978 3420 3894 4398 4933 5498 6095 6722 7381	2429 2853 3310 3802 4328 4889 5483 6112 6775 7472 8204	3643 4184 4763 5379 6034 6726 7455 8223 9028

### 1/Taras and Clark 1975

Log W = -0.78974 + 1.00404 \* Log (H\*D\*\*2)
Sample Size - 41 trees, Coefficient of Determination 0.99
Average DBH 13.9 inches, Minimum 5.6 inches, Maximum 20.4 inches
Average Height 80 feet, Minimum 48 feet, Maximum 107 feet
Average Age 42 years, Minimum 37 years, Maximum 47 years

<u>Pinus taeda</u> - Loblolly Pine<u>l</u>/
Georgia

Table 89--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		118 164 218 279 347	182 [ 252 ] 332   424 ] 525   638   761   895   1040   1196	247 340 447 568 704 854 1019 1197 1391 1598 1820 2055 2306 2570 2849	311 427 561 713 883 1071 1276 1500 1741 2000 2277 2572 2885 3215 3564 3930 4315	375 515 676 858 1062 1287 1534 1802 2091 2402 2735 3089 3464 3861 4279 4719 5180	440 602 790 1003 1240 1503 1791 2104 2442 2804 3192 3605 4043 4506 4994 5507 6045	904 1147 1419 1719 2048 2406 2792 3207 3650 4122 4622 5151 5709 6295 6910	1598 1936   2306   2708   3142   3609   4107   4638   5201   5796   6424   7083   7775	2563 3010 3493 4011 4565 5155 5780 6442 7139 7872 8640	3843 4413 5023 5671 6359 7087 7854 8660 9505				

### 1/Saucier, Phillips, and Williams 1981

W = -10.79364 + 0.17874 \*H\*D\*\*2

Sample Size - 448 trees, Coefficient of Determination

Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches

Average Height feet, Minimum 40 feet, Maximum 105 feet

Average Age years, Minimum years, Maximum years

Pinus taeda - Loblolly Pinel/ Georgia

Table 90--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 15 27 42	14 30 54 84 122 166 216 274 338	46 81 127 183 248 324 411 507 613 730 857 994 1141	108 169 243 331 433 548 676 818 973 1142 1325 1521 1731 1954 2190 2440 2704	211 304 414 541 684 845 1022 1217 1428 1656 1901 2163 2442 2738 3050 3380 3726 4090	365 497 649 821 1014 1227 1460 1714 1987 2281 2596 2930 3285 3661 4056 4472 4908	580 757 958 1183 1431 1704 1999 2319 2662 3028 3419 3833 4271 4732 5217 5726	865 1095 1352 1636 1947 2285 2650 3042 3461 3907 4380 4881 5408 5962 6544	1521 1840 2190 2570 2981 3422 3894 4396 4928 5491 6084 6708 7362	2434 2856 3312 3802 4326 4884 5476 6101 6760 7453 8180	3644 4183 4759 5373 6023 6711 7436 8198 8998				

#### 1/Quillian 1976

W = 0.169 (H\*D\*\*2)

Sample Size - 226 trees, Coefficient of Determination 0.99

Average DBH inches, Minimum 2.2 inches, Maximum 24.0 inches Average Height feet, Minimum 17 feet, Maximum 108 feet

Average Age years, Minimum years, Maximum years

## <u>Pinus virginiana</u> - Virginia Pine<u>l</u>/ North Georgia

Table 91--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH Inches		Total height (feet)												
	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	10 21 36 56	19 41 71 108 154 207 267 335 410	60 104 160 227 305 394 495 606 727 860 1003 1156 1320	137 211 299 402 520 652 798 959 1133 1322 1524 1740 1970 2213 2470 2741 3025	261 371 498 644 808 989 1188 1404 1638 1889 2156 2441 2743 3061 3748 4116 4501	311 442 594 768 963 1179 1416 1673 1951 2250 2569 2908 3268 3647 4046 4466 4905 5363	689 890 1116 1367 1642 1940 2263 2609 2979 3373 3789 4229 4692 5178 5687 6219	1012 1269 1554 1866 2206 2573 2967 3387 3834 4308 4808 5335 5887 6466 7071	1740 2090 2470 2881 3322 3793 4294 4824 5384 5974 6593 7241 7918	2733 3188 3676 4197 4751 5338 5958 6610 7295 8012 8762	4028 4600 5207 5850 6529 7244 7995 8781 9602			

### 1/Saucier and Boyd 1982

W = 0.27621 \*(H\*D\*\*2)\*\* 0.96083 Sample Size - 25 trees, Coefficient of Determination 0.98 Average DBH 10.0 inches, Minimum 5.5 inches, Maximum 14.3 inches Average Height 66 feet, Minimum 50 feet, Maximum 77 feet Average Age 37 years, Minimum 24 years, Maximum 60 years

Tsuga canadensis - Eastern Hemlockl/
Maine

Table 92--Whole tree--wood, bark, and foliage--green weight (pounds)

DBH					Total	height	(feet)			<del> </del>	
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	14 35 65 105	19 47 87 142 211 294 393 507 637	56 104 169 251 350 468 604 759 933 1126 1340 1573 1827	118 191 284 396 529 683 858 1055 1274 1516 1780 2067 2377 2711 3069 3451 3856	210 312 436 582 752 944 1161 1402 1668 1959 2275 2616 2984 3377 3797 4244 4718 5218	337 471 630 813 1021 1256 1516 1804 2118 2460 2829 3227 3652 4107 4590 5102 5643	504 673 868 1091 1342 1620 1927 2263 2628 3023 3447 3902 4387 4903 5451 6029	712 920 1156 1421 1716 2041 2397 2783 3201 3651 4132 4646 5193 5772 6385	1215 1494 1805 2147 2521 2927 3367 3840 4347 4887 5462 6071 6716	1888 2246 2637 3063 3523 4018 4548 5113 5715 6352 7026	2748 3191 3670 4185 4738 5327 5953 6617 7320

 $<sup>\</sup>frac{1}{\text{Young et al.}}$  1964

LNW = 0.1798 + 2.1679 \* LN(D) + 0.4292 \* LN(H)
Sample Size - 28 trees, Coefficient of Determination 0.98
Average DBH inches, Minimum 5.6 inches, Maximum 15.1 inches
Average Height feet, Minimum 31.5 feet, Maximum 61 feet
Average Age , Minimum , Maximum

# SOFTWOODS WHOLE TREE Wood and Bark

Abies balsamea - Balsam Firl/
Maine

Table 93--Whole tree--wood and bark--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	13 31 57 93	17 41 77 125 185 259 345 446 560	49 91 148 220 308 411 531 667 820 990 1178 1383 1606	104 168 249 348 465 600 755 928 1120 1333 1565 1817 2090 2384 2698 3034 3391	185 274 383 512 661 830 1021 1233 1467 1722 2000 2300 2623 2970 3339 3732 4148 4588	297 414 554 715 898 1104 1333 1586 1862 2163 2488 2837 3211 3611 4035 4486 4961	443 591 763 959 1180 1425 1694 1990 2311 2658 3031 3431 3858 4311 4792 5301	626 809 1016 1249 1509 1794 2107 2447 2815 3210 3633 4085 4566 5075 5614	1069 1314 1587 1887 2216 2574 2960 3376 3822 4297 4802 5338 5905	1660 1975 2319 2693 3097 3532 3998 4496 5025 5585 6178	2416 2805 3227 3680 4165 4683 5234 5818 6436				

### 1/Young et al. 1964

LNW = 0.0511 + 2.1679 LN(D) + 0.4292 LN(H)
Sample Size - 23 trees, Coefficient of Determination 0.96
Average DBH inches, Minimum 6.2 inches, Maximum 13.4 inches
Average Height
Average Age , Minimum 41.5 feet, Maximum 65 feet
, Minimum , Maximum

<u>Picea rubens</u> - Red Spruce1/ Maine

Table 94--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	15 35 66 107	20 47 89 144 213 298 398 514 645	56 105 171 254 354 473 611 768 944 1140 1356 1593 1850	119 193 287 401 536 691 869 1068 1290 1535 1802 2093 2407 2745 3107 3494 3905	213 316 441 589 761 956 1176 1420 1689 1983 2303 2649 3021 3420 3845 4297 4776 5283	342 477 637 823 1034 1271 1535 1826 2145 2491 2865 3267 3698 4158 4647 5165 5713	510 681 879 1105 1358 1640 1951 2291 2661 3061 3490 3951 4442 4965 5519 6104	721 931 1170 1439 1737 2066 2426 2818 3241 3696 4184 4704 5257 5844 6464	1231 1513 1827 2173 2552 2964 3409 3888 4401 4948 5530 6147 6799	1912 2274 2670 3101 3567 4068 4604 5177 5786 6431 7114	2782 3231 3716 4238 4797 5393 6028 6700 7411				

### $\frac{1}{Y}$ oung et al. 1964

LNW + 0.1922 + 2.1679 \* LN(D) + 0.4292 \*LN(H)

Sample Size - 25 trees, Coefficient of Determination 0.98

Average DBH inches, Minimum 5.7 meters, Maximum 14.7 meters

Average Height feet, Minimum 32 feet, Maximum 71 feet

Average Age , Minimum , Maximum

### Pinus clausa var. immuginata - Choctawhatchee Sand Pinel/ Northwest Florida

Table 95--Whole tree--wood and bark--green weight (pounds)

DBH	Total height (feet)											
Inches	10	20	30	40	50	60	70	80	90	100	110	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	9 19 33 [ 51	17 37 64 99 141 191 247 310 381	55 95 147 209 282 366 460 564 679 803 938 1084 1239	126 194 277 373 484 608 746 897 1062 1241 1432 1637 1856 2087 2332 2590 2861	241 344 464 601 755 926 1114 1319 1540 1778 2033 2304 2592 2896 3216 3552 3905 4274	288 410 553 717 901 1105 1329 1574 1838 2122 2426 2750 3093 3456 3838 4240 4660 5101	642 832 1046 1283 1544 1828 2135 2465 2818 3193 3592 4013 4457 4923 5412 5923	947 1191 1461 1757 2080 2430 2806 3207 3635 4089 4568 5073 5604 6160 6742	1637 1970 2332 2724 3145 3595 4075 4584 5121 5687 6282 6906 7558	2583 3017 3483 3982 4513 5077 5672 6299 6958 7649 8371	3821 4368 4951 5568 6221 6909 7632 8390 9182	

### $\frac{1}{\text{Taras}}$ 1980

Log W = -0.62122 + 0.96994 \* Log (H\*D\*\*2)Sample Size -36 trees, Coefficient of Determination 0.99 Average DBH 9.1 inches, Minimum 4.2 inches, Maximum 14.7 inches Average Height 52 feet, Minimum 24 feet, Maximum 67 feet Average Age 57 years, Minimum 37 years, Maximum 88 years

<u>Pinus echinata</u> - Shortleaf Pinel/ Mississippi

Table 96--Whole tree--wood and bark--green weight (pounds)

DBH	Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110		
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 9 17 28	8 19 37 61 91 129 175 228 289	30 58 96 144 204 276 359 456 565 687 822 971 1135	80 132 199 282 381 497 630 780 949 1137 1343 1568 1813 2079 2364 2670 2996	170 256 363 490 639 809 1003 1220 1461 1726 2016 2331 2672 3039 3432 3852 4298 4773	315 445 601 784 994 1232 1498 1794 2119 2475 2862 3280 3730 4213 4728 5277 5860	530 715 933 1182 1465 1782 2133 2520 2944 3404 3901 4437 5011 5624 6277 6969	831 1084 1374 1702 2070 2479 2929 3421 3956 4534 5156 5823 6536 7294 8099	1568 1943 2364 2830 3344 3906 4516 5176 5887 6649 7462 8328 9247	2661 3187 3765 4397 5085 5828 6628 7485 8401 9376 10411	4191 4895 5660 6488 7378 8333 9352 10438 11589		

### $\frac{1}{\text{Clark}}$ and Taras 1976

Log W = -1.25376 + 1.12517 \* Log (H\*D\*\*2)
Sample Size - 34 trees, Coefficient of Determination 0.99
Average DBH 12.3 inches, Minimum 6.1 inches, Maximum 19.7 inches
Average Height 72 feet, Minimum 48 feet, Maximum 87 feet
Average Age 70 years, Minimum 28 years, Maximum 110 years

Pinus elliottii - Slash Pinel/
Alabama

Table 97--Whole tree--wood and bark--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 12 23 36	11 25 46 74 108 148 196 250 311	39 71 112 164 226 298 381 474 578 693 818 955 1102	95 151 221 305 402 514 640 780 934 1103 1287 1486 1699 1927 2170 2428 2702	191 279 384 507 648 807 983 1178 1391 1623 1873 2142 2430 2737 3062 3407 3770 4153	337 464 613 783 975 1188 1424 1682 1962 2264 2589 2937 3308 3701 4118 4557 5020	545 720 919 1144 1395 1671 1974 2303 2658 3039 3448 3882 4344 4833 5349 5892	827 1056 1315 1603 1920 2268 2646 3053 3492 3961 4460 4991 5552 6145 6769	1486 1811 2170 2563 2990 3451 3947 4477 5041 5641 6276 6945 7650	2421 2860 3336 3850 4403 4995 5625 6294 7002 7749 8536	3683 4251 4862 5515 6210 6949 7731 8556 9425				

### $\frac{1}{T}$ Taras and Phillips 1978

Log W = -0.93767 + 1.03929 \* Log (H\*D\*\*2)
Sample Size - 43 trees, Coefficient of Determination 0.99
Average DBH 12.9 inches, Minimum 6.0 inches, Maximum 21.0 inches
Average Height 73 feet, Minimum 47 feet, Maximum 99 feet
Average Age 51 years, Minimum 28 years, Maximum 68 years

<u>Pinus palustris</u> - Longleaf Pine<u>l</u>/ Alabama

Table 98--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 16 29 45	14 32 57 89 129 175 229 290 357	48 86 134 193 263 343 434 536 649 772 906 1050 1206	114 179 257 350 457 579 715 865 1029 1207 1400 1607 1829 2064 2314 2578 2856	223 322 438 572 724 893 1081 1286 1509 1750 2009 2285 2580 2892 3222 3570 3936 4319	386 525 686 868 1072 1297 1543 1811 2100 2410 2742 3096 3470 3866 4284 4723 5183	613 800 1013 1250 1513 1800 2112 2450 2812 3199 3611 4048 4510 4997 5509 6046	915 1157 1429 1729 2057 2414 2799 3213 3656 4127 4626 5154 5711 6296 6909	1607 1945 2314 2715 3149 3615 4112 4642 5204 5798 6424 7082 7772	2571 3017 3499 4016 4569 5158 5782 6442 7138 7869 8636	3848 4418 5026 5673 6360 7086 7851 8655 9499				

#### $\frac{1}{Taras}$ and Clark 1977

Log W = -0.74607 + 0.99947 \* Log (H\*D\*\*2)
Sample Size - 47 trees, Coefficient of Determination 0.99
Average DBH 13.2 inches, Minimum 5.9 inches, Maximum 18.9 inches
Average Height 80 feet, Minimum 56 feet, Maximum 97 feet
Average Age 50 years, Minimum 32 years, Maximum 69 years

<u>Pinus strobus</u> - Eastern White Pinel/
Maine

Table 99--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	15 36 67 103	20 49 91 147 218 305 407 525 660	58 108 175 260 363 484 625 786 966 1167 1388 1629 1892	122 198 294 410 548 707 889 1093 1320 1570 1844 2141 2463 2808 3179 3574 3995	218 323   451 603 779 978 1203   1453   1728 2029 2356 2710 3091 3498 3933 4396 4887 5405	350 488 652 842 1058 1301 1571 1868 2194 2548 2931 3342 3783 4254 4754 5284 5845	522 697 899 1130 1390 1678 1996 2344 2722 3131 3571 4042 4545 5079 5646 6245	738 953 1197 1472 1777 2114 2482 2883 3316 3782 4280 4813 5379 5979 6613	1259 1548 1869 2224 2611 3032 3488 3978 4502 5062 5658 6289 6956	1956 2326 2732 3173 3649 4162 4711 5296 5919 6580 7278	2846 3305 3801 4335 4907 5518 6167 6854 7582				

#### 1/Young et al. 1964

LNW + 0.2150 + 2.1679 \* LN(D) + 0.4292 \*LN(H)
Sample Size - 27 trees, Coefficient of Determination 0.98
Average DBH inches, Minimum 5.8 meters, Maximum 14.6 meters
Average Height feet, Minimum 46 feet, Maximum 79 feet
Average Age , Minimum , Maximum

<u>Pinus taeda</u> - Loblolly Pine<u>l</u>/
Alabama

Table 100--Whole tree--wood and bark--green weight (pounds)

DBH					To	tal hei	ght (fee	et)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 14 25 39	12 28 50 78 113 154 202 257 318	42 75 118 170 233 305 387 478 580 692 813 945 1086	100 158 228 311 408 517 640 776 925 1088 1264 1453 1656 1872 2102 2344 2601	197 285 390 511 648 802 973 1160 1364 1584 1821 2075 2346 2634 2938 3259 3597 3952	343 469 614 779 964 1170 1395 1640 1905 2190 2496 2821 3167 3533 3919 4326 4752	548 718 911 1127 1367 1630 1916 2226 2560 2917 3297 3701 4129 4580 5055 5554	822 1043 1290 1564 1866 2193 2548 2930 3338 3774 4236 4726 5243 5786 6357	1453 1762   2102   2471 2871 3300 3761 4251 4772 5324   5906   6518 7162	2338 2749 3193 3671 4183 4729 5309 5922 6570 7251 7967	3516 4043 4607 5208 5846 6522 7235 7985 8773

#### $\frac{1}{T}$ Taras and Clark 1975

Log W = -0.83678 + 1.01136 \* Log (H\*D\*\*2)
Sample Size - 41 trees, Coefficient of Determination 0.99
Average DBH 13.9 inches, Minimum 5.6 inches, Maximum 20.4 inches
Average Height 80 feet, Minimum 48 feet, Maximum 107 feet
Average Age 42 years, Minimum 37 years, Maximum 47 years

<u>Pinus virginiana</u> - Virginia Pine<u>l</u>/
North Georgia

Table 101--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	9 20 34 53	18 38 67 103 147 198 256 322 394	57 99 153 217 293 379 476 584 702 831 971 1120 1280	131 202 287 387 501 629 772 928 1098 1282 1480 1691 1917 2155 2407 2673 2952	250 356 480 622 781 958 1152 1363 1591 1837 2099 2379 2675 2988 3317 3663 4026 4406	299 425 573 742 932 1142 1374 1626 1898 2191 2504 2838 3191 3564 3957 4370 4803 5256	665 861 1082 1326 1595 1888 2204 2544 2907 3294 3704 4138 4594 5074 5576 6102	980 1231 1509 1815 2148 2508 2895 3308 3749 4215 4708 5228 5774 6346 6943	1691 2034 2407 2811 3244 3708 4201 4724 5277 5859 6471 7112 7782	2666 3112 3593 4106 4652 5231 5843 6488 7165 7875 8617	3940 4503 5102 5737 6408 7115 7858 8636 9450				

### 1/Saucier and Boyd 1982

W = 0.25185 \*(H\*D\*\*2)\*\* 0.96785 Sample Size - 25 trees, Coefficient of Determination 0.98 Average DBH 10.0 inches, Minimum 5.5 inches, Maximum 14.3 inches Average Height 66 feet, Minimum 50 feet, Maximum 77 feet Average Age 37 years, Minimum 24 years, Maximum 60 years

### Pseudotsuga menziesii - Douglas-fir1/

#### Pacific Northwest

Table 102--Whole tree--wood and bark--green weight (pounds)

DBH					Tot	al heig	ght (fee	et)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 12 21 32	11 23 40 63 90 122 159 201 248	34 60 94 134 183 238 301 372 450 535 628 728 835	80 125 179 243 317 401 495 599 713 837 970 1114 1267 1430 1603 1786 1979	155 223 304 397 502 619 749 891 1046 1213 1392 1583 1787 2004 2233 2474 2727 2993	268 364 476 602 743 899 1069 1255 1455 1670 1900 2145 2404 2679 2968 3272 3591	425 555 702 866 1048 1247 1464 1697 1948 2217 2502 2805 3125 3463 3818 4190	634 802 990 1198 1425 1673 1940 2226 2533 2859 3206 3572 3957 4363 4788	1114 1347 1603 1881 2182 2505 2850 3217 3606 4018 4452 4908 5387	1781 2090 2424 2783 3166 3574 4007 4464 4946 5453 5985	2667 3061 3483 3931 4407 4911 5441 5999 6583

#### $\frac{1}{\text{Shaw}}$ 1977

W = 0.408 + 0.02858 \* H \* D \*\* 2 (metric)

Sample Size - 120 trees, Coefficient of Determination

Average DBH centimeters, Minimum 1 centimeter, Maximum 221 centimeters

Average Height Average Age centimeters, Minimum 3 meters, Maximum 52 meters

Average Age , Minimum , Maximum

### Thuja plicata - Western Red Cedar<u>l</u>/ Pacific Northwest

Table 103--Whole tree--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 7 9 12	6 9 14 20 27 36 46 57 69	12 19 28 39 52 67 84 102 123 146 171 197 226	25 37 51 68 88 110 135 163 193 226 262 300 341 385 431 408 513	45 63 84 109 137 168 203 241 282 327 374 425 480 538 599 663 730 801	75 100 130 164 201 243 288 338 391 449 510 575 644 718 795 876 961	117 151 190 234 283 336 394 456 523 594 670 751 837 927 1021 1120	172 217 267 323 383 449 520 597 679 766 858 956 1058 1167 1280	300 363 431 505 585 671 763 861 965 1075 1190 1312 1439	478 561 650 745 847 956 1072 1194 1322 1457 1599	714 819 932 1051 1178 1313 1454 1603 1759			

#### 1/Shaw 1977

W = 1.611 + 0.00762 \* H \* D \*\* 2 (metric)

Sample Size - 26 trees, Coefficient of Determination

Average DBH centimeters, Minimum 0.2 centimeter, Maximum 119.4 centimeters

Average Height meters, Minimum 3 meters, Maximum 52 meters

Average Age , Minimum , Maximum

<u>Tsuga heterophylla</u> - Western Hemlock<sup>1</sup>/
Pacific Northwest

Table 104--Whole tree--wood and bark--green weight (pounds)

DBH	, ,				Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 12 20 31	10 23 40 62 89 121 158 199 246	34 60 93 133 181 236 299 368 446 530 622 722 828	79 123 177 241 315 398 491 594 707 829 962 1104 1256 1418 1590 1771 1962	154 221 301 393 497 614 742 883 1037 1202 1380 1570 1772 1987 2214 2453 2704 2968	265 361 471 597 736 891 1060 1244 1442 1656 1884 2127 2384 2656 2943 3245 3561	421 550 696 859 1039 1236 1451 1683 1932 2198 2481 2781 3099 3434 3785 4154	628 795 981 1187 1413 1658 1923 2207 2512 2835 3178 3541 3924 4326 4748	1104 1336 1590 1865 2163 2483 2825 3190 3576 3984 4414 4867 5341	1766 2073 2404 2759 3139 3544 3973 4427 4905 5407 5935	2644 3035 3453 3898 4370 4869 5395 5948 6528

#### 1/Shaw 1977

### <u>Tsuga mertensiana</u> - Mountain Hemlock<u>l</u>/ Pacific Northwest

Table 105--Whole  $tree \frac{2}{--wood}$  and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22			1515 1578 1647 1722 1802	1241 1274 1314 1362 1417 1479 1549 1626 1711 1803 1902 2008 2122 2243 2372 2508 2651	1297 1347 1407 1476 1554 1641 1737 1843 1958 2082 2215 2357 2509 2669 2839 3018 3207 3404	1380 1452 1534 1628 1733 1848 1975 2113 2262 2421 2592 2774 2967 3171 3386 3612 3849	1497 1593 1702 1825 1960 2107 2268 2442 2628 2827 3039 3264 3502 3753 4017 4293	1652 1777 1916 2071 2240 2423 2622 2835 3062 3305 3562 3834 4120 4422 4737	2008 2182 2372 2579 2802 3041 3298 3570 3860 4165 4488 4827 5182	2504 2734 2982 3248 3533 3836 4157 4497 4855 5231 5626	3162 3455 3768 4101 4455 4828 5222 5636 6071				

#### $\frac{1}{\text{Krumlik}}$ 1974

W = (331.585 + 128.830 \* H \* [D/100] \*\* 2) \* 1.62 (metric)Sample Size - 5 trees, Coefficient of Determination 0.99

Average DBH centimeters, Minimum 15.2 centimeters, Maximum 76.2 centimeters

Average Height , Minimum , Maximum Average Age , Minimum , Maximum

<sup>2</sup>/Green weight conversion factor 1.62 applied to equation to convert oven dry weight to green weight.

SOFTWOODS
WHOLE TREE

<u>Pinus clausa</u> var. <u>immuginata</u> - Choctawhatchee Sand Pinel/ Florida

Table 106--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 15 26 40	13 29 52 81 117 159 208 263 325	44 78 121 175 238 312 394 487 590 702 824 956 1098	104 162 234 318 416 526 650 787 937 1100 1276 1465 1667 1882 2111 2353 2607	203 292 398 520 658 813 984 1171 1375 1595 1832 2085 2354 2640 2942 3261 3595 3947	243   351   477   624   790   976   1181   1406   1651   1915   2199   2503   2826   3169   3532   3914   4316   4738	557 728 922 1139 1378 1641 1927 2235 2566 2921 3298 3698 4122 4568 5037 5529	832 1054 1302 1576 1876 2202 2555 2934 3339 3770 4228 4712 5222 5758 6321	1465 1773 2111 2478 2875 3301 3757 4243 4757 5302 5876 6479 7113	2346 2754 3195 3669 4176 4715 5287 5892 6530 7201 7904	3515 4037 4594 5187 5817 6483 7184 7922 8697				

#### <u>1</u>/Taras 1980

Log W = -0.76939 + 1.00201 \* Log (H\*D\*\*2)Sample Size -36 trees, Coefficient of Determination 0.99 Average DBH 9.1 inches, Minimum 4.2 inches, Maximum 14.7 inches Average Height 52 feet, Minimum 24 feet, Maximum 67 feet Average Age 57 years, Minimum 37 years, Maximum 88 years

<u>Pinus contorta</u> - Lodgepole Pine<u>l</u>/
Alberta

Table 107--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 14 25 38	13 28 49 76 109 147 191 241 297	42 73 113 162 219 285 359 442 532 632 739 855 978	97 150 215 291 378 476 586 706 837 980 1133 1297 1472 1658 1855 2062 2280	187 267 362 470 593 729 879 1042 1219 1410 1614 1832 2063 2308 2566 2837 3122 3420	320 433 563 709 872 1051 1246 1458 1686 1930 2191 2467 2759 3068 3392 3732 4088	504 654 825 1014 1222 1450 1696 1961 2245 2548 2869 3209 3568 3945 4340 4755	746 940 1156 1393 1652 1933 2235 2559 2904 3270 3658 4066 4496 4947 5419	1297 1564 1855 2170 2509 2872 3259 3670 4105 4563 5046 5551 6081	2056 2406 2782 3184 3613 4069 4551 5059 5594 6155 6742	3054 3496 3967 4467 4996 5554 6141 6757 7401				

#### $\frac{1}{J}$ Johnstone 1970

LOG W = ((-0.9878 + 0.9853 \* LOG (H\*D\*\*2)) - (-2.9508 + 1.1480 \* LOG (H\*D\*\*2))\*1.65 Sample Size - 85 trees, Coefficient of Determination 0.98 Average DBH 7.1 inches, Minimum 4.0 inches, Maximum 13.2 inches Average Height 60 feet, Minimum 45 feet, Maximum 82 feet Average Age 92 years, Minimum 75 years, Maximum 100 years

<u>Pinus echinata</u> - Shortleaf Pine<u>l</u>/ Mississippi

Table 108--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3 7 14 23	6 16 31 51 78 110 150 196 249	25 49 81 123 175 238 311 396 492 600 721 853 999	68 113 171 244 330 432 550 683 834 1001 1185 1387 1608 1846 2104 2380 2676	146 221 314 426 558 709 882 1075 1291 1529 1790 2074 2382 2714 3070 3452 3859 4291	272 387 525 687 873 1086 1324 1590 1883 2204 2554 2933 3342 3781 4250 4751 5284	461 626 819 1041 1295 1579 1896 2245 2628 3045 3497 3985 4508 5068 5665 6300	729 954 1213 1508 1839 2208 2615 3061 3547 4073 4641 5250 5903 6598 7337	1387 1725 2104 2525 2991 3501 4057 4659 5309 6006 6752 7548 8393	2372 2848 3373 3949 4575 5255 5987 6773 7615 8512 9466	3761 4402 5101 5858 6675 7552 8490 9490 10554				

#### $\frac{1}{\text{Clark}}$ and Taras 1976

Log W = -1.37140 + 1.14146 \* Log (H\*D\*\*2)
Sample Size - 34 trees, Coefficient of Determination 0.99
Average DBH 12.3 inches, Minimum 6.1 inches, Maximum 19.7 inches
Average Height 72 feet, Minimum 48 feet, Maximum 87 feet
Average Age 70 years, Minimum 28 years, Maximum 110 years

<u>Pinus elliottii</u> - Slash Pinel/ Alabama

Table 109--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 9 17 28	8 20 36 58 86 120 159 205 257	30 56 90 133 185 246 317 397 486 586 695 815 944	76 122 181 252 335 431 539 662 797 946 1108 1284 1475 1679 1897 2130 2377	155 230 319 425 547 685 840 1012 1201 1407 1631 1872 2132 2409 2704 3018 3350 3701	279 388 516 664 832 1021 1230 1459 1710 1982 2276 2591 2928 3287 3668 4072 4498	458 609 784 982 1204 1450 1721 2017 2337 2683 3055 3453 3876 4326 4802 5304	703 904 1132 1389 1673 1985 2326 2696 3096 3524 3983 4471 4990 5539 6119	1284 1575 1897 2252 2639 3058 3511 3998 4518 5072 5660 6283 6940	2124 2520 2953 3423 3930 4474 5057 5677 6335 7032 7768	3270 3791 4352 4955 5599 6286 7015 7787 8602				

#### 1/Taras and Phillips 1978

Log W = -1.12148 + 1.06979 \* Log (H\*D\*\*2)
Sample Size - 43 trees, Coefficient of Determination 0.99
Average DBH 12.9 inches, Minimum 6.0 inches, Maximum 21.0 inches
Average Height 73 feet, Minimum 47 feet, Maximum 99 feet
Average Age 51 years, Minimum 28 years, Maximum 68 years

<u>Pinus palustris</u> - Longleaf Pinel/ Alabama

Table 110--Whole tree--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 13 23 36	11 26 47 74 107 147 193 246 305	39 71 112 162 223 292 372 461 560 669 788 917 1056	95 150 218 299 392 499 619 752 898 1057 1230 1416 1616 1829 2055 2295 2549	189 274 375 493 627 777 944 1128 1328 1545 1779 2029 2297 2581 2883 3201 3537 3889	330 452 593 755 936 1137 1358 1600 1861 2143 2445 2767 3110 3473 3856 4260 4685	529 695 883 1096 1331 1590 1872 2178 2508 2861 3239 3640 4065 4514 4987 5484	796 1013 1256 1526 1822 2146 2497 2875 3280 3712 4172 4659 5173 5716 6285	1416 1721 2055 2420 2816 3242 3699 4186 4705 5254 5835 6446 7089	2289 2695 3136 3610 4119 4662 5239 5851 6498 7179 7894	3456 3979 4540 5139 5775 6449 7162 7912 8701				

#### 1/Taras and Clark 1977

Log W = -0.88747 + 1.02133 \* Log (H\*D\*\*2)
Sample Size - 47 trees, Coefficient of Determination 0.99
Average DBH 13.2 inches, Minimum 5.9 inches, Maximum 18.9 inches
Average Height 80 feet, Minimum 56 feet, Maximum 97 feet
Average Age 53 years, Minimum 32 years, Maximum 69 years

## Pinus taeda - Loblolly Pinel/ Alabama

Table 111--Whole tree--wood--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 11 20 32	10 23 41 65 94 130 171 218 271	34 62 98 144 197 260 332 413 502 601 709 827 954	84 133 193 266 350 447 555 676 809 955 1113 1284 1467 1663 1871 2092 2326	167 243 335 441 563 699 852 1019 1203 1402 1617 1847 2094 2356 2635 2929 3240 3567	294 404 532 679 844 1028 1231 1452 1692 1952 2230 2528 2845 3181 3536 3912 4306	474 624 796 990 1206 1443 1703 1984 2289 2615 2964 3336 3730 4147 4587 5050	717 914 1137 1384 1657 1955 2278 2627 3002 3403 3829 4282 4761 5266 5797	1284 1563 1871 2208 2573 2967 3390 3843 4325 4836 5377 5947 6547	2086 2461 2869 3308 3780 4285 4822 5392 5995 6631 7300	3166 3651 4172 4728 5321 5950 6615 7317 8055

#### 1/Taras and Clark 1975

Log W = -0.97711 + 1.03321 \* Log (H\*D\*\*2)
Sample Size - 41 trees, Coefficient of Determination 0.99
Average DBH 13.9 inches, Minimum 5.6 inches, Maximum 20.4 inches
Average Height 80 feet, Minimum 48 feet, Maximum 107 feet
Average Age 42 years, Minimum 37 years, Maximum 47 years

# SOFTWOODS MAIN STEM Wood and Bark

### Abies amabilis - Pacific Silver1/

Pacific Northwest

Table 112--Main stem2/--wood and bark--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	378	398 416 436 460 487 518	418 444 475 511 552 598 648 703 763 827 897	438 473 515 562 617 677 744 818 898 984 1076 1175 1281 1392 1510 1635	458 502 554 614 681 757 841 933 1032 1140 1256 1379 1511 1651 1798 1954 2118 2289	531 593 665 746 837 937 1048 1167 1297 1435 1584 1742 1909 2086 2273 2469 2675	632 716 811 917 1034 1162 1302 1453 1615 1788 1972 2168 2374 2592 2821 3061	767 875 996 1131 1277 1437 1609 1794 1992 2203 2426 2663 2911 3173 3448	1076 1227 1392 1572 1766 1974 2197 2434 2685 2951 3231 3525 3834	1507 1707 1922 2153 2401 2664 2943 3239 3550 3877 4220	2078 2333 2605 2895 3202 3527 3869 4229 4606

#### $\frac{1}{\text{Krumlik}}$ 1974

W = (98.077 + 109.241 \* H \* [D/100] \*\* 2) \* 1.66 (metric)
Sample Size - 7 trees, Coefficient of Determination 0.99
Average DBH centimeters, Minimum 15.2 centimeters, Maximum 76.2 centimeters

Average Height , Minimum , Maximum Average Age , Minimum , Maximum

<sup>2/</sup>Green weight conversion factor 1.66 applied to equation to convert oven dry weight to green weight.

Abies balsamea - Balsam Firl/
Maine

Table 113--Main stem--wood and bark--green weight (pounds)

DBH	Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	19 30	37 58 84 115 151 191 236	55 86 125 170 223 283 350 424 506 595 691 794	73 114 165 225 294 374 462 560 668 786 913 1049 1195 1351 1517 1692 1877	141 204 279 365 464 574 695 829 975 1132 1302 1483 1677 1882 2099 2329 2570 2823	244 333 436 553 684 829 989 1163 1351 1553 1769 2000 2245 2504 2777 3065 3368	386 506 642 794 963 1148 1350 1568 1802 2053 2321 2606 2906 3224 3558 3909	575 730 904 1095 1306 1536 1784 2051 2336 2641 2965 3307 3668 4049 4448	1013 1228 1464 1721 1999 2298 2618 2960 3322 3706 4111 4537 4984	1621 1905 2213 2545 2899 3277 3679 4103 4552 5024 5519	2427 2790 3179 3594 4034 4500 4991 5509 6052			

#### 1/Young et al. 1964

LNW = -2.0858 + 2.0215 \*LN(D) + 0.9670 \*LN(H)Sample Size - 23 trees, Coefficient of Determination 0.98 Average DBH inches, Minimum 6.2 inches, Maximum 13.4 inches Average Height Average Age , Minimum 41.5 feet, Maximum 65 feet Average Age , Minimum , Maximum

### Picea engelmannii - Englemann Spruce1/ British Columbia

Table 114--Main stem2/--wood and bark--green weight (pounds)

DBH	Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	15 21 30 41	20 32 49 71 98 130 167 208 255	43 69 102 142 190 245 307 377 454 538 630 729 836	88 132 186 250 323 406 499 602 714 837 969 1111 1262 1424 1595 1776 1967	163 230 310 401 505 621 750 891 1043 1209 1386 1575 1777 1991 2218 2456 2707 2970	274 370 480 604 744 898 1067 1250 1448 1661 1889 2131 2388 2659 2945 3246 3562	429 558 703 866 1046 1243 1457 1688 1936 2202 2484 2784 3101 3434 3785 4154	636 803 988 1194 1419 1663 1928 2211 2515 2838 3180 3542 3924 4325 4745	1111 1342 1595 1870 2167 2487 2828 3191 3576 3984 4413 4864 5337	1771 2077 2407 2762 3141 3544 3973 4425 4902 5403 5929	2647 3037 3454 3898 4369 4867 5391 5943 6521			

#### 1/Adamovich 1975

W = 10.0 + 0.1223 \* H \* D \*\*2 Sample Size - 47 trees, Coefficient of Determination 0.98

Average DBH inches, Minimum 0.8 inches, Maximum 15.8 inches

Average Height feet, Minimum 6.5 feet, Maximum 92.4 feet

Average Age , Minimum , Maximum

2/Total stem

## Picea rubens - Red Spruce1/ Maine

Table 115--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	20 32	39 62 89 122 160 203 251	58 91 132 181 236 300 371 450 537 631 733 843	77 121 175 238 312 396 490 595 709 833 968 1113 1268 1433 1609 1795 1991	150 217 296 388 492 608 738 880 1034 1201 1381 1573 1779 1996 2227 2470 2726 2995	258 353   462   587   726   880   1049   1233   1433   1647   1877   2121   2381   2656   2947   3252   3573	410 537 681 842 1021 1218 1432 1663 1912 2178 2463 2764 3083 3420 3775 4147	611 775 959 1162 1386 1629 1892 2176 2479 2802 3145 3508 3892 4295 4719	1074 1302 1553 1826 2121 2438 2778 3140 3525 3932 4361 4813 5288	1719 2021 2348 2700 3076 3477 3903 4353 4829 5329 5855	2575 2960 3373 3812 4279 4774 5295 5844 6420				

#### $\frac{1}{Y}$ oung et al. 1964

### Pinus clausa var. immuginata Choctawhatchee Sand Pinel/ Florida

Table 116--Main stem2/--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	12 21 33	24 43 68 99 137 180 229 285	36 66 104 151 208 273 348 433 527 631 744 866 999	88 140 203 279 368 469 582 709 848 1000 1165 1343 1534 1739 1956 2187 2431	176 256 351 463 590 733 892 1067 1259 1467 1691 1931 2188 2462 2752 3059 3383 3723	212 309 424 558 712 885 1077 1288 1519 1770 2040 2330 2641 2971 3321 3691 4082 4493	497 655 834 1037 1262 1510 1781 2074 2391 2732 3095 3482 3893 4327 4785 5266	751 958 1190 1448 1733 2043 2380 2744 3135 3552 3996 4467 4965 5490 6043	1343 1635 1956 2307 2688 3098 3539 4010 4512 5044 5606 6199 6823	2180 2572 2996 3454 3945 4470 5029 5622 6249 6910 7605	3305 3810 4352 4932 5548 6202 6894 7623 8390				

#### $\frac{1}{\text{Taras}}$ 1980

Log W = -0.94689 + 1.03056 \* Log (H\*D\*\*2)
Sample Size - 36 trees, Coefficient of Determination 0.99
Average DBH 9.1 inches, Minimum 4.2 inches, Maximum 14.7 inches
Average Height 52 feet, Minimum 24 feet, Maximum 67 feet
Average Age 57 years, Minimum 37 years, Maximum 88 years

2/Main stem to 3-inch top

### <u>Pinus contorta</u> - Lodgepole Pine<u>l</u>/ Alberta

Table 117--Main stem2/--wood and bark--green weight (pounds)

DBH		Total height (feet)  10 20 30 40 50 60 70 80 90 100 110													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 15 25 38	13 28 48 73 102 136 175 219 266	41 70 106 149 200 256 320 390 466 549 637 733 834	91 139 196 261 336 419 510 610 719 835 959 1092 1233 1381 1538 1702 1874	171 241 322 414 516 629 752 886 1029 1183 1346 1520 1703 1896 2098 2310 2531 2762	286 382 491 613 747 893 1051 1221 1404 1598 1803 2020 2249 2489 2741 3003 3277	442 568 708 863 1032 1215 1411 1622 1846 2084 2335 2599 2877 3167 3471 3787	643 802 978 1169 1377 1600 1838 2092 2362 2646 2946 3260 3590 3934 4293	1092 1306 1538 1787 2053 2337 2638 2955 3290 3641 4009 4393 4794	1697 1972 2266 2580 2912 3263 3632 4020 4426 4850 5292	2478 2821 3184 3568 3972 4396 4840 5303 5787				

#### $\frac{1}{J}$ ohnstone 1970

LOG W = (-0.8887 + 0.9381 \* LOG 10 (H\*D\*\*2)) \* 1.65Sample Size - 85 trees, Coefficient of Determination 0.98 Average DBH 7.1 inches, Minimum 4.0 inches, Maximum 13.2 inches Average Height 60 feet, Minimum 45 feet, Maximum 82 feet Average Age 92 years, Minimum 75 years, Maximum 100 years

#### 2/Total stem

### Pinus contorta - Lodgepole Pinel/ British Columbia

Table 118--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	44 55	64 86 114 146 183 226 273	84 117 158 [ 207 [ 263 327 397 476 562 655 756 864	104 148 203 268 343 427 522 627 741 866 1000 1144 1299 1463 1638 1822 2016	180 248 329 422 528 646 777 920 1076 1244 1425 1618 1823 2041 2271 2514 2769 3037	293 390 502 629 771 928 1100 1286 1488 1705 1936 2183 2444 2721 3012 3318 3639	451 582 730 895 1079 1279 1497 1732 1985 2255 2543 2848 3170 3510 3867 4242	661 831 1020 1229 1458 1707 1976 2265 2574 2902 3251 3620 4008 4416 4845	1144 1380 1638 1918 2220 2545 2892 3262 3654 4069 4506 4965 5447	1817 2128 2464 2825 3211 3622 4058 4518 5004 5514 6050	2708 3105 3530 3982 4461 4968 5502 6063 6652				

#### $\frac{1}{Adamovich}$ 1975

W = 24.0 + 0.1245 \* H \* D \*\* 2 Sample Size - 51 trees, Coefficient of Determination 0.97 Average DBH inches, Minimum 1 inches, Maximum 15.2 inches Average Height feet, Minimum 6.9 feet, Maximum 85.2 feet Average Age years, Minimum 64 years, Maximum 177 years

# <u>Pinus echinata</u> - Shortleaf Pine<u>l</u>/ Georgia

Table 119--Main stem--wood and bark--green weight (pounds)

DBH					Tota	l heigh	t (feet	.)			Total height (feet)  10 20 30 40 50 60 70 80 90 100 110													
Inches	10	20	30	40	50	60	70	80	90	100	110													
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		53 95 143 197 258	111 [ 173   245   327   418   519   630   750   880   1019	169 252 348 457 579 713 860 1021 1194 1379 1578 1789 2014 2251 2500	226 330 450 587 739 907 1091 1291 1507 1740 1988 2252 2532 2829 3141 3469 3814	284 409 553 716 899 1101 1322 1562 1821 2100 2398 2715 3051 3407 3782 4176 4589	342 487 655 846 1059 1294 1552 1833 2135 2460 2808 3178 3570 3985 4422 4882 5364	758 976 1219 1488 1783 2103 2449 2821 3218 3641 4089 4563 5063 5588 6139	1379 1682 2014 2374 2763 3181 3628 4103 4608 5141 5703 6294 6914	2244 2644 3077 3541 4038 4566 5127 5719 6344 7001 7689	3391 3902 4448 5029 5646 6298 6985 7707 8464													

#### 1/Saucier, Phillips, and Williams 1981

W = -62.03804 + 0.16015 \* (D\*\*2\*H)
Sample Size - 228 trees, Coefficient of Determination
Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches
Average Height feet, Minimum 40 feet, Maximum 105 feet
Average Age years, Minimum years, Maximum years

<u>Pinus echinata</u> - Shortleaf Pine<u>l</u>/ Mississippi

Table 120--Main stem2/--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 9 17 28	8 19 36 59 88 123 165 213 267	30 57 92 137 191 256 331 416 512 619 736 865 1005	77 126 187 262 350 452 569 700 846 1007 1183 1375 1583 1806 2045 2301 2572	160 239 334 446 577 725 892 1079 1284 1509 1753 2018 2302 2607 2933 3280 3647 4036	291 407 544 703 884 1088 1315 1566 1840 2138 2461 2808 3180 3577 4000 4448 4922	481 644 832 1046 1287 1556 1852 2176 2529 2910 3321 3761 4231 4730 5261 5821	744 962 1210 1489 1799 2142 2517 2924 3365 3840 4349 4892 5470 6084 6732	1375 1692 2045 2435 2861 3324 3826 4366 4944 5562 6219 6916 7653	2294 2730 3208 3728 4291 4896 5545 6238 6975 7756 8583	3559 4136 4760 5431 6151 6919 7737 8604 9521				

#### $\frac{1}{\text{Clark}}$ and Taras 1976

Log W = -1.16592 + 1.08852 \* Log (H\*D\*\*2)
Sample Size - 34 trees, Coefficient of Determination 0.99
Average DBH 12.3 inches, Minimum 6.1 inches, Maximum 19.7 inches
Average Height 72 feet, Minimum 48 feet, Maximum 87 feet
Average Age 70 years, Minimum 28 years, Maximum 110 years

2/Main stem to a 2-inch top

Pinus elliottii - Slash Pinel/ Alabama

Table 121--Main stem $\frac{2}{--}$ wood and bark--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 12 22 34	11 24 44 69 100 138 181 230 285	37 66 105 152 208 273 347 430 522 624 734 854 983	89 140 204 279 366 465 577 700 836 984 1145 1318 1503 1701 1911 2133 2369	176 256 350 459 584 724 879 1050 1236 1437 1654 1887 2135 2399 2678 2973 3284 3611	308 421 553 703 872 1059 1264 1488 1731 1992 2272 2571 2889 3225 3581 3955 4348	493 647 823 1020 1239 1479 1741 2025 2331 2659 3008 3380 3774 4190 4628 5088	742 943 1169 1419 1695 1995 2320 2671 3046 3447 3873 4324 4800 5302 5830	1318 1600 1911 2249 2616 3011 3435 3886 4367 4875 5413 5979 6573	2127   2504   2913   3353   3824   4327   4862   5428   6026   6656   7318	3210 3695 4214 4768 5357 5982 6641 7335 8065				

#### $\frac{1}{\text{Taras}}$ and Phillips 1978

Log W = -0.91006 + 1.01913 \* Log (H\*D\*\*2)
Sample Size - 43 trees, Coefficient of Determination 0.99
Average DBH 12.9 inches, Minimum 6.0 inches, Maximum 21.0 inches
Average Height 73 feet, Minimum 47 feet, Maximum 99 feet
Average Age 51 years, Minimum 28 years, Maximum 68 years

2/Main stem to a 2-inch top

# <u>Pinus elliottii</u> - Slash Pine<u>l</u>/ Georgia

Table 122--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		54 94 139 191 249	109 168 237 314 401 497 602 716 840 972	164 243 334 438 554 681 822 974 1138 1315 1504 1705 1918 2144 2381	218 317 432 561 706 866 1041 1231 1437 1658 1894 2145 2412 2694 2991 3303 3630	273 392 529 685 858 1050 1260 1489 1736 2001 2284 2585 2905 3243 3600 3975 4368	467 627 808 1010 1234 1480 1746 2034 2343 2674 3026 3399 3793 4209 4646 5105	724 931 1163 1419 1699 2004 2333 2686 3064 3466 3892 4343 4818 5318 5842	1315 1603 1918 2261 2631 3029 3454 3906 4386 4893 5428 5990 6579	2138 2518 2930 3371 3844 4346 4879 5443 6037 6662 7317	3228 3714 4234 4786 5373 5993 6646 7333 8054				

1/Saucier, Phillips, and Williams 1981

W = -55.76662 + 0.15232 \*H\*D\*\*2

Sample Size - 208 trees, Coefficient of Determination

Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches

Average Height feet, Minimum 40 feet, Maximum 105 feet

Average Age years, Minimum years, Maximum years

### Pinus palustris - Longleaf Pinel/ Alabama

Table 123--Main stem $\frac{2}{--}$ wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	8 17 29 45	15 33 57 88 125 168 217 273 334	49 85 130 185 248 321 403 493 592 700 817 942 1076	112 172 244 328 424 531 650 781 924 1077 1242 1418 1606 1804 2014 2235 2466	213 302 406 525 658 806 968 1145 1335 1540 1758 1990 2236 2496 2770 3057 3357 3671	360 484 625 784 961 1154 1364 1591 1834 2095 2372 2665 2974 3300 3642 4001 4375	561 725 910 1114 1338 1582 1845 2128 2429 2750 3090 3450 3827 4224 4640 5074	825 1034 1267 1521 1798 2098 2419 2762 3127 3514 3922 4352 4803 5275 5769	1418 1704 2014 2349 2709 3093 3502 3935 4392 4874 5379 5908 6461	2229 2600 2998 3423 3875 4355 4861 5393 5952 6538 7149	3286 3752 4247 4773 5327 5911 6523 7165 7836				

#### $\frac{1}{\text{Taras}}$ and Clark 1977

Log W = -0.65002 + 0.96146 \* Log 10 (H\*D\*\*2)Sample Size - 47 trees, Coefficient of Determination 0.99 Average DBH 13.2 inches, Minimum 5.9 inches, Maximum 18.9 inches Average Height 80 feet, Minimum 56 feet, Maximum 97 feet Average Age 53 years, Minimum 32 years, Maximum 69 years

2/Main stem to a 2-inch top

Pinus palustris - Longleaf Pine / Georgia

Table 124--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		76 116 163 216 275	132 193 263 342 431 530 637 754 881 1017	188 269 363 469 587 719 862 1018 1187 1368 1561 1767 1986 2217 2460	244 346 463 595 744 907 1087 1282 1493 1719 1961 2219 2492 2780 3085 3405 3740	300 422 563 722 900 1096 1312 1546 1799 2070 2361 2670 2997 3344 3709 4093 4496	356 499 662 848 1056 1285 1536 1810 2105 2421 2760 3121 3503 3907 4333 4781 5251	762 975 1212 1474 1761 2073 2411 2773 3160 3572 4009 4471 4958 5470 6007	1368 1663 1986 2337 2716 3124 3559 4023 4514 5034 5582 6158 6762	2211 2601 3022 3475 3959 4474 5020 5598 6206 6846 7517	3328 3826 4358 4925 5526 6161 6831 7535 8273			

 $\frac{1}{\text{Saucier}}$ , Phillips, and Williams 1981

W = -36.83043 + 0.15608 \* (H\*D\*\*2)

Sample Size - 73 trees, Coefficient of Determination

Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches

Average Height feet, Minimum 40 feet, Maximum 95 feet Average Age years, Minimum years, Maximum years

### Pinus strobus - White Pinel/ Maine

Table 125--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	22 35	44 69 99 135 177 225 278	65 101 147 200 262 333 412 499 595 700 813 935	85 134 194 264 346 440 544 659 786 924 1074 1234 1406 1590 1785 1991 2208	166 240 328 430 545 675 818 976 1147 1332 1745 1973 2214 2470 2740 3024 3322	287 391 513 651 805 976 1164 1368 1589 1827 2082 2353 2641 2946 3268 3607 3963	454 595 755 934 1133 1351 1588 1845 2121 2416 2731 3066 3420 3794 4187 4600	677 859 1063 1289 1537 1807 2099 2413 2749 3108 3488 3891 4316 4764 5234	1191 1445 1722 2025 2352 2704 3081 3483 3909 4361 4837 5339 5865	1907 2242 2604 2994 3411 3856 4329 4828 5356 5911 6494	2856 3283 3741 4229 4746 5295 5873 6482 7121				

#### $\frac{1}{\text{Young}}$ et al. 1964

LNW = -1.9231 + 2.0215 \* LN(D) + 0.9670 \* LN(H)

Sample Size - 27 trees, Coefficient of Determination 0.98

Average DBH inches, Minimum 5.8 inches, Maximum 14.6 inches

Average Height feet, Minimum 46 feet, Maximum 79 feet

Average Age , Minimum , Maximum

Pinus taeda - Loblolly Pinel/
Alabama

Table 126--Main stem $\frac{2}{-}$ --wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 13 23 36	11 26 46 71 102 139 182 230 284	38 68 107 153 209 273 345 426 515 613 719 834 957	91 142 205 [ 278 363 460 568 687 817 959 1112 1276 1451 1638 1837 2046 2267	178 256 348 454 575 709 858 1021 1198 1389 1594 1814 2048 2295 2557 2833 3123 3427	307 417 545 689 851 1029 1225 1437 1667 1913 2176 2457 2754 3068 3399 3747 4112	487 636 804 993 1201 1429 1677 1944 2232 2539 2866 3212 3579 3965 4371 4797	726 919 1134 1372 1633 1916 2222 2550 2901 3275 3671 4089 4531 4995 5481	1276 1544 1837 2155 2499 2868 3263 3683 4129 4600 5096 5618 6166	2040 2394 2776 3187 3625 4092 4587 5111 5662 6242 6850	3054 3505 3988 4501 5046 5621 6228 6866 7534				

#### $\frac{1}{T}$ Taras and Clark 1975

Log W = -0.84452 + 0.99901 \* Log (H\*D\*\*2)
Sample Size - 41 trees, Coefficient of Determination 0.99
Average DBH 13.9 inches, Minimum 5.6 inches, Maximum 20.4 inches
Average Height 80 feet, Minimum 40 feet, Maximum 107 feet
Average Age 42 years, Minimum 37 years, Maximum 47 years

2/Main stem weights to a 2-inch top

Pinus taeda - Loblolly Pinel/
Georgia

Table 127--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		63 101 146 196 252	116 [ 174 240 316 400 493 595 706 826 954	169 246 335 435 548 672 808 956 1116 1287 1470 1666 1873 2091 2322	222 319 429 555 696 851 1021 1206 1405 1620 1849 2093 2352 2625 2913 3217 3535	276 391 524 675 843 1030 1234 1456 1695 1952 2227 2520 2831 3159 3505 3869 4250	329 463 619 795 991 1209 1447 1705 1985 2285 2606 2947 3310 3693 4096 4521 4966	713 914 1139 1388 1660 1955 2275 2618 2984 3375 3789 4226 4688 5173 5681	1287 1566 1873 2205 2565 2950 3363 3802 4268 4760 5279 5825 6397	2085 2455 2854 3283 3742 4229 4747 5294 5871 6477 7113	3144 3616 4120 4657 5226 5828 6462 7129 7828				

### 1/Saucier, Phillips, and Williams 1981

W = -43.71191 + 0.14786 \*(D\*\*2\*H)
Sample Size - 448 trees, Coefficient of Determination
Average DBH inches, Minimum 5.6 inches, Maximum 19.5 inches
Average Height feet, Minimum 40 feet, Maximum 105 feet

Average Age years, Minimum years, Maximum years

### Pinus taeda - Loblolly Pinel/ North Carolina, Virginia

Table 128--Main stem--wood and bark--green weight (pounds)

DBH					Total	height	t (feet)	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		40 77 121 170 225	92 148 213 287 369 460 560 668 785 910	144 219 305 404 513 635 767 912 1068 1235 1414 1605 1807 2021 2246	196 290 398 521 658 809 975 1156 1351 1560 1784 2022 2275 2542 2824 3120 3430	248 360 490 638 802 984 1183 1400 1634 1885 2154 2439 2743 3063 3401 3756 4129	431 583 754 947 1159 1391 1644 1917 2210 2523 2857 3211 3585 3979 4393 4828	675 871 1091 1333 1599 1888 2200 2535 2893 3274 3678 4106 4556 5030 5527	1235 1508 1807 2132 2483 2860 3263 3691 4146 4627 5134 5667 6225	2015 2376 2766 3185 3632 4109 4614 5148 5711 6303 6924	3049 3509 4002 4526 5082 5669 6289 6940 7623

### 1/Burkhart et al. 1972

W = -64.22742 + 0.14439 \* (H\*D\*\*2) Sample Size - 121 trees, Coefficient of Determination 0.99 Average DBH , Minimum , Maximum Average Height , Minimum , Maximum Average Age , Minimum 13 years, Maximum 77 years

# <u>Pinus virginiana</u> - Virginia Pine<u>l</u>/ North Georgia

Table 129--Main stem--wood and bark--green weight (pounds)

DBH Inches		Total height (feet)													
	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		75 118 166 220 279 344	109 172 242 320 406 500 602 712 829 954 1087	142 224 316 418 531 653 786 929 1083 1246 1420 1603 1796 1999 2212 2435	175 276 389 514 652 803 967 1143 1331 1532 1745 1971 2209 2459 2720 2994 3280 3577	207 327 460 609 772 951 1144 1353 1576 1814 2067 2334 2615 2911 3221 3545 3883 4235	531 702 891 1097 1320 1560 1818 2093 2384 2692 3017 3358 3716 4089 4479 4885	795 1008 1241 1494 1766 2057 2368 2698 3047 3414 3800 4205 4628 5069 5529	1384 1666 1970 2295 2641 3009 3398 3808 4238 4690 5161 5654 6166	2172 2530 2912 3317 3746 4198 4673 5170 5691 6233 6798	3181 3624 4092 4585 5104 5648 6216 6809 7426				

#### $\frac{1}{S}$ Saucier and Boyd 1982

W = 0.31201 \*(H\*D\*\*2) \*\* 0.92641 \* (1-19.3777/D\*\*2.72502) Sample Size - 25 trees, Coefficient of Determination Average DBH 10.0 inches, Minimum 5.5 inches, Maximum 14.3 inches Average Height 66 feet, Minimum 50 feet, Maximum 77 feet Average Age 37 years, Minimum 24 years, Maximum 60 years

### <u>Pseudotsuga</u> <u>menziesii</u> - Douglas-fir<sup>1</sup>/ Pacific Northwest

Table 130--Main stem--wood and bark--green weight (pounds)

DBH					Total h	neight (	feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	19 29	38 59 86 117 153 193 239	57 89 129 175 229 290 358 434 516 606 703 807	76 119 172 234 306 387 478 579 689 808 938 1076 1225 1383 1550 1727 1914	149 215 293 382 484 598 723 861 1011 1172 1346 1531 1728 1938 2159 2393 2638 2895	258 351 459 581 717 868 1033 1213 1407 1615 1837 2074 23:26 25:91 28:71 31:66 34:74	410 535 678 837 1013 1206 1415 1641 1884 2144 2420 2713 3023 3350 3693 4053	612 775 957 1158 1378 1617 1876 2153 2450 2766 3101 3455 3829 4221 4633	1076 1303 1550 1819 2110 2423 2756 3112 3489 3887 4307 4749 5212	1723 2022 2345 2692 3063 3458 3876 4319 4786 5276 5791	2579 2961 3369 3803 4264 4751 5264 5804 6370

#### $\frac{1}{\text{Shaw}}$ 1977

W = -0.267 + 0.02766 \* H \* D \*\* 2 (metric)

Sample Size - 120 trees, Coefficient of Determination

Average DBH centimeters, Minimum 1 centimeter, Maximum 221 centimeters

Average Height meters, Minimum 3 meters, Maximum 52 meters Average Age years, Minimum years, Maximum years

# Thuja plicata - Western Red Cedar<u>l</u>/ Pacific Northwest

Table 131--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	11 16	20 29 40 54 70 87 107	28 42 59 79 103 129 159 192 227 266 308 354	36 55 78 105 136 171 211 254 302 354 410 470 535 603 676 753 834	68 97 130 169 213 263 317 377 442 512 587 668 753 844 940 1041 1148 1259	115 156 202 255 315 380 452 530 614 704 800 903 1012 1128 1249 1377 1511	181 236 297 366 443 526 617 715 821 933 1053 1180 1315 1457 1606 1762	269 340 418 506 601 705 817 938 1066 1203 1349 1502 1664 1835 2013	470 568 676 793 919 1054 1199 1353 1517 1690 1872 2064 2264	751 880 1021 1171 1332 1503 1685 1877 2080 2292 2516	1122 1288 1465 1653 1853 2065 2287 2521 2767			

#### $\frac{1}{\text{Shaw}}$ 1977

Tsuga canadensis - Eastern Hemlock1/
Maine

Table 132--Main stem--wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	20 31	39 61 89 121 159 202 250	58 91 132 180 235 298 369 448 534 628 729 838	77 120 174 237 311 394 488 591 705 829 963 1107 1261 1426 1601 1785 1981	149 216 294 386 489 605 734 875 1029 1195 1374 1565 1769 1986 2215 2457 2712 2980	257 351 460 583 722 875 1044 1227 1425 1639 1867 2110 2369 2643 2931 3235 3554	408 534 677 838 1016 1212 1424 1654 1902 2167 2450 2750 3067 3403 3755 4125	607 771 954 1156 1379 1621 1883 2164 2466 2787 3129 3490 3871 4273 4694	1069 1296 1545 1816 2110 2425 2763 3124 3506 3911 4339 4788 5260	1710 2011 2336 2686 3060 3459 3882 4331 4804 5302 5825	2561 2945 3355 3793 4257 4749 5268 5814 6387				

 $<sup>\</sup>frac{1}{\text{Young}}$  et al. 1964

### Tsuga mertensiana - Mountain Hemlock1/ Pacific Northwest

Table 133--Main stem $\frac{2}{--}$ wood and bark--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22			1443 1497 1556 1620 1689	1207 1235 1270 1311 1358 1412 1472 1538 1611 1689 1775 1866 1964 2068 2178 2295 2418	1255 1298 1350 1409 1476 1551 1633 1724 1823 1929 2043 2165 2296 2433 2579 2733 2895 3064	1327 1388 1459 1540 1630 1729 1838 1956 2084 2221 2367 2523 2689 2864 3048 3242 3446	1427 1510 1603 1708 1824 1951 2089 2238 2398 2569 2751 2944 3148 3364 3590 3827	1560 1667 1787 1920 2065 2222 2392 2575 2771 2979 3200 3433 3679 3937 4208	1866 2015 2178 2355 2547 2753 2973 3207 3455 3717 3994 4285 4590	2292 2489 2701 2930 3174 3434 3710 4002 4309 4633 4971	2856 3107 3376 3662 3966 4287 4625 4980 5353				

#### $\frac{1}{\text{Krumlik}}$ 1974

<sup>2</sup>/Green weight conversion factor 1.62 applied to equation to convert oven dry weight to green weight.

# SOFTWOODS MAIN STEM Wood

# Abies amabilis - Pacific Silver Firl/ Pacific Northwest

Table 134--Main stem2/--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	310	326 341 358 378 400 426	343 365 390 420 454 492 533 579 628 682 739	359 389 423 463 507 558 613 674 740 811 888 970 1057 1150 1248 1351	376 412 455 505 561 624 693 769 852 941 1037 1139 1248 1364 1486 1615 1751 1893	436 488 547 615 690 773 864 963 1071 1185 1308 1439 1578 1725 1879 2042 2212	520 589 668 756 853 959 1075 1200 1334 1478 1630 1792 1963 2144 2333 2532	632 722 822 933 1055 1187 1330 1483 1647 1821 2006 2202 2408 2625 2852	888 1013 1150 1298 1459 1632 1816 2012 2220 2440 2672 2916 3172	1245 1410 1589 1780 1985 2203 2435 2679 2937 3208 3492	1718 1929 2154 2394 2649 2918 3201 3499 3812				

#### $\frac{1}{\text{Krumlik}}$ 1974

<sup>2</sup>/Green weight conversion factor 1.66 applied to equation to convert oven dry weight to green weight.

# Abies lasiocarpa - Subalpine Fir $\frac{1}{2}$ / British Columbia

Table 135--Main stem2/--wood--green weight (pounds)

DBH Inches		Total height (feet)												
	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	61	85 107 132 162 195 233	110 142 [ 181 ] 225 275 331 393 461 535 615 700	134 178 229 288 355 430 512 603 701 807 922 1044 1174 1311 1457 1610	159 213 277 351 435 528 631 744 867 1000 1143 1296 1458 1630 1812 2004 2206 2417	249 325 414 514 626 750 886 1034 1193 1364 1547 1742 1949 2167 2398 2640 2894	374 477 594 725 869 1028 1200 1386 1586 1799 2027 2268 2523 2791 3074 3370	540 674 823 989 1170 1366 1579 1807 2051 2311 2587 2878 3185 3508 3846	922 1108 1311 1533 1772 2029 2303 2595 2905 3233 3578 3941 4322	1453 1699 1965 2250 2555 2880 3224 3588 3972 4375 4799	2158 2471 2807 3164 3543 3943 4366 4809 5275			

### $\frac{1}{Adamovich}$ 1975

W = 36.0 + 0.0984 \* H \* D \*\* 2 Sample Size - 12 trees, Coefficient of Determination 0.93 Average DBH inches, Minimum 0.8 inches, Maximum 15.9 inches Average Height feet, Minimum 6.1 feet, Maximum 92.6 feet Average Age years, Minimum 83 years, Maximum 231 years

<sup>2</sup>/Total stem

# Picea engelmannii - Englemann Sprucel/ British Columbia

Table 136--Main stem2/--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	23 33	41 60 84 112 145 182 223	58 87 123 166 215 270 332 400 475 557 645 739	76 115 162 219 284 358 440 532 632 740 857 983 1118 1261 1413 1574 1744	142 201 272 354 446 549 663 788 924 1070 1228 1396 1575 1765 1966 2178 2401 2634	241 325 423 534 658 794 944 1107 1283 1472 1674 1889 2117 2358 2612 2880 3160	378 493 622 766 926 1101 1291 1496 1716 1952 2203 2469 2750 3047 3358 3685	562 710 875 1057 1257 1474 1709 1961 2230 2517 2821 3142 3481 3837 4211	983 1189 1413 1658 1922 2205 2508 2831 3173 3534 3916 4316 4737	1570 1841 2135 2449 2786 3145 3525 3926 4350 4795 5262	2347 2694 3064 3458 3877 4319 4784 5274 5788				

## $\frac{1}{Adamovich}$ 1975

W=6.0+0.1086\*H\*D\*\*\*2 Sample Size - 15 trees, Coefficient of Determination 0.98 Average DBH inches, Minimum 0.8 inches, Maximum 15.8 inches Average Height feet, Minimum 6.5 feet, Maximum 92.4 feet Average Age , Minimum , Maximum

2/Total stem

Pinus clausa var. immuginata - Choctawhatchee Sand Pinel/
Florida

Table 137--Main stem $\frac{2}{--}$ wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	10 18 [ 28	20 36 58 86 119 158 202 252	30 56 90 132 182 242 310 387 474 569 674 788 912	76   121   178   247   328   420   525   642   771   913   1068   1235   1416   1609   1815   2035   2268	154 226 313 415 532 664 812 976 1156 1352 1564 1792 2037 2298 2576 2870 3182 3510	186 274 379 503 644 805 985 1183 1401 1638 1895 2172 2469 2786 3123 3480 3857 4256	446 591 758 947 1159 1392 1649 1928 2230 2556 2905 3278 3674 4095 4539 5008	681 873 1091 1334 1603 1898 2220 2568 2943 3345 3774 4231 4715 5227 5766	1235 1511 1815 2150 2514 2908 3333 3788 4274 4791 5339 5919 6530	2029 2403 2810 3251 3725 4234 4777 5355 5968 6615 7298	3107 3595 4120 4682 5283 5922 6599 7316 8071				

### 1/Taras 1980

Log W = -1.08343 + 1.05588 \* Log 10 (H\*D\*\*2)
Sample Size - 36 trees, Coefficient of Determination 0.98
Average DBH 9.1 inches, Minimum 4.2 inches, Maximum 14.7 inches
Average Height 52 feet, Minimum 24 feet, Maximum 67 feet
Average Age 57 years, Minimum 37 years, Maximum 88 years

<u>Pinus controta</u> - Lodgepole Pinel/ Alberta

Table 138--Main stem2/--wood--green weight (pounds)

DBH					Tota	l heigh	t (feet	)			
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	7 14 24 36	13 27 46 69 97 130 166 207 251	39 67 101 142 189 242 301 366 436 512 594 681 774	87 132 185 247 316 393 477 569 668 775 888 1009 1136 1270 1411 1559 1713	163 228 303 388 483 586 699 821 952 1091 1239 1395 1560 1732 1913 2102 2299 2504	270 359 460 571 694 827 971 1126 1290 1465 1650 1844 2048 2262 2485 2718 2960	414 530 659 800 954 1120 1297 1487 1688 1901 2125 2360 2606 2863 3131 3409	599 745 905 1079 1266 1467 1681 1908 2149 2402 2667 2945 3235 3538 3852	1009 1202 1411 1635 1873 2126 2394 2676 2971 3281 3604 3940 4290	1555 1801 2064 2342 2637 2947 3272 3613 3969 4339 4724	2252 2556 2878 3216 3571 3942 4330 4734 5154

### $\frac{1}{J}$ Johnstone 1970

LOG W = ((-0.8887 + 0.9381 \* LOG (H\*D\*\*2)) - (-2.5841 + 1.1395 \* LOG (H\*D\*\*2)))\*1.65 Sample Size - 85 trees, Coefficient of Determination 0.98 Average DBH 7.1 inches, Minimum 4.0 inches, Maximum 13.2 inches Average Height 60 feet, Minimum 45 feet, Maximum 82 feet Average Age 92 years, Minimum 75 years, Maximum 100 years

2/Total stem

# Pinus contorta - Lodgepole Pine1/ British Columbia

Table 139--Main  $stem^2/--wood--green$  weight (pounds)

DBH					Total height (feet)							
Inches	10	20	30	40	50	60	70	80	90	100	110	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	10 16 25 36	15 27 44 66 93 125 162 203 250	38 64 97 137 185 240 302 372 449 533 625 724 831	83 127 181 245 318 401 494 597 709 832 964 1106 1257 1419 1590 1771 1962	158 225 305 396 500 616 745 886 1038 1204 1381 1570 1772 1986 2213 2451 2702 2965	269 365 475 599 739 893 1062 1245 1443 1656 1884 2126 2383 2654 2940 3241 3557	424 553 698 861 1041 1238 1452 1683 1931 2197 2479 2779 3096 3429 3780 4149	631 798 983 1189 1414 1658 1923 2206 2510 2833 3175 3537 3919 4320 4740	1106 1337 1590 1865 2162 2482 2823 3186 3571 3979 4408 4859 5332	1766 2072 2402 2757 3136 3539 3968 4420 4897 5398 5924	2642 3032 3449 3893 4364 4862 5386 5938 6516	

## $\frac{1}{Adamovich}$ 1975

W = 5.0 + 0.1223 \* H \* D \*\* 2
Sample Size - 14 trees, Coefficient of Determination 0.98
Average DBH inches, Minimum 1 inch, Maximum 15.2 inches
Average Height feet, Minimum 6.9 feet, Maximum 85.2 feet
Average Age years, Minimum 64 years, Maximum 177 years

2/Total stem

<u>Pinus echinata</u> - Shortleaf Pinel/ Mississippi

Table 140--Main stem2/--wood--green weight (pounds)

DBH	Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3 8 14 23	7 16 31 50 75 106 143 185 234	25 48 79 118 166 224 291 367 454 550 657 775 903	66 109 163 229 308 400 505 624 757 904 1066 1242 1433 1640 1861 2098 2351	139 208 293 394 512 647 799 970 1158 1365 1591 1836 2100 2384 2688 3012 3356 3721	255 359 483 627 792 979 1187 1418 1671 1947 2247 2571 2918 3290 3687 4108 4555	426 573 744 940 1161 1408 1682 1983 2311 2666 3050 3463 3904 4375 4875 5405	664 863 1090 1347 1633 1951 2299 2680 3092 3537 4016 4527 5073 5 5653 6268	1242 1534 1861 2223 2620 3054 3524 4031 4576 5159 5781 6442 7143	2092 2499 2945 3432 3961 4531 5143 5799 6498 7241 8028	3274 3815 4402 5036 5717 6446 7223 8048 8923			

#### $\frac{1}{\text{Clark}}$ and Taras 1976

Log W = -1.29252 + 1.10935 \* Log (H\*D\*\*2)
Sample Size - 34 trees, Coefficient of Determination 0.99
Average DBH 12.3 inches, Minimum 6.1 inches, Maximum 19.7 inches
Average Height 72 feet, Minimum 48 feet, Maximum 87 feet
Average Age 70 years, Minimum 28 years, Maximum 110 years

Pinus elliottii - Slash Pinel/ Alabama

Table 141--Main stem2/--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4 9 17 27	8 19 35 56 83 114 151 193 241	29 54 86 126 175 231 296 369 451 541 640 748 864	73 117 171 236 312 400 499 610 732 866 1011 1169 1339 1520 1714 1920 2138	147 216 298 395 506 631 771 925 1094 1278 1478 1692 1922 2167 2427 2703 2994 3301	261 361 478 612 764 933 1120 1325 1548 1789 2049 2327 2623 2939 3273 3626 3998	425 562 720 898 1097 1317 1558 1820 2103 2409 2735 3084 3455 3847 4262 4700	647 828 1033 1262 1515 1792 2094 2420 2771 3147 3548 3974 4426 4904 5407	1169 1428 1714 2028 2369 2738 3135 3561 4015 4497 5009 5549 6118	1915 2265 2646 3058 3502 3977 4484 5023 5594 6198 6833	2924 3380 3871 4396 4956 5552 6183 6850 7552				

#### $\frac{1}{\text{Taras}}$ and Phillips 1978

Log W = -1.08221 + 1.04952 \* Log (H\*D\*\*2)
Sample Size - 43 trees, Coefficient of Determination 0.99
Average DBH 12.9 inches, Minimum 6.0 inches, Maximum 21.0 inches
Average Height 73 feet, Minimum 47 feet, Maximum 99 feet
Average Age 51 years, Minimum 28 years, Maximum 68 years

<u>Pinus palustris</u> - Longleaf Pinel/ Alabama

Table 142--Main stem2/--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	6 14 24 38	12 27 48 75 107 145 188 237 292	41 72 111 159 216 281 354 436 526 624 731 846 969	95 148 211 286 373 470 579 698 829 971 1123 1287 1462 1647 1844 2051 2269	184 263 357 464 586 721 870 1033 1209 1400 1604 1821 2052 2297 2555 2827 3113 3412	315 427 556 701 863 1041 1236 1448 1675 1919 2180 2456 2749 3059 3384 3726 4083	497 647 816 1005 1212 1439 1685 1950 2234 2537 2859 3200 3560 3939 4337 4753	738 931 1146 1383 1642 1922 2224 2548 2894 3262 3651 4061 4493 4947 5422	1287 1553 1844 2159 2498 2862 3251 3663 4100 4561 5046 5556 6090	2045 2395 2772 3175 3606 4064 4549 5060 5599 6164 6756	3045 3488 3961 4464 4997 5559 6150 6771 7421				

### $\frac{1}{\text{Taras}}$ and Clark 1977

Log W = -0.78784 + 0.98563 \* Log (H\*D\*\*2)
Sample Size - 47 trees, Coefficient of Determination 0.99
Average DBH 13.2 inches, Minimum 5.9 inches, Maximum 18.9 inches
Average Height 80 feet, Minimum 56 feet, Maximum 97 feet
Average Age 53 years, Minimum 32 years, Maximum 69 years

Pinus taeda - Loblolly Pinel/
Alabama

Table 143--Main stem2/--wood--green weight (pounds)

DBH		Total height (feet)													
Inches	10	20	30	40	50	60	70	80	90	100	110				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	5 11 19 30	9 21 38 60 88 120 158 200 248	32 58 91 133 181 238 303 375 456 544 640 745 857	78 123 178 243 319 406 503 611 729 858 998 1149 1310 1482 1665 1859 2064	154 223 305 401 509 631 767 915 1077 1253 1442 1644 1861 2090 2334 2591 2861 3146	269 368 482 613 760 923 1102 1297 1508 1736 1980 2240 2517 2810 3119 3445 3788	430 564 718 889 1080 1289 1518 1765 2031 2317 2621 2945 3288 3650 4031 4432	647 822 1019 1237 1477 1739 2022 2327 2654 3003 3374 3766 4181 4618 5077	1149 1395 1665 1960 2280 2624 2992 3386 3804 4247 4714 5207 5724	1854 2182 2538 2921 3331 3769 4235 4728 5248 5797 6373	2797 3219 3671 4153 4666 5209 5783 6388 7022				

#### $\frac{1}{Taras}$ and Clark 1975

Log W = -0.96714 + 1.01849 \* Log 10 (H\*D\*\*2)
Sample Size - 41 trees, Coefficient of Determination 0.99
Average DBH 13.9 inches, Minimum 5.6 inches, Maximum 20.4 inches
Average Height 80 feet, Minimum 48 feet, Maximum 107 feet
Average Age 42 years, Minimum 37 years, Maximum 47 years

Pinus taeda - Loblolly Pinel/
North Carolina, Virginia

Table 144--Main stem--wood--green weight (pounds)

DBH		Total height (feet)												
Inches	10	20	30	40	50	60	70	80	90	100	110			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		32 67 106 151 201	80 131 190 257 332 415 506 605 711 826	127 196 274 364 464 575 696 827 969 1122 1285 1459 1643 1838 2043	174 260 359 471 596 734 885 1050 1227 1418 1622 1839 2070 2313 2570 2840 3123	222 325 443 577 727 893 1075 1272 1485 1714 1959 2220 2496 2788 3096 3420 3760	389 527 684 859 1052 1264 1495 1743 2010 2296 2600 2922 3263 3623 4000 4397	611 790 990 1212 1454 1717 2001 2307 2633 2980 3349 3738 4149 4581 5034	1122 1371 1643 1939 2259 2603 2970 3361 3775 4214 4676 5161 5671	1833 2162 2517 2899 3307 3741 4202 4689 5202 5742 6308	2775 3195 3644 4121 4628 5164 5728 6322 6944			

### $\frac{1}{B}$ urkhart et al. 1972

# Pinus virginiana - Virginia Pinel/ North Georgia

Table 145--Main stem--wood--green weight (pounds)

DBH					Total	height	(feet)		-		
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		66 105 148 196 250 309	97 154 217 289 368 454 549 651 761 878 1003	128 202 285 379 483 597 721 855 999 1154 1318 1492 1677 1871 2075 2289	158 249 353 468 597 737 891 1057 1235 1426 1629 1844 2072 2312 2564 2828 3104 3392	187 296 419 557 709 877 1059 1256 1468 1695 1936 2192 2463 2748 3048 3362 3690 4032	485 645 821 1015 1225 1454 1699 1961 2241 2537 2851 3181 3527 3891 4271 4667	732 932 1151 1391 1650 1928 2226 2543 2880 3235 3610 4003 4416 4847 5297	1288 1555 1845 2156 2489 2844 3220 3618 4037 4477 4938 5420 5923	2039 2383 2751 3143 3558 3998 4461 4947 5457 5989 6545	3011 3440 3895 4376 4883 5415 5973 6556 7164

### $\frac{1}{S}$ Saucier and Boyd 1982

W = 0.23714 \* (H\*D\*\*2) \*\* 0.94829 \* (1-19.8322/D\*\*2.76646) Sample Size - 25 trees, Coefficient of Determination Average DBH 10.0 inches, Minimum 5.5 inches, Maximum 14.3 inches Average Height 66 feet, Minimum 50 feet, Maximum 77 feet Average Age 37 years, Minimum 24 years, Maximum 60 years

# Pseudotsuga menziesii - Douglas-fir1/ Pacific Northwest

Table 146--Main stem--wood--green weight (pounds)

DBH	BH Total height (feet)										
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	14 22	29 45 65 88 115 146 180	24 43 68 97 132 173 219 270 327 390 457 530 609	58 90 130 177 231 292 361 436 519 610 707 812 924 1043 1169 1302 1443	113 162 221 289 365 451 546 649 762 884 1015 1154 1303 1461 1628 1804 1989 2183	195 265 346 438 541 655 779 915 1061 1218 1385 1564 1753 1954 2165 2387 2619	309 404 511 631 764 909 1067 1237 1421 1616 1825 2046 2279 2525 2784 3056	462 584 721 873 1039 1219 1414 1623 1847 2085 2338 2605 2886 3182 3492	812 982 1169 1372 1591 1826 2078 2346 2630 2930 3247 3580 3929	1299 1524 1768 2029 2309 2607 2922 3256 3608 3978 4366	1945 2232 2540 2867 3215 3582 3969 4375 4802

#### $\frac{1}{\text{Shaw}}$ 1977

W = -0.049 - 0.02085 \* H \* D \*\*2 (metric)

Sample Size - 120 trees, Coefficient of Determination

Average DBH centimeters, Minimum 1 centimeter, Maximum 221 centimeters

Average Height meters, Minimum 3 meters, Maximum 52 meters

Average Age years, Minimum years, Maximum years

# Thuja plicata - Western Red Cedar $\underline{1}/$ Pacific Northwest

Table 147--Main stem--wood--green weight (pounds)

DBH					Total	height	(feet)				
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	10 14	17 26 37 49 64 80 98	25 38 54 73 95 119 147 177 211 247 286 328	33 50 71 97 126 158 195 236 280 328 381 437 497 560 628 700 775	62 89 120 156 198 243 294 350 410 475 545 620 700 785 874 968 1067 1171	106 144 187 237 292 353 419 492 570 654 744 840 941 1048 1162 1280 1405	168 218 276 340 411 489 573 665 763 868 979 1098 1223 1355 1494 1639	249 315 388 470 558 655 759 872 991 1119 1254 1397 1548 1707 1873	437 528 628 737 854 980 1115 1259 1411 1572 1741 1920 2107	698 818 949 1089 1239 1398 1567 1746 1935 2133 2341	1044 1198 1363 1538 1724 1921 2128 2346 2574

#### $\frac{1}{\text{Shaw}}$ 1977

Tsuga heterophylla – Western Hemlock $\frac{1}{}$ Pacific Northwest

Table 148--Main stem2/--wood--green weight (pounds)

DBH	H Total height (feet)										
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	16 25	31 49 71 96 126 159 197	47 74 106 145 189 239 295 357 425 499 578 664	63 98 142 193 252 319 393 476 567 665 771 885 1007 1137 1275 1421 1574	123 177 241 315 398 492 595 708 831 964 1107 1259 1422 1594 1776 1967 2169 2381	212 289 378 478 590 714 850 998 1157 1328 1511 1706 1912 2131 2361 2603 2857	337 441 558 689 833 992 1164 1350 1549 1763 1990 2231 2486 2754 3037 3333	504 637 787 952 1133 1330 1543 1771 2015 2274 2550 2841 3148 3471 3809	885 1071 1275 1496 1735 1992 2267 2559 2869 3196 3541 3904 4285	1417 1663 1928 2213 2518 2843 3187 3551 3935 4338 4761	2121 2435 2770 3127 3506 3906 4328 4772 5237

### $\frac{1}{\text{Kurucz}}$ 1969

W = (0.056537 \* H \* D \*\*2) \* 1.74

Sample Size - 47 trees, Coefficient of Determination 0.99

Average DBH inches, Minimum 7.0 inches, Maximum 35.5 inches Average Height , Minimum , Maximum

, Minimum , Minimum Average Age , Maximum

<sup>2/</sup>Green weight conversion factor 1.74 used to convert oven dry weight to green weight.

# Tsuga mertensiana - Mountain Hemlockl/ Pacific Northwest

Table 149--Main  $stem^2/--wood--green$  weight (pounds)

DBH	Total height (feet)										
Inches	10	20	30	40	50	60	70	80	90	100	110
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22			1172 1214 1260 1310 1364	1010 1037 1069 1106 1148 1195 1246 1303 1364 1431 1502 1578 1660 1746 1837 1933	1025 1059 1099 1145 1198 1256 1321 1391 1468 1551 1641 1736 1837 1945 2059 2179 2305 2437	1081 1129 1185 1248 1318 1395 1480 1572 1672 1779 1893 2015 2144 2281 2425 2576 2735	1160 1224 1297 1379 1470 1569 1676 1792 1917 2051 2193 2344 2503 2671 2847 3033	1264 1347 1441 1544 1657 1780 1913 2056 2208 2371 2543 2725 2917 3119 3330	1502 1618 1746 1884 2034 2194 2366 2548 2742 2947 3163 3390 3628	1834 1988 2154 2333 2523 2726 2941 3169 3409 3661 3926	2275 2471 2681 2904 3141 3391 3655 3932 4223

#### 1/Krumlik 1974

<sup>2</sup>/Green weight conversion factor 1.62 applied to equation to convert oven dry weight to green weight.

- Adamovich, L. L. Engineering characteristics of Canadian trees, centre of gravity and green weight of components of three conifers in interior British Columbia on poor growing sites. Information Report FMR-X-82. British Columbia: University of British Columbia, Forest Management Institute; 1975. 65 p.
- Belanger, Roger P. Volume and weight tables for plantation-grown sycamore. Res. Pap. SE-107. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1973. 8 p.
- Burkhart, Harold F.; Parker, Robert C.; Oderwald, Richard G. Yields for natural stands of loblolly pine. Publication FWS-2-72. Blacksburg, VA: Division of Forestry and Wildlife Resources, Viginia Polytechnic Institute and State University; 1972. 63 p.
- Clark, Alexander, III; Phillips,
  Douglas R.; Frederick, D. J.
  Biomass nutrients and energy
  contents of southern hardwoods.
  (Cooperative Study SE-3101-16).
  Athens, GA: U.S. Department of
  Agriculture, Forest Service,
  Southeastern Forest Experiment
  Station; Unpublished data.
- Clark, Alexander, III; Phillips, D.
  R.; Hitchcock, Harry C., III.
  Predicted total tree above-stump
  weight and volume of scarlet oak
  in the Tennessee Cumberland
  Plateau. Res. Pap. SE-214.
  Asheville, NC: U.S. Department of
  Agriculture, Forest Service,
  Southeastern Forest Experiment
  Station; 1980. 23 p.

- Clark, Alexander, III; Phillips, D.
  R.; Hitchcock, H. C., III.
  Predicted total tree above-stump
  weight and volume of southern red
  oak in Tennessee Cumberland
  Plateau. Res. Pap. SE-208.
  Asheville, NC: U.S. Department of
  Agriculture, Forest Service,
  Southeastern Forest Experiment
  Station; 1980. 23 p.
- Clark, Alexander, III; Schroeder,
  James G. Multi-product
  weight-volume factors and total
  tree weight and volume of the major
  southern hardwoods. (Study
  SE-3101-12). Athens, GA: U.S.
  Department of Agriculture, Forest
  Service, Southeastern Forest
  Experiment Station; 1980.
  Unpublished data.
- Clark, Alexander, III.; Phillips, D.
  R.; Schroeder, J. G. Predicted
  weights and volumes of northern red
  oak trees in western North
  Carolina. Res. Pap. SE-209.
  Asheville, NC: U.S. Department of
  Agriculture, Forest Service,
  Southeastern Forest Experiment
  Station; 1980. 22 p.
- Clark, Alexander, III.; Schroeder, J. G. Biomass of yellow-poplar in natural stands in western North Carolina. Res. Pap. SE-165. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1977. 41 p.
- Clark, Alexander, III.; Taras, Michael
  A. Biomass of shortleaf pine in a
  natural sawtimber stand in northern
  Mississippi. Res. Pap. SE-146.
  Asheville, NC: U.S. Department of
  Agriculture, Forest Service,
  Southeastern Forest Experiment
  Station; 1976. 32 p.

- Johnstone, W. D. Component dry weights of 100-years-old lodgepole pine trees. Information Report A-X-31. Calgary, Alberta, Canada: Forest Research Laboratory, Canadian Forestry Service, Department of Fisheries and Forestry; 1970.
- Kumlik, J. G. Biomass and nutrient
   distribution in two old-growth
   forest ecosystems in south central
   British Columbia. Vancouver, B.
   C. Canada: M. S. Thesis,
   University of British Columbia;
   1974. 87 p. + appendix.
- Kurucz, J. Component weights of
  Douglas-fir, western hemlock and
  western red cedar biomass for
  simulation of amount and
  distribution of forest fuels.
  Vancouver, B. C., Canada: M. F.
  Thesis, University of British
  Columbia; 1969. 116 p.
- Myers, Charles; Polak, David J.;
  Raisanen, Donald; and others.
  weight and volume equations and
  tables for six upland hardwoods in
  southern Illinois. Gen. Tech.
  Rep. NC-60. St. Paul, MN: U.S.
  Department of Agriculture, Forest
  Service, North Central Forest
  Experiment Station; 1980. 17 p.
- Quillian, John. Whole tree weight prediction for loblolly pine. Rome, GA: Memorandum Report, Georgia Kraft Co., Woodlands Division; 1976. 3 p.
- Saucier, Joseph R.; Boyd, John R.
  Aboveground biomass of Virginia
  pine in North Georgia. Res. Pap.
  SE-232. Asheville, NC: U.S.
  Department of Agriculture, Forest
  Service, Southeastern Forest
  Experiment Station; 1982.

- Saucier, J.R.; Phillips, Douglas R.; Williams, James Jr. G. Green weight, volume, board-foot, and cord tables for the major southern pine species. Georgia For. Res. Pap. 19. Dry Branch, Georgia: Research Division, Georgia Forestry Commission; 1981. 63 p.
- Shaw, D. L. Biomass equations for Douglas-fir, western red Cedar, and red alder in Washington and Oregon. Tech. Rep. 044-3001/77/22. Centralia, WA: Weyerhaeuser Corporation,; 1977. 19 p.
- Steinhilb, H. M.; Erickson, John R.
  Weights and centers of gravity for
  quaking aspen trees and boles.
  Research Note NC-91. St. Paul,
  MN: U. S. Department of
  Agriculture, Forest Service, North
  Central Forest Experiment Station;
  1970. 4 p.
- Steinhilb, H. M.; Erickson, J. R.
  Weights and centers of gravity for
  red pine, white spruce, and balsam
  fir. Res. Pap. NC-75. St. Paul,
  MN: U. S. Department of
  Agriculture, Forest Service, North
  Central Forest Experiment Station;
  1972. 7 p.
- Steinhilb, H. M.; Winsaver, Sharon A.
  Sugar Maple: Tree and bole
  weights, volumes, centers of
  gravity and logging residue. Res.
  Pap. NC-132. St. Paul, MN: U. S.
  Department of Agriculture, Forest
  Service, North Central Forest
  Experiment Station; 1976. 7 p.
- Taras, Michael A. Aboveground biomass of Choctahatchee sand pine in Northwest Florida. Res. Pap. SE-210. Asheville, NC: U. S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 23 p.

- Taras, M. A.; Clark, Alexander III.

  Aboveground biomass of loblolly
  pine in a natural, uneven-aged
  sawtimber stand in central
  Alabama. TAPPI, 58(2); 1975.
  103-105 pp.
- Taras, M. A.; Clark, Alexander III.
  Aboveground biomass of longleaf
  pine in a natural sawtimber stand
  in southern Alabama. Res. Pap.
  SE-162. Asheville, NC: U.S.
  Department of Agriculture, Forest
  Service, Southeastern Forest
  Experiment Station; 1977. 32 p.
- Taras, M. A.; Phillips, Douglas R.
  Aboveground biomass of slash pine
  in a natural sawtimber stand in
  southern Alabama. Res. Pap.
  SE-188. Asheville, NC: U.S.
  Department of Agriculture, Forest
  Service, Southeastern Forest
  Experiment Station; 1978. 31 p.

- Wiant, Harry V., Jr.; Castaneda,
  Froylan; Sheetz, Carter E. [and others]. Equations for predicting weights of some Appalachian hardwoods. West Viginia Notes,
  No. 7. Morgantown, WV: West Viginia University, Agriculture and Forest Experiment Station,
  College of Agriculture and Forestry; 1979. 21-26 pp.
- Young, Harold E.; Strand, Lars;
  Altenberger, Russell. Preliminary
  fresh and dry weight tables for
  seven tree species in Maine.
  Tech. Bulletin 12. Maine
  Agricultural Experiment Station;
  1964. 76 p.
- Zavitkoviski, J.; Stevens, R. D. Primary productivity of red alder ecosystems. 1972. Ecology 53: (2) 235-242 pp.

#### Hardwood Table Index

Species	W	/hole tree		Main stem		
эрсстез	Wood, bark, and foliage	Wood and bark	Wood	Wood and bark	Wood	
Acer rubrum		7,8		42,43		
Acer saccharum		9				
Alnus rubra				44		
Betula papyrifera		10		45		
Carya spp.	1	11		46		
Fraxinus americana	2					
<u>Liquidambar</u> styraciflua		12	32	47	66	
<u>Liriodendron</u> <u>tulipifera</u>	3	13,14,15,16	33,34,35	48,49,50,51	67,68,69	
Platanus occidentalis		17		52		
Populus tremuloides		18,19		53		
Prunus serotina		20		54		
Quercus alba	4	21,22,23	36,37	55,56,57	70,71	
Quercus coccinea		24,25	38	58,59	72	
Quercus falcata		26	39	60	73	
Quercus prinus		27,28	40	61,62	74	
Quercus rubra	5	29,30	41	63,64	75	
Quercus velutina	6	31		65		

#### Softwood Table Index

	Wh	ole tree	Main stem		
Species	Wood, bark, and foliage	Wood and bark	Wood	Wood and bark	Wood
Abies amabilis balsamea lasiocarpa	76 77 	 93 	 	112 113 	134  135
Picea englemannii Picea glauca Picea rubens	78 79 	  94	 	114  115	136  
Pinus clausa var. immuginata Pinus contorta Pinus echinata Pinus elliottii Pinus palustris Pinus resinosa	80  81,82 83,84 85,86 87	95  96 97 98 	106 107 108 109 110	116 117,118 119,120 121,122 123,124	137 138,139 140 141 142
Pinus strobus Pinus taeda Pinus virginiana	88,89,90 91	99 100 101	111	125 126,127,128 129	143,144 145
Pseudotsuga menziesii		102		130	146
Thuja plicata	dan das	103		131	147
Tsuga canadensis Tsuga heterophylla Tsuga mertensiana	92  	104 105	 	132  133	148 149

